

DENTAL TRIBUNE

The World's Dental Newspaper • India Edition

PUBLISHED IN INDIA


www.dental-tribune.com

VOL. 2 No. 3

News in brief

DTI expands European portfolio

The Dental Tribune International Media Group has entered into a new partnership with International Faculty for Executives, a Portuguese subsidiary of the French multinational Edition Formation Enterprise (EFE). The agreement aims to extend DTI's media and online education portfolio to Portugal, a market with more than 5,500 dentists currently. The launch of the new Portuguese edition of Dental Tribune is scheduled for the 19th Annual Meeting of the Portuguese Dental Association, to be held in Porto from 11 to 13 November 2010. EFE provides information for 25,000 executives, companies, and local authorities in the agriculture sector, and logistics and dentistry industries. DTI's combined portfolio includes more than 100 publications that reach over 650,000 dentists in more than 90 countries and 25 languages.



Dental pulp cell may be an easy source of pluripotent cells

K. Tezuka from the Gifu University Japan, published a study in the *Journal of Dental Research*, which suggests that pulp tissue from extracted teeth may be an easy source of induced pluripotent cells (iPS). The potential iPS can not be harvested easily in the human body with a minimally invasive procedure. Tezuka et al. evaluated the possibility to culture stem cells from dental pulp. They demonstrated that DPC has the promising potential of harvesting iPS. Further, test revealed that stem cells, harvested from DPC of extracted teeth of Japanese population, were genetically compatible with 20 percent of the population.



Clinical
Crown or same-day onlay?

► Page 9



Interview
“Public dental services in South Africa have fallen by the wayside”

► Page 23



Trends & Applications
Miniscrews—a focal point in practice

► Page 24

Study: IPS e.max lithium disilicate material the most durable ceramic tested to date

NYU College of Dentistry


NEW YORK, NY, USA: Researchers in the Department of Biomaterials and Biomimetics at New York University College of Dentistry recently determined through mechanical mouth-motion simulator testing that IPS e.max CAD lithium disilicate ceramic is the most robust all-ceramic material tested to date. The study results were presented by P.C. Guess, R. Zavanelli, N. Silva, and V.P. Thompson.

The researchers used the mouth-motion-simulator test to compare the durability of IPS e.max CAD lithium disilicate full-coverage crowns to veneered zirconia crowns. By replicating actual forces exerted in the human mouth, this test provided a more realistic assessment of how ceramic materials hold up to the forces of chewing.

In particular, unlike previous laboratory tests that only assess a material's physical properties to meet minimal standards, the mechanical mouth simulator stressed the restorations using clinically relevant directed loads over thousands of cycles (similar to how people chew) until failure occurred.

Failure was considered to be chip-off fractures of the veneering ceramic in the case of the zirconia crowns or fracture/chip through the lithium disilicate crowns. The research found that none of the IPS e.max CAD lithium disilicate crowns failed below 1,000 N and 1 million cycles.

In comparison, the veneered zirconia crowns tested demonstrated limited reliability, with approximately 50 percent of the crowns tested failing from veneer chip-off fractures by 100 K cycles at 200 N, which



is similar to previous research findings. Also, 90 percent of the veneered zirconia crowns tested failed by 100 K cycles at 350 N.

Overall, in comparison to the veneered zirconia systems that were tested, the IPS e.max CAD lithium disilicate full-coverage crowns can be expected to demonstrate excellent clinical performance relative to chipping or fracture based on the findings of the NYU College of

Dentistry mouth motion simulator testing. The failures reported in this study mimic those reported in clinical studies, suggesting that IPS e.max lithium disilicate is the most robust all-ceramic system tested to date.

(Edited by Fred Michmer-shuizen, DTA). [DTI](#)

Union health ministry look into dental council decision

Isha Goel
DT India

The Union health ministry has set up a four-member technical committee — director general of health services Dr R K Srivastava, Dr Naseem Shah, Dr O P Kharbanda from the department of dentistry at AIIMS, and Dr Ashok Autreja from PGI Chandigarh — to investigate the decision taken by Dental Council of India (DCI), to decline the permission given to around 45 new dental colleges on ground

of not having necessary faculty to run a dental college and enough clinical material to teach student, according to a report published in newspaper the Times of India. Besides, DCI has not renewed the registration of nearly 42 existing dental colleges as well.

Presently, the country has near about 290 dental colleges, producing roughly 15,000-20,000 dentists each year. According to the Council's senior mem-

bers, dental education has become a productive business that is diluting quality dental schooling in India.

The DCI chief Dr Anil Kohli told in an interview to TOI, “India does not require new dental colleges”. “There is hardly any employment opportunity for dentists in India. We must not open new dental colleges anymore but accredit the old ones under three categories — doing well, can improve, and bad.


Colleges coming under the last category should be shut down.”

The DCI has now made it obligatory for professors teaching at the UG level to stay in the same college for at least one year, while those teaching in the PG level must do so for three years. It has also made continuing medical education mandatory for 20 hours a year and 100 hours for 5 years. [DTI](#)



The latest addition to the 360° line

Removes 99% more germs*



- **Unique flexible brush head**
Bends to access difficult spaces

Flexible action bridge allows the bristles to clean around and between teeth


Stability ball improves torsion movement

- **Raised cleaning tip**
Cleans hard-to-reach places in the back of the mouth and between the teeth

- **Unique soft-textured cheek and tongue cleaner**
Gently cleans inner cheeks during tooth brushing

Removes odor-causing germs from the tongue

Reduction in Germs at 30 minutes post use



* VS regular flat trim toothbrush

Colgate



YOUR PARTNER IN ORAL HEALTH

www.colgateprofessional.co.in

An interview with Dr Ronald L. Tankersley, President of the ADA




Dr Ronald L. Tankersley: As America's leading advocate for oral health, our decision was primarily based on the oral-health provisions of the bill. We could not support the health-care reform legislation because it does not include provisions to meaningfully improve access to dental

The ADA's opposition to the alternative dental models pilot programme was limited and based upon our long-held belief that certain surgical procedures must be performed only by licensed dentists.

These programmes are only capable of fulfilling their roles if they receive adequate funding. Many states spend less than 0.5 per cent of their Medicaid dollars on dental care—an astonishingly low rate, considering the importance of oral health to overall health. Further, poor dental reimbursement rates paid to dentists mean that many of them can't participate in Medicaid, which is one of the reasons that many states fail to provide oral

Thank you very much for the interview. DT



In Pericoronitis / Tooth Abscess¹

Rx

BIDANZEN[®] FORTE

Serrapeptidase Tablets 10 mg

OPENS WAY FOR SPEEDY HEALING

- Significantly reduces post-surgical cheek swelling and pain^{2*}

* Dosed along with 1000 mg of paracetamol in surgical extraction of 2nd molar

Ref: 1. Prescribing Information Bidanzen, India

2. Al-Khalaf TM, Hussain Y, Effect of the proteolytic enzyme serrapeptase on swelling, pain and tissues after surgical extraction of mandibular first molars. Int J Oral Maxillofac Surg. 2006 Mar;35(3):264-8

BIDANZEN & BIDANZEN FORTE - Abbreviated Prescribing Information:

Active Ingredients: Enteric film coated tablets containing Serrapeptidase 5mg (10,000 units) and 10 mg (20,000 units) respectively. **Indications:** Reduction of swelling after operations, trauma, chronic sinusitis and gynaecological. **Difficulty to expectorate** (croupitis, pulmonary tuberculosis, bronchial asthma, post-swallowing), **pericoronitis of wisdom tooth, alveolar abscess, cystitis, Gout and Arteriosclerosis Atheros.** Daily dose of 70-80 mg orally, in 3-dosed doses after each meal, as rapidly as possible according to local clinical symptoms. **Children:** One 5 mg tablet 2-3 times daily after meals, depending on degree of severity of disease. **Contraindications:** Hypersensitivity, **Warnings and Precautions:** **Interactions:** Effects on Ability to drive and Use machines / **Pregnancy and Lactation:** No specific data available. **Adverse Reactions:** Skin - Stevens-Johnson syndrome, toxic epidermal necrolysis, rash, pruritus. **Hypersensitivity - Shock, anaphylactic symptoms.** Hepatic - Hepatitis, jaundice.

GlaxoSmithKline

Refer to full prescribing information before use.

For full prescribing information please contact: GlaxoSmithKline Pharmaceuticals Ltd., Dr. Amle Basant Road, Woff, Mumbai 400 030

® Registered Trademark

For the use only of a registered medical professional in a hospital or a pharmacy

© 2006 GSK

Beyond endodontics: Roots Summit 2010

Claudia Salwiczek
DTI

BARCELONA, Spain: What do Barcelona and endodontics have in common? For me, the answer was nothing, until last week's Roots Summit. From now onwards, I will forever connect Gaudí, Paella and La Sagrada Família with root canals.

It is certainly not an exaggeration to say that Roots Summit 2010 had all of those lucky enough to attend falling in love with endo all over again. Organised by Drs Noemí Pascual and Nuria Campo and their team, the meeting was a grand success. Long hours in the dark, yet always crowded lecture hall, despite the perfect weather, were followed by a wonderful social programme with a distinct Spanish touch.

Dr Fred Barnett, who lectured on Trauma injuries: Long-term treatment planning based on Dx and Pulpar regenerative technique, commented: "Congratulations to Nuria and Noemí for organising a fantastic Roots Summit. The venue was awesome and the lectures top notch.

Roots should be proud of their efforts." The impressive list of international speakers included Dr Giuseppe Cantatore from Italy, Drs José María Malfaz and Enrique Martínez Merino from Spain, and Drs Hans-Willi Herrmann and Jörg Schröder from Germany, to name a few.

Dr Sashi Nallapati from Jamaica held two very interesting lectures on rare and challenging cases: Dens invaginatus: Treatment options and Three canal premolars: An endodontic challenge. Many in the audience had never encountered such cases and, thus, were absorbed in these presentations.

In fact, many of the lectures were very entertaining and of extremely high quality with regard to the content as well as presentation. "It was great to see presentations that staggered me with the quality of the material and the multimedia that were shown," commented Dr Glen van Ass, who lectured on Microscope centred practice: Ergonomics and documentation. "Video through the operating microscope and still photos from some of the experts was incredi-



(DTI/Photo Claudia Salwiczek)

ble. It is impressive to see the quality of the work that these teachers and talented clinicians can provide in a humble yet confident manner."

The meeting was sponsored by major industry players, like VDW, Zeiss, Dentsply Maillefer, SybronEndo Europe and Kodak. Dr John Schoeffel from the US, who introduced EndoVac—an endodontic irrigation technology system—in his lecture, also presented the product to interested attendees at the Discuss booth. EndoVac enables safe irrigation to apical termination with an abundant supply of fresh irrigant. Unlike positive

pressure systems that use canulas to deliver irrigants into the canal, the EndoVac is a true apical negative pressure system that draws fluid apically by way of evacuation.

"It's not often that meetings inspire and rejuvenate people and make them look forward to future meetings," commented Dr Nallapati. "To me, certainly, this Roots Summit has done all that. And that is a testimony to the wonderful effort of Nuria, Noemí and their team." Attendee Dr Mahalaxmi Sekar agreed, saying that he pitied all those who had missed this event in Barcelona.

A majority of the lectures, for which continuing education credits can be obtained, were recorded live and will be made available for review on www.dt-studyclub.com. For more information on how to register and how to obtain credits, please contact Ms Julia Wehkamp at julia.wehkamp@dtstudyclub.com.

The date and venue for next year's meeting are yet to be decided. But one thing is for sure: this year's attendees are counting down the days. **DTI**

Scientists link dental X-rays to cancer

Lisa Townshend
DT UK

LONDON, UK/LEIPZIG, Germany: A dental X-rays and increased numbers of thyroid cancer. After factoring X-rays taken of 300 patients in a hospital in Kuwait, they found that men and women who had had up to four dental X-rays were more than twice as likely to have developed the disease than those who had never had any dental X-rays. For those patients who had had between five and nine X-rays,

their risk rose more than four-fold.

Although thyroid cancer is one of the least deadliest cancers, incident rates have almost doubled in countries like Australia in recent years.

The findings are consistent with previous reports of increased risk of thyroid cancer in dentists, dental assistants, technicians and X-ray workers, suggesting that sensitivity of the thyroid to

radiation is not necessarily related to direct irradiation of that organ but to any exposure to ionizing radiation. Besides thyroid cancer, significant risks have been also observed for leukaemia and cancers of the breast.


The researchers warned that the results of their study "should be treated with caution" because the data was based on self-reporting by the participants and the fact that other factors could

be contributing to the increase in thyroid cancer cases. Further research is required to confirm the exact effect of dental X-rays, they added.

"It is important that our study is repeated with information from dental records, including frequency of X-rays, age & dose at exposure," Dr Anjum Memon, Senior Lecturer and consultant in Public Health Medicine at Brighton and Sussex Medical School, who led the study, said.

"If the results are confirmed, then the use of X-rays as a necessary part of evaluation for new patients, and routine periodic dental radiography, particularly for children and adolescents, will need to be reconsidered, as will a greater use of lead collar protection." **DTI**

(Edited by Daniel Zimmermann, DTI)



A dental assistant looking at an X-ray. New research is questioning current guidelines that state low-dose radiation exposure through dental radiography is safe. (DTI/Photo Dmitriy Shironosov)

International Imprint

DENTAL TRIBUNE

The World's Dental Newspaper • India Edition

Published by Jaypee Brothers Medical Publishers (P) Ltd., India

©2010, Dental Tribune International GmbH. All rights reserved.

Dental Tribune India makes every effort to report clinical information and manufacturer's product news accurately, but cannot assume responsibility for the validity of product claims, or for typographical errors. The publishers also do not assume responsibility for product names or claims, or statements made by advertisers. Opinions expressed by authors are their own and may not reflect those of Dental Tribune International.

Publisher
Torsten Oemus
t.oemus@dental-tribune.com

Chairman DT India
Jitendar P. Vij
jaypee@jaypeebrothers.com

Director
P. N. Venkatraman
venkatraman@jaypeebrothers.com

Chief Editor
Dr. Naren Aggarwal
naren.aggarwal@jaypeebrothers.com

Editor
Dr. Eti Dinesh
eti.dinesh@jaypeebrothers.com

Editorial Consultants
Dr. Gurkeerat Singh
Dr. Amit Garg

Dental Tribune India
Published by: Jaypee Brothers Medical Publishers (P) Ltd.
4838/24, Ansari Road, Daryaganj, New Delhi 110002, India
Phone: +91 11 45574357
e-mail: jaypee@jaypeebrothers.com
Website: www.jaypeebrothers.com

The legacy of convenience continues... with Sun Medical

James Beall Morrison

The visionary who revolutionized the practice of dentistry

“The lack of an efficient instrument for breaking through the enamel of a tooth held up the development of restorative dentistry.”

At **Sun Medical**, we are dedicated to bring the most **advanced** and **easy** restorative dental practices.

His remarkable invention of the foot-treadle drill and the dentist chair inspires us to introduce innovative, improved & uncomplicated restorative dental practices.

Sun Medical, the future of modern restorative dentistry.

Presenting Futuristic Dental Care in India

- ⊙ **Super Bond** – Dental adhesive system with 4-META/MMA-TBB
- ⊙ **Hybrid Bond** – Bonding agent for resin-based dental restorations and protective coat for dentin
- ⊙ **Chemiace II** – 4-META adhesive resin cement
- ⊙ **Metafil Flo** – Hybrid resin-based dental restorative material
- ⊙ **Metafil Cx** – Composite resins with TMPT fillers chemically bonded to matrix
- ⊙ **V-Primer** – Adhesive Primer for metals /precious metals
- ⊙ **Porcelain Liner M** – Adhesive Primer for Porcelain Bonding



www.hubkreatives.com/234/MITSUI/07/10

**A sincere
Company**

Sun Medical has revolutionized restorative dentistry with innovative and high quality products.



Distributed by:

NR Formulation Pvt. Ltd., Shop D-9, Plot E-8/A, Sec.-3, Airoli, Navi Mumbai, India, Tel.: +91-22-2769-6949 / +91-9820603732 / +91-9323040148
Triodent Meditech (India) Pvt. Ltd., 202, 2nd Floor, Mandir Complex, Lila Ram Market, Masjid Moth, South Extension - II, New Delhi - 110049, India, Tel.: +91-11-3253-7099 / +91-9810283698

Imported & Marketed by:

Mitsui Chemicals India Pvt. Ltd., #301, 3rd Floor, Southern Park Building, D-2, Saket District Centre, Saket, New Delhi - 110017, India, Tel.: +91-11-4054 8823/8824, Website: www.mitsui-chem.co.jp

Manufactured by:

Sun Medical Co. Ltd., 571-2, Furutaka-cho, Moriyama, Shiga - 524-0044, Japan, Tel.: +81-77-582-7220, Website: www.sunmedical.co.jp, email: export@sunmedical.co.jp

Three essential lessons for every new dentist

By Sally McKenzie, CEO

After years of schooling, thousands of dollars in tuition, hours upon hours of clinics and exams, and tests and on and on, finally you entered the working world as a dentist. Just you and the patients.

Wouldn't it be great if it could really be that simple?

It's likely that it didn't take you long to realize that once your tour in dental school was over, the learning process had only just begun.

Moreover, there are at least three key lessons that were probably barely touched upon in the dental school curriculum.

Lesson No. 1: How to deal with people

I'm not talking about the patients. You've been trained to manage them. I'm talking about the people you see every day, the ones you work with elbow to elbow, those you depend on to represent you, to make sure you have enough money to pay your bills, to keep your schedule on track, etc.

Obviously, I'm talking about your team. Your success as a dentist is directly dependent upon your employees' success. Unfortunately, one bad hiring decision can cost you a small fortune — estimates range between 1.5 to 5 times annual compensation — it can also damage patient relations, staff morale and overall effectiveness of the practice.

Given what's at stake, pay close attention to Lesson No. 1: Do your best to hire the best and never hire under pressure. Follow these steps and take a clear and measured approach to ensure that every employee you hire is the best fit for your growing practice.

Assess the systems before you bring in a new employee. If you're hiring an office manager, look at business operations first. Are the business systems, scheduling, collections, recall, etc., working efficiently? If not, this is your chance to fix them, to integrate new protocols and establish up front how you

want these handled in your practice.

Take 15 minutes. Set aside 15 minutes to think about what you want the person in this position to do. Make a list. Consider what you are looking for in this individual.

Write a job description. Once you've given some thought to the position, update or write a job description for the job tailored to attract the employee you need. Include the job title, job summary and specific duties. This clarifies what skills the applicant must possess and explains what duties she/he would perform.

Cast a wide net. Develop an ad and place it on multiple websites & in different publications. Promote those aspects of the job that will have the greatest appeal, including money. Sell the position.

“Give ongoing direction, guidance and feedback to your team so they know where they stand.”

Keep the copy simple but answer the reader's questions — job title, job scope, duties, responsibilities, benefits, application procedures, financial incentives and location. Direct prospects to your website to learn more about your practice and the position.

Read the resumes; don't just scan them. Highlight those qualities that match the position's requirements. Look for longevity in employment. Be careful of those applicants that only note years, such as 2008–2009. Chances are this person was hired in December of '08 and fired in January of 2009.

Watch for sloppy cover letter. The applicant may have poor attention to detail. Flag resumes with “yes,” “no,” or “maybe.” The “yes” candidates are the first to be considered.

Pre-screen applicants on the phone. Address your most pressing concerns up front. If there are gaps in employment history, now is the time to find out why. Ask the applicant what salary range she/he is expecting.

Listen for tone, attitude and grammar on the phone, particularly if the position requires handling patient calls. Based on the applicant's phone demeanor, would this person represent your practice well?

Prepare for the interviews. Conduct interviews using a written set of standard questions for each applicant so you are able to compare responses to the same questions.

Avoid asking any personal questions. Ask follow-up question based on the applicant's responses. Jot down personal details to keep track of who's who. The candidate is likely to be on her/his best behavior in the interview. If the applicant doesn't impress you now, it will not get better after she/he is hired.

Test for the best. Take advan

tage of Internet testing tools that are available to dentists. Such testing has been used in the business sector for years to help companies identify the better candidates for specific positions.

Check 'em out. Once the interview and testing process has enabled you to narrow the selection down to a couple of candidates, check their references and work histories. This step can yield tremendously helpful information and will save you from multiple hiring horrors.

Budget for training. Give your new employee the tools and the knowledge to achieve her/his best, and you'll both benefit significantly. Above all else, when it comes to staff hiring, make your decisions based on real data, not a candidate's sunny disposition or your “gut feelings.”

Lesson No. 2: Lead your team to excellence

If you're frustrated by what you perceive as average or below average team performance, determine if you've given them

the foundation to achieve the standards you expect. First, avoid the most common pitfall in leading employees: Assuming that your staff knows what you want. Don't assume. Spell out your expectations & the employees' responsibilities in black and white, and do so for every member of your team from the beginning. Do not convince yourself that because they've worked in this dental practice for X number of years, they know how you want things done. They don't, and they will simply keep performing their responsibilities according to what they think you want unless they are directed otherwise.

Recognize the strengths and weaknesses among your team members. All employees bring both to their positions. The fact is that some people are much better suited for certain responsibilities and not others. Just because “Rebecca” has been

key points of the problem as you see it as well as possible resolutions.

Use performance reviews to motivate and encourage your team to thrive in their positions. Base your performance measurements on individual jobs. Focus on specific job-related goals and how those relate to improving the total practice.

Used effectively, employee performance measurements and reviews offer critical information that is essential in your efforts to make major decisions regarding patients, financial concern, management systems, productivity and staff in your new practice.

Lesson No. 3: Keep your hands in the business

Certainly, it doesn't take long to recognize that there are many hats for the dentist to wear. The hat that says “The CEO” is just as important as the hat that says “The Dentist.” It is critical that you completely understand the business side of your practice.

There are 22 practice system and you should be well-versed in each of them. If not, seek out training for new dentists. The effectiveness of the practice systems will directly, & profoundly, affect your own success today and throughout your entire career.

For starters, routinely monitor practice overhead. It should breakdown according to the following benchmarks to ensure that it is within the industry standard of 55 percent of collections:

- Dental supplies: 5 percent
- Office supplies: 2 percent
- Rent: 5 percent
- Laboratory: 10 percent
- Payroll: 20 percent
- Payroll tax & benefit: 3 percent
- Miscellaneous: 10 percent

Keep a particularly close eye on staff salaries. Payroll should be between 20 and 22 percent of gross income. Tack on an additional 3 to 5 percent for payroll taxes and benefits. If your pay roll costs are higher than that, they are hammering your profits. Here's what may be happening:

- You have too many employees.

- You are giving raises based on longevity rather than productivity/performance.
- The hygiene department is not meeting the industry standard for production, which is 33 percent of total practice production.
- The recall system, if there is one, is not structured to ensure that the hygiene schedule is full and appointments are kept.

Maximizing productivity. Hand-in-hand with practice overhead is production, and one area that directly affects your production is your schedule. Oftentimes, new dentists simply want to be busy, but it's more important to be productive. Follow these steps to maximize productivity.

First, establish a goal. Let's say yours is to break \$700,000 in clinical production. This calculates to \$14,583 per week, not including four weeks for vacation. Working 40 hours per week means you'll need to produce about \$364 per hour. If you want to work fewer hours, obviously per-hour production will need to be higher.

A crown charged out at \$900, which takes two appointments for a total of two hours, exceeds the per hour production goal by \$86. This excess can be applied to any shortfall caused by smaller ticket procedures. Use the steps below to determine the rate of hourly production in your practice.^{DT}

About the author



Sally McKenzie is CEO of McKenzie Management, which provides success-proven management solutions to dental practitioners nationwide. She is also editor of The Dentist's Network Newsletter at www.thedentistsnetwork.net; the e-Management Newsletter from www.mckenziegmt.com; and The New Dentist™ magazine, www.thenewdentist.net. She can be reached at (877) 777-6151 or sallymck@mckenziegmt.com.

The assistant logs the amount of time it takes to perform specific procedures. If the procedure takes the dentist three appointments, she should record the time needed for all three appointments.

Record the total fee for the procedure.

Determine the procedure value per hourly goal. To do this, take the cost of the procedure (for example, \$900) divide it by the total time to perform the procedure (\$900 ÷ 120 minutes). That will give you your production per minute value (= \$7.50). Multiply that by 60 minutes (\$7.50 x 60 = \$450). Compare that amount to the dentist's hourly production goal.

It must equal or exceed the identified goal.

Now you can identify tasks that can be delegated and opportunities for training that will maximize the assistant's functions. You also should be able to see more clearly how set up and tasks can be made more efficient.

A career in dentistry is one of the most personally and professionally fulfilling fields you can choose. With the right team, clear leadership and effective business systems, you can enjoy tremendous personal success and lifelong financial security for you and your family.

8th World Congress on Oral Implantology & AAID Global Conference - 2010

Theme : Engineering for Success in Implant Dentistry - Revision & Renewal Procedures

20-22 November 2010

Hotel Le-Meridien New Delhi, INDIA

Meet the Masters

magnificent opportunity to know recent trends in

Dental Implants

REGISTER NOW

online registrations are open
www.wcoiindia2010.com

Paste your recent picture here

A. PARTICIPANT INFORMATION (Please write in capital letters)

Personal Information

Title ☐ Dr. ☐ Prof. ☐ Mr. ☐ Ms.
First Name _____
Middle Name _____
Last Name _____
Tel. _____ Mobile _____
E-mail _____ Fax _____
Designation _____
Organization _____

Mailing Address

Address _____

City / State _____
Postal Code _____ Country _____

Accompanying Person(s)

Mr. ☐ Ms. ☐
Mr. ☐ Ms. ☐
First Name Last Name
First Name Last Name

B. REGISTRATION FEES

Congress Registration

Categories	Upto 31 Aug 2010	Upto 15 Oct 2010	Spot Registration
International Delegate	250 USD	295 USD	350 USD
Indian Delegate	7500 INR	8500 INR	9500 INR
Student	6500 INR	7500 INR	NA
Accompanying Person	7000 INR	8000 INR	9000 INR
Accompanying Person Overseas	225 USD	270 USD	325 USD
AAID Maxicourse Aluminous	7000 INR	8000 INR	9000 INR

Accompanying Person(s) Registration

☐ US\$ / INR (Upto 31st Aug 2010) x _____ person(s) = US\$ / INR _____
☐ US\$ / INR (Upto 15th Oct 2010) x _____ person(s) = US\$ / INR _____
☐ US\$ / INR (Spot Registration) x _____ person(s) = US\$ / INR _____

Total = US\$ / INR

C. PAYMENT

Demand Draft

(in favor of 8th WCOI and AAID Global Conference 2010 payable at New Delhi)

Demand Draft No. _____
Dated _____
Amount _____
Drawn on Bank _____

Mail Form to Congress Secretariat

Prof. (Dr.) Mahesh Verma
Director-Principal
Maulana Azad Institute of Dental Sciences
MAMC Complex, Bahadur Shah Zafar Marg, Delhi, India
Email : wcoidelhi@gmail.com
Phone : + 91-11-23233925
Fax : + 91-11-23217081

For office use only

Date Received _____
Person Received _____
Receipt No. _____
Registration No. _____

CONFERENCE MANAGER

SUMMIT-Alpcord Network,
A - 422/423, Somdutt Chamber 1,
Bhikaji Cama Place, New Delhi
E-mail : summit@alpcord.net,
event.alpcord@gmail.com
Website : www.conferenceindia.in
Phone : +91-11-26165026 / 41658517
Fax : +91-11-26165024

* In training attendees (Medical Student, interns, residents and fellows) must provide a written verification on official letter signed by their program director.

Current concepts in gutta-percha removal for re-treatment

Second and final part by Dr Roheet Khataavkar & Dr Vivek Hegde



Fig. 3: ProTaper Universal retreatment files D1, D2 and D3 from Dentsply Maillefer.




Fig. 4: R-Endo rotary and InGeT (Integrated Gear Technology) retreatment files from Micro-Mega.

5. Specialized Rotary Instruments Designed for Retreatment

At present, 3 manufacturers have introduced the specially designed instruments along with their set of NiTi rotary instruments as retreatment instruments.

A. ProTaper Universal Retreatment Kit (Dentsply Maillefer)

The ProTaper Universal retreatment kit consists of three instruments which are identified as:

D1 File: is a 30/0.09 NiTi file (marked with one white ring) of

16 mm in length used for removal of filling material from the coronal third of the root canal.

D2 File: is a 25/0.08 NiTi file (marked with two white rings) of 18 mm in length used for removal of filling material from the middle third of the root canal.

D3 File: is a 20/0.07 NiTi file (marked with three white rings) of 22 mm in length used for removal of filling material from the apical third of the root canal.

All instruments have a non-working round tip to follow canal path for effective removal of the obturating material without modifying the original curvature or shape of the root canal.

B. R-Endo (Micro-Mega)

R-Endo instruments are made up from a round blank, and their cross-section is characterized by three equally spaced cutting

length and a 12 mm working tip. The file is used in a quarter-turn motion and to dig or break the hard layer of filling material. This instrument allows the centring and alignment of the next instrument.

Re File: is a 25/.12 NiTi file with a 15 mm working length and 10 mm cutting tip. It is used for eliminating the possible interference or dentine overhang, and flaring the access space in order to increase the solvent quantity. The short length of this instrument allows removal of only 2-3 mm of filling material from the orifice level of the root canal.

R1 File: is a 25/.08 NiTi file with a 15 mm working length and 8 mm cutting tip. This file is designed for removal of filling material from the coronal-third.

R2 File: is a 25/.06 NiTi file with a 19 mm working length and 12 mm cutting tip. This file is designed for removal of filling material from the middle-third of the root canal.

R3 File: is a 25/.04 NiTi file with a 23 mm working length and 16 mm cutting tip. This is to be used in the last for removal of filling material from the apical-third of the root canal.

Rs File: is a 30/.04 NiTi file with a 15 mm working length & 10 mm cutting tip. This instrument is designed to be used in cases that require further enlargement of apical diameter of the root canal.

C. Mtwo Retreatment Kit (Sweden and Martina)

The Mtwo instruments have an S-shaped cross-section, an increasing pitch length in the apical-coronal direction. The Mtwo retreatment kit consists of only two instruments with cutting tips, i.e., Mtwo R 15/.05 and Mtwo R 25/.05, designed to reach the apex. They also have the advantage of shaping the root

canal in an under-prepared tooth, simultaneously.

During the use of all retreatment files, the file penetration is carried out by exerting very slight apical pressure. The instruments should be withdrawn frequently, to inspect & remove the debris from its flutes, before continuing. In case of resistance felt during rotation, hand files should be used to confirm canal permeability. These files remove gutta-percha effectively by thermosoftening the gutta-percha with frictional heat.

They can be used in the combination with gutta-percha, solvents to soften and remove the obturation material.

6. Heat Transfer Devices

A. Heat Carrier Tips

The number of heat transfer devices like the System B, Endotec, EndoTwinn, E&Q Master, Touch'N Heat, DownPak, etc. is available for the warm vertical technique of obturation. The heat generated on the tip can be used for softening of the gutta-percha mass, thereby, aiding in retrieval of the mass. These devices are more effective in well prepared canals.

Alternatively, the hand spreaders can also be used in the similar manner, however, the amount of heat transferred to these instruments is not consistent and they retain the heat for a longer period of time as well.

B. Ultrasonic Tips

Ultrasonic tips available for ultrasonic condensation of gutta-percha or specialized re-treatment tips can be used for gutta-percha removal. These tips work on the same principle as the heat carrier devices, by softening the gutta-percha and finer tips of these

instruments may be used to work around the curvatures.

7. Soft Tissue Lasers

The studies, conducted on effectiveness of the Nd: YAG laser for removal of gutta-percha, have shown that it is capable of softening gutta-percha. The addition of solvents have not shown any improvement in their efficiency in terms of time required for removal of gutta-percha from the canal walls.⁷ The use of Nd: YAG laser at lower settings (100 mJ, 15 Hz, 1.5 W) produces fairly clean root canals, but an incomplete elimination of gutta-percha from dentinal walls occurs. At increased power levels (100 mJ, 20 Hz, 2 W), the laser seems to be more effective on the canal walls, cleaning them better.

Conclusion

The major factors associated with the endodontic failure are the persistent microbial infection in the root canal system and/or in the peri-radicular area. It is important to remove as much sealer and gutta-percha as possible during retreatment, to uncover remnants of necrotic tissue or bacteria that might set as the antigenic source.

The new technologies, such as loupes and surgical microscopes, enable the clinician to have better visual access while treating difficult cases. Nonetheless, complete removal of gutta-percha from the canal wall is still a difficult task. Also, the complexity of the root canal system further complicates the process of retreatment, requiring a different approach to tackle the problem in each case. Every retreatment case should be treated as a fresh case and should be dealt with accordingly in order to provide a predictable degree of success for the endodontic therapy.^[8]

About the authors

Dr Roheet Khataavkar is a post-graduate student in the department of conservative dentistry and endodontics at M A Rangoonwala Dental College, Pune, India. Dr Roheet can be contacted at drkhataavkar@gmail.com.

Dr Vivek Hegde is professor and head of the department of conservative dentistry and endodontics at M A Rangoonwala Dental College, Pune, India. He can be contacted at drvivekhegde@rediffmail.com.



Fig. 5: Mtwo NITI retreatment files



Fig. 6a: Nd:YAG laser from Fotona with 200 µm fiber has also been tried for gutta-percha removal.



Fig. 6b: 200 µm fiber activated in the canal for gutta-percha removal (under 16X magnification).

edges. The instruments neither have radial lands nor active tip. These instruments are recommended to be used at a speed of 300-400 rpm along with gutta-percha solvent. The R-Endo retreatment kit, consists of a series of six files named as Rm, Re, R1, R2, R3 and Rs.

Rm File: is a stainless steel 25/.04 hand instrument with a 17 mm

Crown or same-day onlay?

Take a look at the advantages of indirect laboratory-processed composite resin posterior restorations

By Lorin Berland, FAACD

"The trend in dentistry today is clearly toward more esthetic and less invasive. Indirect resin and ceramic inlays and onlays are not only compatible with this trend, but fulfill very nicely the restorative void between fillings & crowns," wrote Ronald D. Jackson, DDS, FAGD, FAACD (Cosmetic Tribune, Dec. 2008).

Regarding durability, esthetic inlays & onlays are not new any more. They have a track record and it is good. With today's materials, longevity is mainly a matter of diagnosis, correct treatment planning and proper execution of technique.

The problem with replacing old amalgams with tooth-colored composites is they are difficult, inconsistent and unpredictable.

Yet, the warranty on these 30-, 40-, 50-year-old silver fillings is running out. We have to remember that amalgam technology is more than 150 years old. At that time, people lost their teeth a lot earlier and died a lot earlier, too. Now, however, we have a large segment of the population that is more older than 50 & growing & they want to keep their teeth feeling good and looking good.

Let's think like our patients. Our patients want to replace these old amalgams, but they want to do it conservatively, consistently, efficiently, predictably and economically — and they want to do it in one visit.

So, what are the advantages of indirect laboratory-processed composite resin posterior restorations?

Restorations fabricated in this manner look better, under go less shrinkage, help restore the strength of the tooth, have minimal porosity and excellent marginal integrity, and they have smoother surfaces that are kinder to the gums and result in less plaque accumulation. They are very durable and can be done in one visit.

Patients appreciate avoiding the inconvenient, uncomfortable and expensive second appoint-

ment. No second appointment means no temporaries, no emergency visits, & best of all, healthy tooth structure is preserved.

By contrast, replacing amalgam restorations with direct

posterior composites, especially ones involving an interproximal surface, are difficult for the patient as well as the dentist.

For many reasons, these direct composite replacements fre-

quently prove to be inadequate, especially over time.

The inherent problems of isolation, the large bulk of composite required and the layered curing of the composite, as

well as the effects of shrinkage, all affect contacts, occlusion, margins & postoperative tooth sensitivity.

Gold will always be an excellent restoration for posterior


EMS-SWISSQUALITY.COM

EMS⁺
ELECTRO MEDICAL SYSTEMS

SUBGINGIVAL WITHOUT LIMITS

THE DEEPEST
PERIODONTAL POCKETS
NOW WITHIN REACH
WITH THE ORIGINAL
AIR-FLOW METHOD

**AIR-FLOW®
KILLS
BIOFILM**
ems-swissquality.com




> Subgingival application of the Original AIR-FLOW® method reduces periodontal pocket depth, removes biofilm, prevents periimplantitis

AIR-FLOW MASTER®

is the name of the world's first subgingival prophylaxis unit. With two application systems in one. For sub- and supragingival use with matching handpiece and powder chamber.

Incredibly easy to operate. Uniquely simple to use.

Touch 'n' flow: Highly sensitive 3-touch panel for easy choice of settings.



The inventor of the Original Air-Flow Method is now first to cross the boundaries of conventional prophylaxis.

**"I FEEL
GOOD"**

For more information > welcome@ems-ch.com