

# IMPLANT TRIBUNE

— The World's Dental Implant Newspaper • U.S. Edition —

MARCH 2013 — VOL. 8, NO. 3

www.dental-tribune.com

## Implants featured at Chicago Midwinter



Dozens of implant companies brought new and innovative products to the Chicago Midwinter meeting in February. Below, Harrison Song, left, and James Lee of Hiossen. Photos/Sierra Rendon, Managing Editor, and Fred Michmershuizen, Dental Tribune

*Annual February show is a must for launching new products in the dental implant industry*



**H**undreds of companies, including a bevy of implant companies, headed to the Chicago Midwinter Meeting to present the latest and greatest in products and technology.

Nearly 30,000 dentists, hygienists, dental students and others attended

the 148th annual meeting, presented by the Chicago Dental Society, at the McCormick Place West Building in Chicago.

The next Chicago Midwinter Meeting will take place Feb. 20-22, 2014. Mark your calendars now!

*For more photos, see page B8.*

Product review

## Using SonicPin Rx

*Dissolving the need for metal fixation screws in implant site development*

By Lewis Cummings, DDS, MS

In this ever evolving age of dental technology, the practice area of implant site development has benefitted from a technologic innovation and a new era of resorbable fixation devices and membranes. Traditionally, various metal fixation screws have been utilized for stabilization with the primary drawback being the need for eventual reentry for removal. Now, the necessitation of fixation device removal has been eliminated with the introduction of the SonicWeld Rx™ system of resorbable fixation devices and membranes.

A 42-year-old male presented with a significant buccal osseous defect resulting from the long-standing loss of the maxillary right first premolar (Fig. 1). A single tooth implant-supported restoration was planned

- See SONICPIN, page B2

AD

**Auxiliaries: Are you implant certified?**

Patient Questions... Insurance Coverage... Tracking...  
Operator Set Up... Radiographic Protocol...  
Assessment Parameters... Hygiene Instrumentation...  
Communications with the Lab...

**Implant Training Makes all the Difference!**

**Dental Implant Certification Programs**  
Choose from Dental Assisting, Dental Hygiene,  
Practice Management or Implant Coordinator

May 16-18, 2013 • ICOI Spring Implant Symposium • Las Vegas, NV

**ADIA** **ICOI** INTERNATIONAL COLLEGE OF DENTAL AUXILIARIES

For more information and to register visit our website: [www.adiaonline.org](http://www.adiaonline.org)



- SONICPIN, Page B1

as the final prosthesis. Given the volume of bone loss in the first premolar site and the desire to minimize post-operative morbidity, an allogenic block bone graft was chosen for defect regeneration.

Though the predictability of allogenic block graft material is well-documented, complete graft immobilization is imperative for success.<sup>1</sup>

The SonicWeld Rx process of onlay block graft fixation utilizes an ultrasonic vibrating handpiece to deliver a polymer pin through the graft and into the host bone. The SonicPin Rx travels into a specially prepared hole with variable diameters, similar to a lag method.

The SonicPin Rx is designed to engage a minimum of 5 mm of host bone at its tip. The final length determination of the pin is an addition of this length plus the graft thickness. Given this consideration, the typical SonicPin Rx clinical length is 9 or



Fig. 1a: Pre-operative photo of ridge defect. Photos/Provided by Dr. Lewis Cummings



Fig. 1b: Without temp.

11 mm and the diameter is 2.1 mm (Fig. 3). For bone fixation, a specially designed drill is utilized to prepare an insertion site through the onlay graft and into the host bone.

The SonicPin Rx is then loaded onto the sonic handpiece tip and inserted into the preparation without sonic activation. The pin should advance passively through the graft portion until engaging host bone at the distal aspect of the preparation. This distal portion has a special

geometry allowing the tip of the pin to be seated snugly prior to activation of the welder. Once seated, forward orthogonal pressure is placed on the SonicPin Rx and the SonicWelder is activated, initiating sonic vibrations that travel down the shaft of the pin, ultimately creating friction heat against the bone at the site of bone-pin contact. The user translates a consistent level of energy with steady

- See SONICPIN, page B6

AD

# PhotoMed gives you options

Configure your Canon camera with the flash that is right for you



The macro flash that you use for dental photography has a huge impact on the quality of your images. Not all macro flashes are up to the task and many that are being offered are not compatible with the cameras they are being sold with.

When it comes to outfitting a Canon digital camera with a macro flash, the best choices come from Canon, Metz and Sigma. Real flashes from real flash manufacturers - not "frankenflashes" that look like they were assembled in someone's garage.

When you call the experts at PhotoMed, they can help guide you to the right flash for your system. Need a complete camera that includes unlimited support? We can help with that too.

Call us and find out why we're known for the best camera equipment and the best support available.

## PhotoMed [www.photomed.net](http://www.photomed.net) • 800.998.7765

Come see us at a dental meeting near you. Complete list of upcoming meetings at: [www.photomed.net](http://www.photomed.net)  
Take photos, pick our brains and get the best dental camera advice available.

## IMPLANT TRIBUNE

**PUBLISHER & CHAIRMAN**  
Torsten Oemus [t.oemus@dental-tribune.com](mailto:t.oemus@dental-tribune.com)

**CHIEF OPERATING OFFICER**  
Eric Seid [e.seid@dental-tribune.com](mailto:e.seid@dental-tribune.com)

**GROUP EDITOR**  
Robin Goodman [r.goodman@dental-tribune.com](mailto:r.goodman@dental-tribune.com)

**MANAGING EDITOR IMPLANT TRIBUNE**  
Sierra Rendon [s.rendon@dental-tribune.com](mailto:s.rendon@dental-tribune.com)

**MANAGING EDITOR SHOW DAILIES**  
Kristine Colker [k.colker@dental-tribune.com](mailto:k.colker@dental-tribune.com)

**MANAGING EDITOR**  
Fred Michmershuizen  
[fmichmershuizen@dental-tribune.com](mailto:fmichmershuizen@dental-tribune.com)

**MANAGING EDITOR**  
Robert Selleck [r.selleck@dental-tribune.com](mailto:r.selleck@dental-tribune.com)

**PRODUCT/ACCOUNT MANAGER**  
Humberto Estrada [h.estrada@dental-tribune.com](mailto:h.estrada@dental-tribune.com)

**PRODUCT/ACCOUNT MANAGER**  
Charles Serra [c.serra@dental-tribune.com](mailto:c.serra@dental-tribune.com)

**MARKETING DIRECTOR**  
Anna Wlodarczyk-Kataoka  
[a.wlodarczyk@dental-tribune.com](mailto:a.wlodarczyk@dental-tribune.com)

**EDUCATION DIRECTOR**  
Christiane Ferret [c.ferret@dtstudyclub.com](mailto:c.ferret@dtstudyclub.com)

Tribune America, LLC  
116 West 23rd Street, Suite 500  
New York, NY 10011  
Phone (212) 244-7181  
Fax (212) 244-7185

Published by Tribune America  
© 2013 Tribune America, LLC  
All rights reserved.

Tribune America strives to maintain the utmost accuracy in its news and clinical reports. If you find a factual error or content that requires clarification, please contact Managing Editor Sierra Rendon at [s.rendon@dental-tribune.com](mailto:s.rendon@dental-tribune.com).

Tribune America cannot assume responsibility for the validity of product claims or for typographical errors. The publisher also does not assume responsibility for product names or statements made by advertisers. Opinions expressed by authors are their own and may not reflect those of Tribune America.

**EDITORIAL BOARD**

- Dr. Pankaj Singh
- Dr. Bernard Touati
- Dr. Jack T. Krauser
- Dr. Andre Saadoun
- Dr. Gary Henkel
- Dr. Doug Deporter
- Dr. Michael Norton
- Dr. Ken Serota
- Dr. Axel Zoellner
- Dr. Glen Liddelow
- Dr. Marius Steigmann

### Corrections

Implant Tribune strives to maintain the utmost accuracy in its news and clinical reports. If you find a factual error or content that requires clarification, please report the details to Managing Editor Sierra Rendon at [s.rendon@dental-tribune.com](mailto:s.rendon@dental-tribune.com).

### Tell us what you think!

Do you have general comments or criticism you would like to share? Is there a particular topic you would like to see articles about in Implant Tribune? Let us know by e-mailing [feedback@dentaltribune.com](mailto:feedback@dentaltribune.com). We look forward to hearing from you! If you would like to make any change to your subscription (name, address or to opt out) please send us an e-mail at [database@dental-tribune.com](mailto:database@dental-tribune.com) and be sure to include which publication you are referring to. Also, please note that subscription changes can take up to six weeks to process.

NEW!

3D imaging for lower dose  
than a 2D panoramic\*  
is not magic...

...it's i-CAT

**The new i-CAT FLX is a reality!**

The latest advancement of our award-winning technology offers a range of innovative features that deliver increased clarity, ease-of-use, and control. Now with Visual Clarity™ and QuickScan™ technologies, the power of capturing diagnostic 3D images at a lower dose than a 2D panoramic is now a reality.

Schedule a demo today! Call 1-800-205-3570 or visit [www.i-CAT.com](http://www.i-CAT.com)



Advanced Imaging Solutions  
**HENRY SCHMIDT**  
DENTAL

Henry Schein Dental is a registered trademark of Henry Schein Dental. © 2014 Henry Schein Dental. All rights reserved.



# Introducing



# CAD Milled Bars & Abutments

Select from a wide range of bars and abutments for Implant Direct's popular industry-compatible implant interfaces below. Custom Direct bars are also available for Implant Direct and Nobel Biocare multi-unit, screw-receiving abutments as well as Implant Direct's proprietary 1-piece ScrewDirect™ implant. CustomDirect abutments may be fabricated in titanium or one of five different zirconia shades for optimal function and esthetics.

CustomDirect™ bars made using the industry's only robots and full automation machining centers for unparalleled precision and efficiency. Select bar design and order online at [www.custom-direct.com](http://www.custom-direct.com)




**ScrewDirect™ Implant**  
 \$100 discount for new customers on Implant Direct's ScrewDirect 1-piece implants or multi-unit abutments.

**IPS™ Titanium Bar**  
 For 4-6 implants includes screws plus.  
 \$2700 if made and finished at the factory - \$2000



**Hybrid Titanium Bar**  
 For 4-6 implants includes screws - \$2900



**Custom Titanium Abutment**  
 Lab designed - \$180  
 Implant Direct designed - \$130

**Custom Zirconia™ Abutment**  
 Lab designed - \$130  
 Implant Direct designed - \$180

## Joining our full line of industry-compatible prosthetics



**Euplast™**  
 Nobel™ Ti Alloy Titanium  
 Compatible with Nobel Biocare™



**Legacy™**  
 40% Zirconia Titanium  
 Compatible with Nobel Biocare™



**Interactive™**  
 40% Zirconia Titanium  
 Compatible with Nobel Biocare™



**Switch™**  
 Nobel™ Ti Alloy Titanium  
 Compatible with Nobel Biocare™

	1-Unit	2-Unit	3-Unit	4-Unit	5-Unit	6-Unit	7-Unit	8-Unit	9-Unit	10-Unit	11-Unit	12-Unit
Bar Price	\$95	\$140	\$180	\$230	\$280	\$330	\$380	\$430	\$480	\$530	\$580	\$630
Custom Direct™	\$152	\$200	\$275	\$350	\$420	\$490	\$560	\$630	\$700	\$770	\$840	\$910
ImplantDirect™	\$95	\$140	\$180	\$230	\$280	\$330	\$380	\$430	\$480	\$530	\$580	\$630
Nobel Biocare™	\$199	\$290	\$375	\$460	\$545	\$630	\$715	\$800	\$885	\$970	\$1055	\$1140



SONICPIN, Page B2

forward pressure on the handpiece before and during the activation.<sup>2</sup>

Within moments of activation, the outer surface of the SonicPin Rx liquefies, leading to a narrowing of the shaft that allows for subsequent insertion into the full depth of the pilot hole. Ultimately, the larger head of the SonicPin Rx partially inserts into the narrower proximal hole, forcing polymer into this external bony wall as well. Once fully seated, the SonicWelder is deactivated and removed from the pin after a brief cooling period.

The SonicWeld Rx process is based on the effect of vibratory frictional heat on the thermoplastic polymer shaft of the SonicPin Rx, leading to pin liquefaction. This transformation allows for the subsequent engagement of the liquefying pin into the ever-narrowing recipient preparation. A minimal elevation in tempera-



Fig. 1c: Occlusal view of buccal ridge defect.

ture is created, but only for very short periods of time where the two hard surfaces are in contact.

Though the friction of the ultrasonic vibration translated to the SonicPin Rx

See SONICPIN, page B8



Fig. 2: Site preparation for block graft placement.



Fig. 3: SonicPin Rx 2.1 x 11 mm.



Fig. 4: Graft fixation with two 2.1 x 11 mm SonicPin Rxs.



Fig. 5: Acellular dermal matrix placement over graft site for particulate graft containment and soft-tissue augmentation.

AD

PHOENIX, ARIZONA  
OCTOBER 23-26 2013

TECHNOLOGY  
& BIOLOGY  
CONVERGE  
IN THE VALLEY OF THE SUN

AAID AMERICAN ACADEMY OF IMPLANT DENTISTRY  
62nd AAID Annual Meeting | aaid.com  
Practical Education for the Practicing Implant Dentist

ADA CERP  
ACCREDITED PROGRAM

PACE  
PRACTICE ADVANCED CARE EDUCATION



Fig. 6: Closure with 6.0 polypropylene and 4.0 PTFE suture.



Fig. 7: Four-month healing.



Fig. 8: Four-month healing.



Fig. 9: Minimal flap reflection to allow for implant placement.

# ATLANTIS™

## Abutments as individual as your patients

Available for all major implant systems and in your choice of titanium, gold-shaded titanium and multiple shades of zirconia, ATLANTIS™ patient-specific

CAD/CAM abutments help to eliminate the need for inventory management of stock components and simplify the restorative procedure.

### ATLANTIS BioDesign Matrix™

The four features of the ATLANTIS BioDesign Matrix™ work together to support soft tissue management for ideal functional and aesthetic results. This is the true value of ATLANTIS™ for you and your patients.



### ATLANTIS V&V™

Designed from the best tooth shape.

### Natural Slope™

Slope and emergence profile based on individual patient anatomy.

### Soft Tissue Adapt™

Control support for soft tissue sculpturing and adaptation to the finished crown.

### Custom Connect™

Strong and stable fit – customized connection for all major implant systems.

Find out how ATLANTIS™ can bring simplicity and aesthetics to your practice. Just take an implant-level impression, send it to your laboratory and ask for ATLANTIS today.

 **DENTSPLY**  
IMPLANTS

800-531-3461 • [www.dentsplyimplants.com](http://www.dentsplyimplants.com)



# Scenes from the Chicago Midwinter



1) Dr. Todd Shatkin of Shatkin F.I.R.S.T. presents an educational presentation at the company's booth at the Chicago Midwinter.

2) PhotoMed's Sean Chappell helps an attendee at the company's booth.

3) Josh Gall and Jaclyn Belida talk to an attendee at the Glidewell booth.

4) E4D's Christopher Binion shows attendees the benefits of the E4D System at the Chicago Midwinter.

5) Jody Carleton, a DEXIS instructor, explains the process of the technology to an attendee at the company's booth.



## -SONICPIN, Page B6

is adequate to melt the outer polymeric core, histologic evaluation has shown no damage to the receiving bony structures.<sup>3</sup>

For this case, local anesthetic was administered and removal of the temporary prosthesis was performed to allow access to the site through a traditional full-thickness mucoperiosteal flap on the buccal. Using rotary instruments, an aggressive slot preparation was created in the deficient first premolar site for reception of the allogenic-bone block graft (Fig. 2).

Following rehydration of the graft and application of platelet-rich plasma, the graft was inserted into the recipient preparation. To eliminate micromovement of the graft during integration, dual-point fixation was utilized from the graft into the host bone. Two 2.1 x 11 mm SonicPin Rxs were placed using the SonicWeld Rx protocol (Fig. 4).

Once the block graft was stabilized, particulated allogenic bone, rehydrated with platelet-rich plasma, was compacted around the periphery of the site and the entire area was covered with an acellular dermal-matrix graft (Fig. 5).

The dermal matrix, rehydrated with platelet-rich plasma, was utilized for graft



Fig. 10: 3.8 x 12 mm BioHorizons Internal Hex Laser-Lok implant in place with cover screw.

containment and augmentation of the overlying gingiva. Complete and passive site closure was obtained using a combination of 4.0 PTFE and 6.0 polypropylene sutures (Fig. 6). A traditional post-surgical protocol was followed for seven days consisting of anti-inflammatory and antibacterial agents, with the patient being instructed not to masticate in the area.

Following four months of uneventful healing (Fig. 7, 8), the site was re-entered for implant placement. At this time, the block bone graft was clinically well-integrated with the host bone and no signs of mobility were detected (Fig. 9). Minimal access was necessary at the re-entry as the fixation pins did not have to be removed.<sup>4</sup> An implant osteotomy was prepared to receive a 3.8 x 12 mm BioHorizons® Tapered Internal Hex Implant with the Laser-Lok® surface (Fig. 10). Following insertion, the cover screw was placed, the site was closed with absorbable suture, and the temporary restoration was replaced.

After an additional four months to allow for proper implant integration, the healing abutment was placed, and the final restoration was fabricated. The SonicPin Rx system was chosen for fixation in the case to eliminate the need for a subsequent site reentry for screw retrieval. It stays strong while the bone heals, then it loses strength and resorbs, which results in less risk and more benefit for both the patient and the dentist.

## References

- 1) Petrungraro PS, Amar S. *Implant Dent.* 2005 Jun;14(2):139-148.
- 2) KLS Martin Group. *Insert SonicPins Rx.*

SonicWeld Rx. [www.sonicweldrx.com/insert.html](http://www.sonicweldrx.com/insert.html). Accessed [Nov. 20, 2012].

- 3) The new Era in Resorbable Craniofacial Osteosynthesis Endobrow Fixation SonicWeld Rx™ Suture Anchor System [brochure]. KLS Martin Group; Oct. 13, 2009. [www.sonicweldrx.com/pdfs/browlift.pdf](http://www.sonicweldrx.com/pdfs/browlift.pdf). Accessed Nov. 26, 2012.
- 4) Pilling E, Meissner H, Jung R, Koch R, Loukota R, Mai R, Reitemeier B, Richter G, Stadlinger B, Stelnicki E, Eckelt U. *Br J Oral Maxillofac Surg.* 2007 Sep;45(6):451-456. Epub 2007 Feb 1.

## About the author

Lewis Cummings, DDS, MS, received his dental degree from the University of Texas Health Science Center at San Antonio. He did his residency at the University of Nebraska Medical Center in Lincoln, where he completed a master's degree in oral biology and received his certificate in periodontics. While in Lincoln, Cummings began to research tissue engineering and has since lectured internationally on the topic. Currently, he holds associate professor positions with both the University of Texas Dental School at Houston and the University of Nebraska Medical Center in Lincoln, teaching soft-tissue grafting and dental implants in the post-graduate programs. He is also an instructor with the Center for Advanced Dental Education in Dallas and the Rocky Mountain Dental Institute in Denver.





LOCATOR CHANGED THE OVERDENTURE LANDSCAPE. NOW, OFFER YOUR REFERRALS A TREATMENT OPTION FOR **NARROW RIDGES** WITH LESS INVASIVE SURGERY AND REDUCED COST.



Introducing the new LOCATOR® Overdenture Implant System (LODI), featuring narrow diameter implants from the makers of the trusted LOCATOR Attachment. LODI is an ideal treatment alternative for the many patients with severe resorption, resulting in very narrow ridges for implant placement. These edentulous patients who are faced with the choice of bone grafting may decline treatment due to additional surgeries or financial reasons. LOCATOR Overdenture Implants may be placed using a minimally invasive, flapless procedure with intuitive navigation. The implants are made from strong Titanium Alloy and are designed to provide primary stability when immediate loading is indicated.

Incorporating all of LOCATOR's proven features, including its patented printing technology, LODI has remarkable resiliency and exceptional durability, while allowing for replacement of the attachment should wear occur throughout time.

The LOCATOR Overdenture Implant System now allows you to treat edentulous patients with the maximum standard of care of an implant overdenture,\* at a reduced cost and with greater satisfaction.



Stop turning away overdenture patients with narrow ridges just because they decline bone grafting. Take a look at the LOCATOR® Overdenture Implant System and call 1.855.865.LODI (5634) or visit our new website at [www.locatorzest.com](http://www.locatorzest.com)

\*The 2018 Consumer Satisfaction Overdenture, Annual Survey, ranked the ZEST 2018 ZEST Implant System as the most preferred overdenture implant system in the world.

