

ORTHO TRIBUNE

The World's Orthodontic Newspaper • U.S. Edition

MARCH 2011

www.ortho-tribune.com

VOL. 6, No. 1



Protect their teeth
April is National Facial
Protection Month

►Page 3



Makeover update
Where Dr. Gonzalez's
practice is at now

►Page 8



Ready for Vegas?
OrthoVOICE unveils
its 2011 meeting plans

►Page 15



A view of Chicago. (Photo/stock.xchng)

AAO heads to Chicago

*Early registration
for this year's annual
session ends April 8*

If you haven't registered yet for the 2011 AAO Annual Session, taking place in Chicago from May 13-17, you might want to do it soon. Early registration closes Friday, April 8, at 5 p.m. (CDT).

This year's AAO Annual Session promises a variety of educational and social events that will be fitting for the whole team. Some of the highlights include:

- *The 2011 Orthodontic Staff program.* This program has been developed to address the most urgent and complex challenges facing today's orthodontic team members, both on the business side and on the clinical side. To

→OT page 15

The Quick Fix device for pseudo-Class III

Resolving anterior crossbites with the Quick Fix device

By S. Jay Bowman, DMD, MSD

(This is Part 2 of a two-part series)


The Quick Fix[®] device is based on a typical 2 x 4 edgewise appliance and was designed for effective and efficient advancement of the maxillary incisors.²⁴ The appliance consists of a rectangular stainless-steel arch wire, open coil springs, arch locks and Side Swipe auxiliaries.

Installation of the Quick Fix

Correction of a pseudo-Class III malocclusion in the transitional dentition is initiated by placement of an upper 2 x 4 appliance (e.g., two banded or bonded first molar tubes and pre-adjusted Butterfly Bracket[™] brackets on the central and lateral incisors).

Leveling and alignment of the incisors using round superelastic wire typically requires two to five months before placing the rectangular wire of the Quick Fix device.

Next, Side Swipe auxiliaries are inserted into the molar tubes and may be tied back (Fig. 5). The Side Swipe will permit an additional arch wire length of 4-5 mm without that



Illustrations of the quick-fix device. (Photos/Provided by Dr. S. Jay Bowman)

extra wire extending distal to the molar tube and poking the buccal mucosa of the cheek.

Universal arch locks are placed about 16-17 mm from the midline

mark on the right and left side of a .0175-inch x .025-inch stainless-steel arch (Fig. 6).

→OT page 4

AD

PRSR STD
U.S. Postage
PAID
South Florida, FL
PERMIT # 764

Dental Tribune America
116 West 25th Street
Suite #500
New York, NY 10011

WELCOME
OrthoVOICE
2011

VEGAS
ORTHODONTIC
INTERNATIONAL
CONFERENCE &
EXPOSITION

REGISTER EARLY & SAVE

**discover,
reinvent,
grow**

The VOICE of Excellence Lecture
Dr. William R. Proffit - Featured Speaker
Topic: Evidence-Based Treatment: What Do
We Really Know at This Point?

OrthoVoice 2011
October 20-22, 2011
Planet Hollywood Resort & Casino
Las Vegas, Nevada

Register online at www.orthovoice.com

We are who we choose to be

By Dennis J. Tartakow, DMD, MEd, EdD, PhD,
Editor in Chief



With the 21st Century well into its second decade, new scientific technology, industrial integration and greater knowledge and skills are essential in order to move forward. Even with all elements and factors already in place, IT and administrative staff members, faculty members and orthodontic educators must develop new skills as technology advances.

For those individuals who are in, or have moved into, new careers in education, it is never without need for change, modification, training or learning new job skills. Career changes, such as from clinician to educator, must include reflection and reconsideration of attitudes and behaviors.

It's a new ball game with new rules, policies and conditions. We must glean greater understanding in order to assess the requirements and develop a plan for greater educational growth. This requires a strategic development plan that includes many essential factors, i.e. critical decisions for future growth, development, expansion of institutions, supportive companies, etc.

The "renaissance orthodontists" involved might require greater thought and consideration to experience future success in such a career change. In the educational milieu, this strategic development plan might serve as a tool for (a) exploration of goals, (b) determination of skill levels requiring different faculty expertise and (c) appreciation of faculty needs that have exploded since the computer age commencement.

Setting direction and planning are two separated activities. A necessary function of leadership is to produce change and set a new direction of that change. We must devote time and interest to such a strategic plan in order to (a) syn-

chronize visions and aspirations, (b) provide a blueprint for a viable future to anticipate change and (c) hold constant the reason for being — the education of our students.

An assessment of strengths, weaknesses, opportunities and threats are also important in order to develop a strategic development plan. Such assessments could provide valuable reflections and analyses for yielding priorities that will be essential and critical for future success; such priorities will allow progression to the next or higher level.

Historically, reduced recruitment and retention and increased faculty vacancies have been becoming emergent problems in orthodontic education since the early 1990s, impacting people, communities and society. These issues have led to a daunting outlook for the future of orthodontic education.

"There is no doubt that dedicated orthodontic educators have been critical to the development of the specialty. The question is whether the faculty will be there in the future to continue this history of strong education" (Larson, 1998, p. 122). This is the essence of a force for change that is necessary in our specialty.

Our responsibilities as educators are to educate our students to be professional and the best orthodontists they can be; teach them how to be experts; prepare them to speak before groups of individuals or to address a judge and jury in the courtroom; and most important — impress upon them the importance to write precisely, accurately and legibly.

Writing is one of the most important methods of communicating our thoughts, especially regarding treatment plans and projected patient outcomes, which can make a big difference years later when we are asked to defend ourselves and we cannot even remember the patient's name, let alone how we treated them.

Ask any malpractice attorney about how well orthodontists communicate his or her thoughts on a patient chart. Many do not write adequate notes in his or her patient's treatment chart to explain problems or elaborate treatment issues, and much writing is so poor that whatever is written makes little or no sense.

As educators, this is a poor reflection on us personally. Not only are most notations illegible, using shortcuts, abbreviations and hieroglyph-

ics that are difficult to decipher, but most chart entries are way too short, incomplete and unacceptably inadequate. These are egregious situations and occur too often.

Orthodontic education is in need of fresh blood; this dilemma of full-time faculty member reduction resonates with inadequacies and consequences for today and tomorrow. Ultimately the financial obligation made it difficult, if not impossible, to attract young doctors to consider a career in postgraduate orthodontic education.

As a social justice concern, there may be a huge impact on the survival of the profession, especially the ability to serve the individual and address community needs. The price tag most likely may prohibit low-income students from pursuing the degree and also may have a negative impact on serving society as a whole.

We as clinicians, researchers or educators must be responsible and accountable for helping our present and future residents benefit from our armamentarium of skills, proficiency and expertise. Whether it be through the Socratic method, a form of inquiry and debate between individuals possibly with opposing viewpoints based on asking and answering questions to stimulate

→ OT

OT Corrections

Ortho Tribune strives to maintain the utmost accuracy in its news and clinical reports. If you find a factual error or content that requires clarification, please report the details to Managing Editor Kristine Colker at k.colker@dental-tribune.com.



Image courtesy of Dr. Earl Broker.

Member Publication
AADE
American Association
of Dental Editors

ORTHO TRIBUNE

The World's Orthodontic Newspaper - U.S. Edition

Publisher & Chairman

Torsten Oemus
t.oemus@dental-tribune.com

Chief Operating Officer

Eric Seid, e.seid@dental-tribune.com

Group Editor & Designer

Robin Goodman
r.goodman@dental-tribune.com

Editor in Chief Ortho Tribune

Prof. Dennis Tartakow
d.tartakow@dental-tribune.com

International Editor Ortho Tribune

Dr. Reiner Oemus
r.oemus@dental-tribune.com

Managing Editor/Designer

Ortho Tribune & Show Dailies
Kristine Colker, k.colker@dental-tribune.com

Managing Editor/Designer

Implant, Lab & Endo Tribunes
Sierra Rendon, s.rendon@dental-tribune.com

Online Editor

Fred Michmershuizen
f.michmershuizen@dental-tribune.com

Product & Account Manager

Humberto Estrada
h.estrada@dental-tribune.com

Product & Account Manager

Mark Eisen
m.eisen@dental-tribune.com

Product & Account Manager

Gina Davison
g.davison@dental-tribune.com

Marketing Manager

Anna Wlodarczyk
a.wlodarczyk@dental-tribune.com

Marketing & Sales Assistant

Lorrie Young
l.young@dental-tribune.com

C.E. Manager

Julia Wehkamp
j.wehkamp@dental-tribune.com

C.E. International Sales Manager

Christiane Ferret
c.ferret@dtstudyclub.com

Dental Tribune America, LLC

116 West 23rd Street, Ste. 500

New York, NY 10011

Phone: (212) 244-7181

Fax: (212) 244-7185

Published by Dental Tribune America

© 2011, Dental Tribune International

All rights reserved.

Dental Tribune makes every effort to report clinical information and manufacturer's product news accurately, but cannot assume responsibility for the validity of product claims, or for typographical errors. The publishers also do not assume responsibility for product names or claims, or statements made by advertisers. Opinions expressed by authors are their own and may not reflect those of Dental Tribune International.

OT Editorial Advisory Board

Jay Bowman, DMD, MSD

(Journalism & Education)

Robert Boyd, DDS, MEd

(Periodontics & Education)

Earl Broker, DDS

(T.M.D. & Orofacial Pain)

Tarek El-Bialy, BDS, MS, MS, PhD

(Research, Bioengineering & Education)

Donald Giddon, DMD, PhD

(Psychology & Education)

Donald Machen, DMD, MSD, MD, JD, MBA

(Medicine, Law & Business)

James Mah, DDS, MSc, MRCD, DMSc

(Craniofacial Imaging & Education)

Richard Masella, DMD (Education)

Malcolm Meister, DDS, MSM, JD

(Law & Education)

Harold Middleberg, DDS

(Practice Management)

Elliott Moskowitz, DDS, MSD

(Journalism & Education)

James Mulick, DDS, MSD

(Craniofacial Research & Education)

Ravindra Nanda, BDS, MDS, PhD

(Biomechanics & Education)

Edward O'Neil, MD (Internal Medicine)

Donald Picard, DDS, MS (Accounting)

Howard Sacks, DMD (Orthodontics)

Glenn Sameshima, DDS, PhD

(Research & Education)

Daniel Sarya, DDS, MPH (Public Health)

Keith Sherwood, DDS (Oral Surgery)

James Souers, DDS (Orthodontics)

Gregg Tartakow, DMD (Orthodontics)

& Ortho Tribune Associate Editor

Are kids taking unnecessary risks?

In a matter of seconds, a sports injury can occur to the face or the mouth. Young children ages 5 to 14 are especially vulnerable, accounting for more than 80 percent of all sports-related emergency room visits, according to the Centers for Disease Control. Because many sports injuries can be prevented by wearing the proper protective gear, why aren't more parents, coaches and kids getting the message?

Each April during National Facial Protection Month, the American Association of Orthodontists urges athletes to "play it safe" by wearing mouth guards and other appropriate protective gear when participating in many sports and activities. According to a survey* taken by the AAO:

- 67 percent of parents surveyed said their child does not wear a mouth guard. 52 percent said that it was because their child "doesn't need that level of protection."
- 96 percent of parents surveyed believed their child's coaches' role on the use/promotion of protective sports gear was "important," "very important" or "extremely important," yet parents surveyed reported that only 36 percent of coaches actually recommended mouth guards during competitions while 34 percent recommend them during practice.
- According to parents surveyed, the most popular sports that children wear mouth guards while playing include football (42 percent), ice hockey (32 percent) and martial arts (13 percent).
- Of the parents surveyed, the most popular form of protective sports gear for children participating in organized sports include shoes/cleats (67 percent), helmet/headgear (51 percent), shin guards (48 percent) and knee pads (34 percent).



Patients who play sports such as hockey should be encouraged to wear mouth guards. (Photo/stock.xchng)

The AAO recommends that mouth guards be worn for contact sports. Such sports include, but are

not limited to, football, wrestling, basketball, baseball, volleyball, lacrosse, ice and field hockey, softball and soccer. Mouth guards also should be worn when participating in any activity where the mouth might come into contact with a hard object or the ground. Mouth guards can help prevent jaw, mouth and teeth injuries and are less costly than repairing an injury.

"I've seen too many children and adults ruin their healthy, beautiful smiles — or worse — because they fail to wear a mouth guard during practices and games," says William Gaylord, DDS, MSD, orthodontist. "Precaution and common sense are key to preventing injuries."

Mouth guards are one of the least expensive pieces of protective equipment available. An orthodontist can recommend the best mouth guard for an athlete who wears braces. [OT](#)

(* The AAO commissioned Impulse Research Corp. to conduct the AAO 2008 Protective Sports Gear Survey. The survey was conducted in February 2008 online with a random sample of 1,049 men and women, ages 18 years old or older, from the United States and Canada. Survey participants are representative of American and Canadian men and women 18 years old or older who have children between the ages of 8 and 18 who participate in organized sports.)

AD

OT

critical thinking, or to simply illuminate ideas, these residents must carry the torch of learning that we were so blessed to have received from our mentors; the future of orthodontics depends on our efforts. Where is Socrates when he is needed the most?

Aristotle (384-322) articulated it quite well: "The educated differ from the uneducated as much as the living from the dead" (Howe, 2003, p. 19). [OT](#)

References

1. Aristotle (384-322). In R. Howe (Ed.), The quotable teacher (p. 19). The Lyons Press: Guilford Connecticut.
2. Larson, B. (1998). Faculty recruitment and retention: Challenge or crisis. American Journal of Orthodontics and Dentofacial Orthopedics, 113, 122-123.

Optimize Class II correction and minimize relapse.

THE BRACES SERIES™

Myofunctional Research Co. has developed a range of appliances designed for use with fixed appliances to correct poor myofunctional habits. Appliances from the Braces Series™ improve patient comfort, decrease treatment time and improve stability. Used by orthodontists and dentists worldwide.

APPLIANCE	APPLICATION
 <p>TRAINER for Braces™ DURING BRACES Routine Use</p>	<p>T4B™: Shields soft tissue and corrects poor oral habits during braces.</p>
 <p>TRAINER for Class II Correction™ DURING BRACES Severe Cases</p>	<p>T4B2™: Class II and open bite correction during braces.</p>
 <p>TRAINER for Alignment™ AFTER BRACES Retention</p>	<p>T4A™: Immediate retainer for habit correction. Treats minor relapse.</p>




Attend an MRC educational program where you can learn how to effectively incorporate these appliances into your practice.

Phone 1866 550 4696
www.myoresearch.com/courses



MYOFUNCTIONAL RESEARCH CO.
www.myoresearch.com
 Grow with us

← 01 page 1

This position will permit seating of the arch wire into the incisor brackets with the arch locks distal to the lateral incisors. Sections of open coil spring are slid onto the wire, up to the arch locks. These parts are pre-assembled and stored in anticipation of their future use.

After installation of the Side Swipes, the arch wire of the Quick Fix assembly is inserted into the edgewise tubes of the Side Swipe, not in the molar or headgear tube (Fig. 5). The excess wire now lays adjacent to the molar tube.

The arch wire is then seated into the incisor bracket slots and a stainless-steel ligature is laced, e.g., “figure-8,” (Fig. 5) across to consolidate the incisors together so as to prevent opening space between the teeth. The arch locks are loosened with the wrench, and they are slid distally along the wire to compress the open coil spring (Fig. 7).

Once the locks are positioned between the first and second primary molar, compression is typically sufficient, and the locks are tightened. A distal end cutting pliers are used to cut the arch wire flush to the end of the molar tube, not the Side Swipe tube (Fig. 8).

This will leave about 4–5 mm of wire distal to the Side Swipe next to the molar tube to provide for advancement of the incisors; a process that requires about two to three months.

The Quick Fix device is self-limiting. In other words, should a patient not return within four to five weeks after installation, incisor advancement would only progress until the distal portion of the arch wire slips out of the Side Swipe tube (Fig. 5).

Simple case reports demonstrate the progression of treatment and correction of typical pseudo-Class III anterior crossbites using the Quick Fix device (Figs. 9–13). Other appliances and devices may be combined with the Quick Fix device such as palatal expanders, e.g. MIA Quad Helix,²⁶ (Fig. 13), reverse pull facemask, lower 2 x 4 and Class III elastics.

After the desired amount of advancement is achieved, then the appliances may be removed and retention initiated as desired.

Class II correction with the Quick Fix device

Molar distalization: Class II elastics

If anchorage is applied to the Quick Fix mechanism to prevent “flaring” of the incisors, then distal movement of the molars can be achieved. Because this device is not inserted into a headgear tube (in contrast to the bimetric arch²²), then a cervical headgear or Jasper Jumper²⁷ fixed functional could be added.

Another alternative would be the application of Class II elastics to support the incisor position. This requires fixed appliances on the lower arch, e.g. 2 x 4 and fixed lingual arch. Unfortunately, both head-



Fig. 5: Right and left Side Swipe auxiliaries are placed into typical bonded or banded first molar tubes. The wire segment of the Side Swipe is inserted into the molar tube from the mesial, with the rectangular tube of that auxiliary oriented to the buccal. The Side Swipe is secured to the molar tube by tying a stainless or alastic ligature from the hook on the auxiliary to a hook on the molar tube. The Quick Fix wire assembly (stainless-steel wire, arch locks, open coil springs) is then inserted into the Side Swipe tube where the distal part of this “traveling” arch wire is positioned adjacent to the molar tube. The rectangular arch wire is seated into the brackets on the incisors and ligated into place using a stainless ligature lacing to prevent unwanted space opening.



Fig. 6: The Quick Fix wire assembly consists of a .017-inch by .025-inch stainless-steel arch form, two universal arch locks positioned 36 mm apart (to position them distal to the maxillary lateral incisors and permit wire seating) and two 20 mm lengths of .009-inch by .030-inch open coil spring.




Fig. 7: The arch lock is loosened and slid to the distal to compress the open coil spring. The lock is tightened at a position between the first and second primary molar. (Note: the distal extension of the arch wire was inserted into the Side Swipe tube and the remaining portion lies adjacent to the molar tube.)




Fig. 8: After the open coil spring has been compressed, a distal end cutter is used to cut the distal extension of the arch wire just flush to the end of the molar tube, not the Side Swipe auxiliary. This provides for 4–5 mm of “traveling” arch wire to advance the incisors. The device is self-limiting as the wire will slip out of the Side Swipe after 4–5 mm of advancement.



Fig. 9: Resolution of an anterior crossbite in the transitional dentition for an 8-year old female. Leveling with 2X4 appliances required three months, followed by four months incisor advancement with the Quick Fix appliance.

gear and elastics wear are dependent upon unpredictable patient compliance.

In contrast to the Distal Jet²⁸ (a device specifically designed for molar distalization), both the Quick Fix and bimetric produce force at the crown, rather than through a couple closer to the center of resistance of the molar.

As a consequence, they produce more molar tipping and may introduce unwanted labial tipping of the lower incisors from elastic wear. The use of a pre-adjusted appliance with lingual crown torque in the

brackets on the lower incisors may reduce that incisor “flaring.”¹⁸

Molar distalization: mini-screw supported

As an alternative distalization method for Class II patients, mini-screw anchorage can be added to provide indirect anchorage to the Quick Fix. Mini-screws can be inserted into the buccal alveolus, between the upper first molars and second premolars or in the infrazygomatic ridge.^{30,32}

Stainless-steel ligature is then tied from the mini-screws to the incisors to support the distal-driving

force from the Quick Fix.

An alternative miniscrew insertion location would be on the palatal alveolus between the roots of the first molar and second molar^{30,31} with a steel ligature tied from the TAD to a button bonded on the lingual of the upper first premolar.

Once the molars have been over-corrected into a super-Class I (half-step Class III) relationship, then the mini-screws may need to be removed, and possibly re-positioned, if they are needed to provide anchorage support for retraction of the remaining maxillary teeth.



10a.




10b.



10c.



10d.



10e.

Figs. 10a-e: Anterior crossbite resolved in seven months with combination of upper 2 x 4 appliance and Quick Fix appliance for an 11-year old male. At age 13, the patient was ready for some limited treatment to close spaces using full fixed appliances.

Conclusions

Ismail and Bader⁵² have suggested that, "In developing appropriate treatment plans, dentists should combine the patient's treatment needs and preferences with the best available scientific evidence, in conjunction with the dentist's clinical expertise."

Early correction of pseudo-Class III malocclusion has been demonstrated to provide simple, rapid (about six to eight months), efficient, reliable and stable resolution of anterior crossbite. In addition, this treatment reduces the risk of development of skeletal Class III malocclusions and may diminish the difficulty of, or occasionally eliminate the need for, any later comprehensive treatment.^{5,6}

The Quick Fix device is a simple, predictable, and effective mechanism for achieving this correction for pseudo-Class IIIs,^{53,54} and it can also be used for Class II patients to provide molar distalization using Class II elastic or mini-screw support.

Steps for inserting the Quick Fix Device

1. Placement of a maxillary 2 x 4 pre-adjusted appliance.
2. Initial alignment and leveling with .016 superelastic arch wire for two to five months.
3. Place appropriate right and left Side Swipes into the maxillary molar tubes: the segment of wire is inserted from the mesial into the molar tube with the Side Swipe tube positioned mesial and buccal to the molar tube.
4. Trim the excess wire of the Side Swipe just flush to the molar tube and tie back with an elastic or stainless-steel ligature tie (optional).
5. Place universal arch locks 36 mm apart (to fit distal to the maxillary lateral incisors) on a .0175-inch by .025-inch stainless-steel arch wire.
6. Slide two 20 mm open-coil springs on the arch wire up to each arch lock.

JOIN THE REVOLUTION!

EDGE

The future of successful practice management is here.

Get the revolutionary Edge™ to maximize your practice efficiency and profitability. Ortho2 brings you the latest in state-of-the-art management, imaging, and communications software that's supported by an industry-leading customer service team.

<p>Leading Edge Technology</p> <ul style="list-style-type: none"> • Web-enabled application with offsite data hosting option • Convenient drag-and-drop design • Customizable widget library • Next-generation imaging • PC, Mac, and multi-monitor support 	<p>Cutting Edge Efficiency</p> <ul style="list-style-type: none"> • Staff "roles" customize available features and views • Workflows auto-sequence tasks • Online patient forms and images • Flexible patient reminders • HR Manager tools 	<p>The Edge in Profitability</p> <ul style="list-style-type: none"> • Motivational Goal Tracker • Effective Collections Assistant • Powerful Smart Scheduler • Animations for case presentation • Multi-year graphs and trends
---	--	--

Join the revolution. Take your practice to the Edge today.
www.TheEdgeRevolution.com

800. 678. 4644 • www.ortho2.com

Ortho2
Practice Complete Management

Edge, Ortho2, Practice Complete Management, and the Ortho2 logo are trademarks of Ortho Computer Systems, Inc. © 2010 Ortho Computer Systems, Inc. All rights reserved.

OT page 5

7. Insert this Quick Fix wire assembly into the tube of the Side Swipes and seat the wire in the brackets on the incisors.
8. Consolidate the incisors with stainless-steel laced ligature to prevent unintended anterior space opening.
9. Slide the arch locks distally along the arch wire to compress the open coil springs until the arch locks are between the first and second primary molars. Then tighten the locks to maintain the spring activation for incisor advancement.
10. Cut the distal end of the arch wire flush to the distal end of the molar tube, *not* the Side Swipe tube. In this manner, about 4–5 mm of arch wire is adjacent to the molar tube and provides sufficient wire for incisor advancement. OT

(Editor's note: Bowman has a financial interest in the Butterfly System and Quick Fix Kit.)

*Quick Fix Kit™ with Side Swipes™ Ref #852-781, American Orthodontics, Inc., 1714 Cambridge Ave., Sheboygan, Wis. 53082-1048.

*MIA Quad Helix, AOA Laboratories, 13951 Spring St., Sturtevant, Wis. 53117.

**Butterfly Bracket System, American Orthodontics, 1714 Cambridge Ave., Sheboygan, Wis. 53082-1048

References

1. Rabie, A.B., Gu, Y.: Diagnostic criteria for pseudo-Class III malocclusion. *Am. J. Orthod. Dentofacial Orthop.* 117(1):1-9, 2000.
2. Proffit, W.R., Fields, Jr., H.W., Sarver, D.M.: *Contemporary Orthodontics*. 4th ed. St. Louis, Missouri, Mosby Elsevier, p 175-176, 2007.
3. Gu, Y.: The characteristics of pseudo Class III malocclusion in mixed dentition. *Zhonghua Kou Qiang Yi Xue Za Zhi* 37(5):377-80, 2002.
4. Lin, J.-J.: Prevalences of malocclusion in Chinese children age 9-15. *Clin. Dent.* 5:57-65, 2005.
5. Hägg, U.; Tse, A.; Bendeus, M.; Rabie, A.B.M.: A follow-up study of early treatment of pseudo Class III malocclusion. *Angle Orthod.* 74:465-72, 2004.
6. Gu, Y.; Rabie, A.B.: Dental changes and space gained as a result of early treatment of pseudo-Class III malocclusion. *Aust. Orthod. J.* 16(1):40-52, 2000.
7. Rabie A.B.; Gu, Y.: Management of pseudo Class III malocclusion in southern Chinese children. *Br. Dent. J.* 186(4 Spec. No.): 183-7, 1999.
8. Gu, Y.; Rabie, A.B.; Hägg, U.: Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites. *Am. J. Orthod. Dentofacial Orthop.* 117(6):691-9, 2000.
9. Vig, K.W.L.; O'Brien, K.; Harrison, J.: Early orthodontic and orthopedic treatment: the search for evidence: will it influence clinical practice? In: *Early orthodontic treatment: is the benefit worth the burden?* Craniofacial Growth Series, Ann Arbor: Center for Human Growth and Development, The University of Michigan. 44:13-38, 2007.



Fig. 11: An 8-year old male with a pseudo-Class III crossbite and associated functional shift, corrected by upper incisor advancement with a 2 x 4 and Quick Fix appliance in eight months. Five months of leveling and alignment was followed by three months of Quick Fix advancement.



Fig. 13: Anterior crossbite and severe upper arch length discrepancy resolved using a combination of upper 2 x 4, MIA Quad Helix and Quick Fix appliance for an 8-year old male.



Fig. 12a: Anterior crossbite resolved and arch length increased by simple advancement of the upper incisors using a combination of 2X4 and Quick Fix appliances in seven months (three months with the Quick Fix) for a 9-year-old female in the mixed dentition.



Fig. 12b: Note the improvement in upper lip support. Later correction in the permanent dentition will be relatively limited.

10. Johnston, Jr., L.E.: If wishes were horses. In: McNamara, Jr., J.A., ed. *Early orthodontic treatment: is the benefit worth the burden*. Craniofacial Growth Series, Ann Arbor: Center for Human Growth and Development, The University of Michigan. 44:39-51, 2007.
11. Little, R.M.; Reidel, R.A.; Stein, A.: Mandibular arch length increase during mixed dentition: postretention evaluation of stability and relapse. *Am. J. Orthod. Dentofac. Orthop.* 97:393-404, 1990.
12. O'Grady, P.W.: A long-term evaluation of the mandibular Schwarz appliance and the acrylic splint expander in early mixed dentition patients. Master's thesis. The University of Michigan, 2003.
13. Bowman, S.J.: One versus two-stage treatment: are two stages necessary? Notes from the Clinic. *Am. J. Orthod. Dentofacial Orthop.* 113:111-116, 1998.
14. Wells, A.P.; Sarver, D.M.; Proffit, W.R.: Long-term efficacy of reverse pull headgear therapy. *Angle Orthod.* 76(6):915-22, 2006.
15. Hägg, U.; Tse, A.; Bendeus, M.; Rabie, A.B.: Long-term follow-up of early treatment with reverse headgear. *Eur. J. Orthod.* 25(1):95-102, 2003.
16. Kim, J.H.; Viana, M.A.; Graber, T.M.; Omerza, F.F.; BeGole, E.A.: The effectiveness of protraction

- face mask therapy: a meta-analysis. *Am. J. Orthod. Dentofacial Orthop.* 115(6):675-85, 1995.
17. Baccetti, T.; McGill, J.S.; Franchi, L.; McNamara, J.A., Jr.; Tollaro, I.: Skeletal effects of early treatment of Class II malocclusion with maxillary expansion and face-mask therapy. *Am. J. Orthod. Dentofacial Orthop.* 113(3):333-45, 1998.
18. McDonald T.: Seasoned Practitioner's Corner: Interview with Dr. Patrick Turley. *Pac. Coast Soc. Orthod. Bull.* 79(4): 14-15, 2007.
19. Johnson, E.S.: Shortening orthodontic treatment time. *Orthod. Select* 20:3, 2007.
20. Arman A.; Toygar, T.U.; Abuhijleh, E.: Profile changes associated with different orthopedic treatment approaches in Class III malocclusions. *Angle Orthod.* 75(6):733-40, 2004.
21. Carano, A.; Bowman, S.J.; Valle, M.: A fixed reverse labial bow for moderate Class III interceptive treatment. *J. Clin. Orthod.* 37:42-46, 2003.
22. Wilson, W.L.; Wilson, R.C.: *Modular orthodontics manual*. Denver: Rocky Mountain Orthodontics, 1981.
23. Harnick, D.J.: Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction. *Angle Orthod.* 68(3):275-280, 1998.

24. Bowman, S.J.: Trouble-shooting Trilogy. Presentation. 105th Annual Session of the American Association of Orthodontists, San Francisco, CA. May 23, 2005.
25. Braun, S., Sjursten, Jr., R.C., Legan, H.L.: Variable modulus orthodontics advanced through an auxiliary archwire attachment. *Angle Orthod.* 67(3):219-222, 1997.
26. McNally, M.R.; Spary, D.J.; Rock, W.P.: A randomized controlled trial comparing the quadhelix and the expansion arch for the correction of crossbite. *J. Orthod.* 32:29-35, 2005.
27. Jasper, J.J.; McNamara, Jr., J.A.: The correction of interarch malocclusions using a fixed force module. *Am. J. Orthod. Dentofacial Orthop.* 108:641-650, 1995.
28. Carano, A.; Bowman, S.J.: Noncompliance Class II treatment with the Distal Jet. In: Papadopoulos, M.A. Ed, *Orthodontic Treatment for the Class II Noncompliant Patient: Current Principles and Techniques*, Elsevier, Edinburgh, 18:249-271, 2006.
29. Bowman, S.J.; Carano, A.: Butterfly bracket system. *J. Clin. Orthod.* 38:274-287, 2004.
30. Bowman, S.J.: Thinking outside the box with mini-screws. In: McNamara, Jr., J.A., and Ribbens, K.A., eds, *Craniofacial Growth Series*, Ann Arbor: Center for Human Growth and Development, The University of Michigan. in press.
31. Ludwig, B.; Baumgaertel, S.; Bowman, S.J. eds. *Mini-implants in Orthodontics: Innovative Anchorage Concepts*, Quintessence, Berlin, 2007.
32. Ismail, A.I.; Bader, J.D.: Evidence-based dentistry in clinical practice. *J. Am. Dent. Assoc.* 135:78-83, 2004.
33. Bowman, S.J.: Concepts and Controversies in Contemporary Clinical Orthodontics. *Oral Health and Science Seminar Series*. Prince Phillip Dental Hospital, The University of Hong Kong, June 27, 2006.
34. Bowman, S.J.: A Quick Fix for Pseudo-Class III Correction. *J. Clin Orthod* 42(12): 691-697, 2008.

OT About the author



Dr. S. Jay Bowman is a diplomate of the American Board of Orthodontics, a member of the Edward H. Angle Society of Orthodontists, a fellow

of both the American and International College of Dentists and the Pierre Fauchard Academy International Honor Organization, a charter member of the World Federation of Orthodontists and is a regent of the American Association of Orthodontists Foundation. He developed and teaches the Straightwire course at the University of Michigan, is an adjunct associate professor at Saint Louis University and is a clinical assistant professor at Case Western Reserve University. Contact him at drjwyrred@aol.com.

4 Keys to Orthodontic Success

Unlock your potential with our all new webinar series!

What is a Webinar?

A webinar is a seminar that is transmitted over the Web. Participants will be able to ask Scarlett questions and get answers in real time. Scarlett will be able to conduct polls, and show results as well as ask questions. Participants will receive course materials by e-mail prior to the seminar and will be able to view Scarlett's PowerPoint slides during the seminar. Webinars offer exceptional convenience and are very cost-effective, eliminating travel expenses all together.



Mastering The New Patient Exam

- How to Increase Case Acceptance
- Educating and Motivating the New Patient
- Creating a Successful "Will Call Back System"
- Having an Effective "Recall System"
- The New Patient Exam as a Team Approach
- Presenting Fees
- The Importance of the Initial Phone Call

Top Notch Management

- The Hiring Process
- Employee Appraisals
- Addressing Collection Policies
- Effective Communication
- Creating and Managing Budgets
- The Importance of Delegation
- Motivating Staff
- Morning Meetings
- Staff Benefits

Effective Marketing That Works

- Creating a Yearly Marketing Game Plan
- Determining a Marketing Budget
- Assigning a Marketing Coordinator
- Understanding the Market Trends
- Internal Marketing
- External Marketing
- Community Marketing
- Media/Direct Marketing
- Staff Marketing

Building A Successful Schedule

- Building a Schedule for the Growth of a Practice
- The Build for Growth Formula
- Scheduling Doctor Time
- Assigning Columns and the Benefits
- Emergency Appointments and How to Handle Them
- Building Production into the Schedule
- Scheduling Deband Days
- The Importance of Morning Meeting

For dates and registration, visit

www.orthoconsulting.com

or call 858-435-2149

How to Join

Three easy steps to joining our webinars

1. Register for the webinar you desire
2. Receive your password and link to log in
3. On the date and time of webinar click the link provided and enter you password

Tuition

\$249 per computer and webinar. Includes course materials sent via email and one month of post-meeting email support.

About Scarlett

Scarlett Thomas is an orthodontic practice consultant who has been in the orthodontic field for over 23 years, specializing in case acceptance, team building, office management and marketing. As a speaker and practice consultant, Scarlett has an exceptional talent to inform, motivate and excite!

After implementation of her concepts into your practice, Scarlett invites you to experience not only tremendous growth and increased income but a well organized practice.



Practice makeover update: ongoing transformation

This is the fifth in the Levin Group Total Ortho Success Practice Makeover series

By Jennifer Van Gramins and Cheri Bleyer

“We made great strides this past year, but our journey is still under way,” said Dr. Michelle Gonzalez, winner of the 2010 Levin Group Total Ortho Success™ Practice Makeover. The San Rafael, Calif., orthodontist received year-long consulting programs in both orthodontic management and referral marketing.

Gonzalez, the owner and operator of a successful 15-year-old ortho practice in an affluent area, entered the contest because she wanted to take her practice to the next level.

The systems in the office hadn't been updated for a number of years, which is typical for many practices. Levin Group recommends redesigning practice systems every three to five years to keep pace with the changes taking place in the office, including the introduction of new technology, new services, new workflow and new personnel.

In addition, team members weren't always on the same page, which resulted in miscommunication and unnecessary stress. “It can be easy to focus on the day-to-day and lose sight of the big picture, which was starting to happen in my practice,” said Gonzalez.

“The consulting experience really opened my eyes to my practice's full potential, and Levin Group helped me develop a roadmap to achieve ultimate success,” she said.

A big part of that roadmap was creating a vision statement, which lays out where Gonzalez wants to take her practice in the next three to five years. She set challenging performance targets for the next three years and sees the practice achieving them with the help of her team and improved systems.

Orthodontist leadership

Leading a team can be extremely challenging due to the time constraints placed on orthodontists. As the practice's main producer, an orthodontist spends most of her or his day providing patient care, which leaves little time for coaching and mentoring the team.

In fact, compared to other dental professionals, orthodontists face far greater demands on their time because of the high volume of patients they see. For example, a GP may see on average 15 to 20 patients a day, whereas an orthodontist can easily see double or triple that number.

Handling that kind of patient volume requires incredible focus,

Levin Group Total Ortho Success™ Practice MAKEOVER

which often leaves little time for team building and training. That's why Levin Group emphasizes the importance of implementing high-performance systems. When a quality team is trained on step-by-step systems, the practice almost runs by itself.

During the last phase of her management consulting program, Gonzalez visited the Levin Advanced Learning Institute in Phoenix for two days of intensive and interactive training on leadership. Along with a group of about a dozen other dental professionals who are also Levin Group clients, she learned topics such as:

- Guiding the team
- Enhancing time management
- Improving communication
- Achieving financial independence
- Managing people
- Achieving a vision

This peer-learning experience spurs insightful comments and feedback based on the participants' diverse backgrounds and leadership styles. Clinicians compare and contrast on what has and hasn't worked in their practices.

“As an orthodontist and solo practice owner, you often work in an insulated environment,” Gonzalez said. “So it was especially helpful to hear how orthodontists from across the country are dealing with challenges and achieving success.”

Two biggest wins

Gonzalez said the new scheduling system and a structured referral marketing program are the two biggest improvements since the makeover began.

“Previously, our schedule wasn't functioning at an optimal level. There was some confusion at times between the front office and back office staff regarding the schedule. Now everybody is on the same page,” she said.

The practice conducted procedural time studies — a necessary step to creating an accurate schedule. Computers were installed in treatment rooms, allowing the clinical team to add notes to patient records and schedule the next appointment. In addition, processes were put in place to improve com-



Dr. Michelle Gonzalez, clockwise from bottom left, and her team: Kris, Mary, Laurie and Irene. (Photo/Bruce Cook Photography, San Rafael, Calif.)

munication between administrative and clinical staff.

“When everybody on the team knows what's going on, then we all can be focused on providing patients and parents the best possible experience,” the orthodontist said.

In the spring, the practice upgraded its referral marketing efforts. Gonzalez brought on a new employee, LeAnn, as a part-time practice coordinator (what Levin Group calls a professional relations coordinator) to consistently communicate with the practice's referral base and potential referrers. The results have been outstanding: stronger referral relationships, the addition of new referring doctors and increased referrals.

“In the past, I would personally do all office visits, but it wasn't consistent simply because of my busy schedule,” she said. “Having a dedicated employee just makes more

sense, and it's far more effective.”

Final thoughts

“You can always get better,” Gonzalez said. “And sometimes you need help to get better. That's probably the biggest lesson I learned during this makeover year.”

The San Rafael orthodontist is looking forward to even more success in 2011 and the years ahead.

“My team and I have learned a lot from our consulting experience, and we are ready to keep building on those accomplishments. Full steam ahead!” **OT**

Visit Levin Group's Ortho Resource Center at www.levingrouportho.com for a wide range of educational materials, including the tip of the day, newsletters and white papers. You can also connect with Levin Group on Facebook and Twitter (@Levin_Group) for tips, news and sharing ideas.

OT About the authors

Cheri Bleyer, Levin Group senior consultant

Bleyer joined Levin Group in 2003 as a Levin Group orthodontic management and marketing consultant. As a senior consultant, Bleyer has played a key role in the development of Levin Group's ever-expanding marketing program, and she regularly lectures at the Levin Advanced Learning Institute.

Jen Van Gramins, Levin Group senior consultant

Van Gramins has spent the last four years working as a Levin Group orthodontic management consultant. Prior to that, she managed medical and dental practices for 12 years. She served as practice manager for the Oral Health



Cheri Bleyer, left, and Jen Van Gramins

Clinic at Loyola University Medical Center in Maywood, Ill.

Visit Levin Group on the Web at www.levingrouportho.com. Levin Group also can be reached at (888) 973-0000 and customerservice@levingroup.com.



ORTHO TRIBUNE

OT STUDY CLUB

COURSES | DISCUSSIONS | TECHNOLOGY | ON-DEMAND



**“Online learning is not the next big thing,
it is the now big thing.”**

Donna J Abernathy
Training and Development Editor

ORTHO TRIBUNE STUDY CLUB

COURSES, COMMUNITY, TECHNOLOGY, ON-DEMAND

The OT Study Club makes all of this is possible from the comfort of your own computer and without travel expenses. In other words, welcome to the community!

The purpose of this study club is to provide orthodontists like yourself an opportunity to learn and network with like-minded colleagues in a friendly, non-threatening environment. We encourage you to take advantage of Ortho Tribune's global outreach to access a variety of fresh perspectives and cultures, enhancing your educational mix.

24/7 LIVE AND INTERACTIVE ONLINE COURSES

Fulfill your yearly CE requirements with our growing list of archived ADA CERP approved courses.



DISCUSSION FORUMS

focused on helping today's orthodontists to stay up to date. Networking possibilities that go beyond borders to create a truly Global Dental Village



VIDEO REVIEWS OF PRODUCTS

Our opinion leaders unveil new products, services, and give you their first impressions of the industry's hottest topics.



PEER REVIEWED CASE STUDIES

Upload, comment, participate. We encourage you to share your cases for review with like-minded orthodontists.



REGISTER FOR FREE ON WWW.OTSTUDYCLUB.COM

CONTESTS WITH CHANCES TO WIN FREE TUITION FOR ADA/CERP C.E. ACCREDITED WEBINARS

SPONSORSHIP AND SPEAKING INQUIRIES:

JULIA WEHKAMP, J.WEHKAMP@OTSTUDYCLUB.COM, (416) 907-9836.

ADA CERP® | Continuing Education
Recognition Program

WWW.OTSTUDYCLUB.COM

