# DENTALTRIBUNE

The World's Dental Newspaper · Asia Pacific Edition 🧨 -



Published in Hong Kong

www.dental-tribune.asia

Vol. 14, No. 12



#### **ANTIBIOTICS**

A short interview with Dr Paul Sambrook, Australia, about what dental professionals can do to combat the growing issue of resistance.

► Page 3



#### **ROOTS SUMMIT**

Stephen Jones & Drs David E. Jaramillo and Freddy Belliard review this year's most important event in endodontics.


► Page 8



#### **GINGIVAL AESTHETICS**

Dr Jiro Abe & Kyoko Kokubo, Japan, explain how to optimise conventional dentures with an innovative veneering material.

► Page 14



## First dental vaccine may help combating chronic periodontitis soon

pathogens, triggering an immune

response. According to the re-

searchers, this response produces

By DTI

MELBOURNE, Australia: After researching the development of a vaccine for chronic periodontitis for the past 15 years, a team of scientists from the Oral Health CRC at the University of Melbourne has published their latest findings.

trials could potentially begin on periodontitis patients in 2018.

"Periodontitis is widespread and destructive. We hold high hopes for this vaccine to improve the quality of life of millions of people," said Prof. Eric Reynolds, CEO of the Oral Health CRC.

antibodies that neutralise the pathogen's destructive toxins. Currently, periodontitis is treated by manually removing

toxic plaque that builds up between the tooth and the gingivae, which sometimes involves surgery and antibiotic regimes. Although these measures are helpful, in many cases the bacterium re-establishes itself in the dental plaque, which causes a microbiological imbalance, so the disease continues, Reynolds said.

Epidemiological surveys indicate that moderate to severe forms of periodontitis affect about one in three adults worldwide. Left untreated, the condition can result in the destruction of gingival tissue and ultimately in tooth loss.

Several studies have further linked the disease to an increased risk of various health conditions, including cardiovascular diseases, certain cancers, preterm birth and dementia. If implemented in clinical practise, an effective vaccine for chronic periodontitis could therefore help combat the global burden of these widespread dis-

The results of the study were published in the NPJ Vaccines journal on 1 December in an article, titled "A therapeutic *Porphyromonas*  gingivalis gingipain vaccine induces neutralising IgG1 antibodies that protect against experimental periodontitis".



Flow cytometry is used to measure changing levels of oral bacteria.

The results thus far show promising prospects that the vaccine may reduce the need for surgery and antibiotics for patients with severe periodontal disease. According to the researchers, clinical

Developed in collaboration with Australian biopharmaceutical company CSL Limited, the vaccine targets enzymes produced by the bacterium Porphyromonas gingivalis, one of the main periodontal



## Barriers to cleft lip and palate surgery persist in Vietnam

By DTI

LOS ANGELES, USA: Charitable organisations perform more than 80 per cent of cleft lip and cleft palate surgeries in Vietnam, a new study by US researchers has found. According to the scientists, this reflects the complex and persistent barriers to surgical care in low- to middle-income countries (LMICs) and shows that charitable missions remain a critical source of access to surgical care for these

Cleft lip and palate are the most common craniofacial birth defects, occurring in between one in 500 to one in 2,500 infants worldwide. "The defect not only results in physical obstacles to feeding and language development, but patients are often subjected to significant social stigma," the researchers stated.

They surveyed approximately 450 Vietnamese families seeking cleft lip and/or palate repair surgery for their affected child. Some of the children had already undergone surgery for their condition previously (54 per cent) and 46 per cent of them were seeking surgical care for the first time. The families were seen at four medical missions sponsored by the international charity Operation Smile. Parents were asked in-depth ques-

tions about their perceptions of the barriers to surgical and medical care for their child's condition.

Facing structural, financial and cultural barriers to cleft lip and

was 3.25 years. By comparison, in developed countries, the recommended age for cleft lip and palate repair surgery is between 3 and 18 months of age.

gery, the children's average age understood in order to design more effective programmes for both missions-based and locally sustainable surgical care in LMICs. On the basis of their findings, they proposed a new surgical LMIC



For their child affected by cleft lip and/or palate, more than 80 per cent of Vietnamese families surveyed in a study sought surgical care in a charitable mission—although 73 per cent of them had health insurance.

palate surgery, patients in LMICs rely on charitable care outside the centralised health care system, the study report pointed out. "As a result, surgical treatment of cleft lip and palate is delayed beyond the standard optimal window compared to more developed countries," the researchers wrote. At the time of initial cleft sur-

Nearly three-quarters of the families had health insurance coverage. Nevertheless, 83 per cent had their surgery performed by a charitable organisation outside of the national health care system. While most parents had a local hospital that was more accessible than the charitable mission was, many said that they could not obtain cleft treatment there, mainly owing to cost. About 40 per cent stated that, without the charitable mission, they would not have had access to any surgical or medical treatment for their child's condition.

model that accounts for the unique barriers and specific challenges to accessing surgery in resource-poor countries—especially for conditions that require multiple operations, such as cleft lip and palate.

Improving access to surgical care has become a major global health priority, the researchers said. However, the current knowledge gap on providing surgery in LMICs-including the need for specialised facilities, physicians and follow-up care—has only begun to be studied. Thus, even in countries with near-universal health

"...patients are often

subjected to significant

social stigma..."

#### **IMPRINT**

Torsten OEMUS

GROUP EDITOR/MANAGING EDITOR DT AP & UK:

Daniel ZIMMERMANN newsroom@dental-tribune.com

CLINICAL EDITOR:

Magda WOJTKIEWICZ

ONLINE EDITOR: Claudia DUSCHEK

EDITOR:

Anne FAULMANN

ASSISTENT EDITOR:

Kristin HÜBNER

COPY EDITORS:

Sabrina RAAFF, Hans MOTSCHMANN

PRESIDENT/CEO: Torsten OEMUS

CFO/COO:

Dan WUNDERLICH

MEDIA SALES MANAGERS: Matthias DIESSNER

Peter WITTECZEK Maria KAISER

Melissa BROWN Weridiana MAGESWKI Hélène CARPENTIER Antje KAHNT

INTERNATIONAL PR & PROJECT MANAGER: Marc CHALUPSKY

MARKETING & SALES SERVICES:

Nicole ANDRAE

ACCOUNTING:

Karen HAMATSCHEK

RUSINESS DEVELOPMENT. Claudia SALWICZEK-MAIONEK

**EXECUTIVE PRODUCER:** Gernot MEYER

AD PRODUCTION:

Marius MEZGER

Franziska DACHSEL

INTERNATIONAL EDITORIAL BOARD:

Dr Nasser Barghi, Ceramics, USA Dr Karl Behr, Endodontics, Germany Dr George Freedman, Esthetics, Canada Dr Howard Glazer, Cariology, USA

Prof. Dr I. Krejci, Conservative Dentistry, Switzerland Dr Edward Lynch, Restorative, Ireland Dr Ziv Mazor, Implantology, Israel

Prof. Dr Georg Meyer, Restorative, Germany Prof. Dr Rudolph Slavicek, Function, Austria Dr Marius Steigmann, Implantology, Germany

#### Published by DT Asia Pacific Ltd.

#### DENTAL TRIBUNE INTERNATIONAL

Holbeinstr. 29, 04229, Leipzig, Germany Tel.: +49 341 48474-302 Fax: +49 341 48474-173 info@dental-tribune.com www.dental-tribune.com

#### **Regional Offices:**

#### DT ASIA PACIFIC LTD.

c/o Yonto Risio Communications Ltd, Room 1406, Rightful Centre, 12 Tak Hing Street, Jordan, Kowloon, Hong Kong Tel.: +852 3113 6177 Fax: +852 3113 6199

#### UNITED KINGDOM

535, Stillwater Drive 5 Manchester M11 4TF Tel.: +44 161 223 1830 www.dental-tribune.co.uk


116 West 23rd Street, Suite 500, New York, NY 10001, USA Tel.: +1 212 244 7181 Fax: +1 212 224 7185

© 2016, Dental Tribune International GmbH

#### DENTAL TRIBUNE

All rights reserved. Dental Tribune makes every effort to report clinical information and manufacturer's product news accurately, but cannot assume responsibility for the validity of product claims, or for typographical errors. The publishers also do not assume responsibility for product names or claims, or state-





**Dental Tribune Study Club** 

## Join the largest educational network in dentistry!





DT STUDY CLUB dti licture licture

these barriers need to be better

According to the researchers,

The survey found a wide range

of structural, financial and cul-

tural barriers to cleft care. Struc-

tural barriers included lack of trained medical staff, equipment

and medicine. Financial barriers

were identified as not only the

cost of the surgery, but also

the cost of travel to obtain care.

Cultural barriers included family

members' opinions and permis-

sion, as well as lack of trust in the

medical system and staff.

main a critical source of access to surgical care, they concluded.

insurance, charitable missions re-

The study, titled "Barriers to reconstructive surgery in lowand middle-income countries: A cross-sectional study of 453 cleft lip and cleft palate patients in Vietnam", was conducted by scientists from the University of Southern California in Los Angeles. It was published in the November issue of *Plastic and Reconstructive* Surgery, the journal of the American Society of Plastic Surgeons.

**ASIA PACIFIC NEWS** 03 Dental Tribune Asia Pacific Edition | 12/2016

## "Antibiotic resistance is a serious health issue"

By Brendan Day, DTI

The use of antibiotics is essential in modern medical treatments, yet frequent misuse has reduced their effectiveness. This year's World Antibiotic Awareness Week (WAAW), held from 14 to 20 November, sought to increase public understanding of the issue. Dental Tribune spoke with Dr Paul Sambrook, Chairman of the Dental Therapeutics Committee of the Australian Dental Association (ADA), about WAAW's purpose and what dental professionals can do to combat antimicrobial resistance.

#### Dental Tribune: What is the primary goal of WAAW?

Dr Paul Sambrook: The aim of the WAAW is to increase awareness of global antibiotic resistance and to encourage best practices among the general public, prescribers and policymakers to avoid the further emergence and spread of antibiotic resist-

#### How widespread of a problem is misuse or overuse of antibiotics in Australia?

Dentists prescribe less than 3 per cent of all antibiotics prescribed in Australia. However, information from NPS Medicine-Wise states that Australia has one of the highest prescription rates globally, with around 29 million prescriptions issued each year more than one per person on average.

Antibiotic resistance is a serious health issue already present in our community. Without antibiotics, infections that were once easily treated may once again kill.

If we do not address antibiotic resistance, by 2050 up to ten million people may die every year from untreatable infections.

#### How did the ADA encourage involvement during WAAW?

The continuing theme of "Antibiotics: Handle with care" for this year's WAAW is highly relevant for dentistry. People with dental problems sometimes think that popping a painkiller or seeing their doctor for antibiotics is the best response rather than having a proper examination by their dentist.

The ADA has been doing its part to address the problem of antibiotic resistance by advising members through informational articles in its regular publications and website. ADA members have access to a highly experienced clinical pharmacist,

Dr Geraldine Moses, from whom they can seek expert advice on prescribing. We also provide members with a copy of the dental and oral therapeutic guidelines, which provide reliable and independent therapeutic information to assist in making the best decisions for patients in a dental setting.

How can dental professionals help minimise the risk of increasing antimicrobial resistance?

The first response to dental problems must always be accurate assessment by a dentist who can deal with the cause, not just the symptoms. That is our message to patients.

We urge dental professionals to use the opportunity to educate their patients about how to address dental problems they have pre- and post-treatment and where antibiotics do or do not fit in their particular case.

To ensure that dental professionals are prescribing antibiotics in line with best practice, ADA members can use services such as PharmaAdvice and the afore-mentioned therapeutic guidelines.

Thank you very much for the inter-

## **Tetric® N-Ceram Bulk Fill**

The efficient posterior composite



Tetric® N-Flow Bulk Fill

flowable

www.ivoclarvivadent.com

Tetric® N-Ceram Bulk Fill

sculptable

| Ivoclar Vivadent AG | Bendererstr. 2 | 9494 Schaan | Liechtenstein | Tel.: +423 235 35 35 | Fax: +423 235 33 60



## Foreign studies show e-cigarettes harmful to oral health

By DTI

ROCHESTER, USA/QUEBEC CITY, Canada: In the Western world, electronic cigarettes continue to grow in popularity among young

adults and current and former smokers because they are often perceived as a healthier alternative to conventional cigarettes. However, two recent studies conducted by scientists in the US and

Canada have found that regular exposure to e-cigarette vapours causes damage to the gingival tissue, which may lead to infection, inflammation and periodontal disease.

Both studies investigated the effect of e-cigarettes on oral health on cellular and molecular levels through in vitro experiments. The team of Prof. Mahmoud Rouabhia from the Faculty of Dentistry at

Université Laval in Quebec City exposed gingival epithelial cells to e-cigarette vapour, finding that a large number of these cells died within a few days. "Mouth epithelium is the body's first line of defense against microbial infection," Rouabhia explained. "This epithelium protects us against several microorganisms living in our

To simulate what happens in a person's mouth while inhaling, the Canadian researchers placed human epithelial cells into a small chamber containing a salivalike liquid. E-cigarette vapor was pumped into the chamber at a rate of two 5-second "inhalations" per minute for 15 minutes a day. Observations under the microscope showed that the percentage of dead or dying cells, which is about 2 per cent in unexposed cell cultures, rose to 18, 40 and 53 per cent after one, two and three days of exposure to e-cigarette vapour, respec-

"Contrary to what one might think, e-cigarette vapour isn't just water," Rouabhia stated. "Although it doesn't contain tar compounds like regular cigarette smoke, it exposes mouth tissues and the respiratory tract to compounds produced by heating the vegetable glycerine, propylene glycol, and nicotine aromas in e-cigarette


The cumulative effects of this cell damage have not yet been documented, but they are worrying, according to Rouabhia. "Damage to the defensive barrier in the mouth can increase the risk of infection, inflammation, and gum disease. Over the longer term, it may also increase the risk of cancer. This is what we will be investigating in the future," he concluded.

Researchers at the University of Rochester Medical Center in the US came to similar conclusions. Dr Irfan Rahman, Professor of Environmental Medicine at the university's School of Medicine and Dentistry, and his colleagues exposed cell cultures of human gingival epithelial cells and periodontal ligament fibroblasts to e-cigarette vapours. "We showed that when the vapours from an e-cigarette are burned, it causes cells to release inflammatory proteins, which in turn aggravate stress within cells, resulting in damage that could lead to various oral diseases," he explained.

Most e-cigarettes feature a battery, a heating device and a cartridge to hold liquid, which typically contains nicotine, flavourings and other chemicals. The US researchers found that the flavouring chemicals negatively affect gingival cells too. "We learned that the flavourings—some more than others-made the damage to the cells even worse," said study author Fawad Javed, a postdoctoral resident at Eastman Institute for Oral Health, part of the university's medical centre.







www.apdc2017.org

CONGRESS SECRETARIAT:





**BUSINESS** 05 Dental Tribune Asia Pacific Edition | 12/2016

# W&H and Planmeca approach the

Indian market together

By DTI

BANGALORE, India: European dental manufacturers W&H Dentalwerk and Planmeca have joined forces on the dental market in India. Comprising a shared office centre in Bangalore and a specialised customer service network, the collaboration between the two companies is aimed at exploiting synergies in offering a comprehensive and unique product portfolio to dental professionals in the country.

According to the companies, Bangalore was chosen in order to create a strong base for sustainable growth in the high-potential Indian market. Equipped with a state-of-the-art showroom and facilities for local customer support and service, the office centre, which began operating in November, will be an important contact point for Indian customers.

"With the local presence of our sales and service team we can establish a direct link to the Indian customers. This is an important basis to build up a good reputation and create confidence of our Indian users with the W&H and Planmeca products we sell," said Raghavan Radhakrishnan, General Manager of W&H India and Planmeca India.

In addition to the institutional sector, particular focus will be directed towards the private sector, as the demand for innovative, high-tech solutions for efficient

patient care is currently growing in India. "This is a terrific new dawn for Planmeca in India," commented Planmeca Vice President of Sales Jouko Nykänen. "We are extremely excited about the country's growing dental market and will utilise this new kind of grassroots partnership and partner support model to provide increasingly better customer experiences in India," he added.

Commenting on the cooperation, W&H Managing Director Peter Malata remarked: "The collaboration with Planmeca, also a family-run enterprise with advanced technology, allows for synergies of two strong brands. The purpose of establishing a subsidiary in India is to be able to learn



Raghavan Radhakrishnan, General Manager of the office centre in Bangalore, (left) and W&H Managing Director Peter Malata.

first-hand the needs of dentistry in and W&H will allow us to offer India. The sharing of office space and infrastructure by Planmeca

perfect solutions for dental clinics in India. This is what we strive for."

## GC celebrates 95th anniversary at fourth International Dental Symposium

By DTI

TOKYO, Japan: On 12 and 13 November, Japanese dental manufacturer GC Corporation hosted the fourth International Dental Symposium in Tokyo to commemorate the 95th anniversary of the company's establishment and the 60th anniversary of the GC Membership Society. The two-day event, which included scientific sessions for dentists, dental technicians and dental hygienists, as

well as hands-on courses, was attended by 6,951 participants.

Held under the theme "Advanced technology and knowledge will change the dental practice—Dentistry that supports and improves people's lives", the symposium comprised 23 sessions, which were presented by 85 prominent researchers and clinicians from various fields of dentistry. The scientific programme was complemented by four international sessions with lectures by

14 distinguished speakers, including Dr Javier Tapia Guadix (Spain), Dr Gianfranco Politano (Italy), Dr David Garcia Baeza (Spain), Dr Sreenivas Koka (US), Prof. Bart Van Meerbeek (Belgium) and Prof. Mark A. Latta (US).


At the opening ceremony, FDI World Dental Federation President Dr Patrick Hescot, Prof. Jukka H. Meurman, President of the International Association for Dental Research (IADR), and immediate past President of the IADR

Prof. Marc Heft delivered congratulatory speeches.

In conjunction with the scientific programme, a dental show was held on an underground level of the Tokyo International Forum. Featuring product experience booths and various seminars, the show was crowded with visitors throughout the weekend.

At the event, the company presented the GC Membership Society's fourth International Dental Symposium Lab Work Award, a contest for dental technicians.

Next year, GC will once again celebrate both anniversaries with the MI World Symposium, which is to be held in Tokyo at the JP Tower Hall and Conference centre on 5 February 2017. The focus of the event will be future applications of MI Paste Plus, the company's water-based, sugar-free dental topical crème containing RECALDENT and fluoride, in clinical dentistry.




# Proving effective oral instructions in a clinical setting

Despite advances in good oral health care, many patients and dental professionals remain uncertain about oral physiopathology and the concept of disruption of interdental biofilm. Although patients may have bought more oral care products and become more interested in their dental hygiene, many still do not know how to use them correctly. A previous article published in Dental Tribune Asia-Pacific 11/2016 introduced to the outstanding research done by Prof. Denis Bourgeois, Dean of the University of Lyon's dental faculty in France. In his presentation at the FDI Annual World Dental Congress in Poznań in Poland, he presented scientific evidence that interdental brushes, in particular **CURAPROX CPS** interdental brushes, are efficient tools to interrupt the interdental biofilm. However, questions remain about the level of individual training that the dental staff should provide for their patients.

Naturally, dental professionals agree that, despite clinical evidence that supports the importance of interdental biofilm management, effective daily cleaning of interdental spaces remains a challenge among their patients. Removal of interproximal plaque is considered important for the maintenance of gingival health, prevention of periodontal diseases and the reduction of caries, as well as the prevention of systemic diseases. However, dentistry still argues whether today's interdental cleaning tools are sufficient to interrupt biofilm develterdental brushes were found to be more effective in removing plaque compared with brushing alone or the combined use of toothbrushing and dental floss. patient ability and motivation. "Interdental cleaning does not readily become an established part of daily oral hygiene," said Bourgeois throughout his presentation. Dam-

nique and regular training can reduce the risk of bleeding and oral bacteria," said Bourgeois. "From a clinical point of view, the oral prophylactic goal of achieving thor-



According to Prof. Denis Bourgeois, toothbrushing alone is not enough to prevent interdental plaque. Individually trained oral prophylaxis is key to success.

Establishing the accessibility and widths of the interdental spaces should therefore be part of the routine examination of all patients. Its goal is to identify the distribution of interdental brush accessibility site by site and to choose the largest diameter that can pass between the teeth without causing discomfort

age to the interdental papilla and abrasive trauma to the dental surface result from a lack of motivation and training. Furthermore, bleeding may stop patients from using interdental brushes even though bleeding will stop after several uses if an interdental brush of the correct diameter is used. Oral and periodontal

ough cleaning with minimal damage, due to the misuse of interdental brushes, is important. It is necessary to emphasise individual instruction and selection of oral hygiene means with a view to attaining a high level of cleanliness with little or no harm to either soft or hard tissue."

Oral prophylaxis should therefore be taught individually and not in lectures. By correcting and repeating the right cleaning technique, prevention of oral and systemic disease can be achieved. Currently, Bourgeois offers prophylaxis training courses for dental students. In these, they are taught the correct use of oral hygiene tools such as interdental brushes, cleaning techniques, and the importance of motivation and repetition. As observed by the course presenter, 95 per cent of the dental students continue to use interdental brushes after two years of completing the training. "Interdental cleaning needs to become an established part of daily oral hygiene for the reduction of interproximal plaque, the control of gingivitis and improvement of patient motivation. If you use a toothbrush twice a day, you have to use interdental brushes once a day. If not, you will risk your health," Bourgeois said.



 $Prof.\ Denis\ Bourgeois\ spoke\ about\ the\ role\ of\ interdental\ biofilm\ management\ in\ his\ presentation\ in\ Poland.$ 

opment. Professionals debate on which tools to use and how to use them correctly, as uncertainty has remained about how to maintain clean interdental spaces.

As Bourgeois concluded in his presentation, the majority of studies have reported a positive significant difference in the plaque index when using an interdental brush compared with floss. In general, in-

or trauma. An interdental brush that is sized correctly for each interdental space is easy to handle and atraumatic, yet effective.

# Individual instruction important for good interdental health

One major problem with interdental cleaning has always been diseases are not only due to sugar consumption or heredity, but result from a lack of proper dental hygiene.

"The reason for oral and periodontal diseases is not a lack of antiseptics, a lack of fluoride or a lack of massage of the gingivae. Antiseptics continue to be used, but mouthwash does not stop bleeding. Only the right technique of cleaning interdentally, repetition of this tech-

# A probe as key to successful interdental cleaning

As an effective and predictable tool to objectively measure the size of the interdental spaces, interdental probes are now increasingly used by some dental hygienists to help choose the right access diameter defined by the thickness of the wire core. A study by Bourgeois et al., titled "A colorimetric interdental probe as a standard method to evaluate interdental efficiency of interdental brush," emphasised the need for choosing the right diameter so that the interdental brush can easily fit the interdental space. Apart from the individual anatomy, interproximal spaces can change with age, periodontal health or dental treatment. While under-sizing of the interdental brush will affect its efficiency, oversizing might influence acceptability, comfort and could cause gingival trauma.

Essentially, Bourgeois and his colleagues suggested that the use of a colorimetric probe and interdental brushes is more beneficial to both the patient and the practitioner than merely choosing interdental brushes based on the reference technique of trial and error alone. By using the IAP CURAPROX calibrating colorimetric probe, a conical professional instrument with a rounded tip, dental professionals were able to measure the interdental space and choose the most suitable interdental brush for their patients. The study found that the brushes chosen had a diameter larger than that indicated by the probe in 23.54 per cent of cases and a diameter smaller than the probe value in 33.41 per cent of cases. According to the study, the colorimetric interdental probe can be considered as a newly developed in-clinic professional procedure that will make interdental cleaning easier and more predictable and help improve patient motivation.

By measuring the interproximal space correctly, Bourgeois and his team concluded that the latest generation of interdental brushes was able to access 94 per cent of in $terdental\,spaces.\,Over\,8o\,per\,cent\,of$ the sites required a small-diameter interdental brush (0.6 to 0.7 mm) of the Curaprox CPS Prime Series, and differences occurred between anterior and posterior sites. Participants were able to use the interdental brush easily following instructions. As a result, most interdental sites can be cleaned using interdental brushes, but accessibility of interdental spaces would need to be established in the dental practice with the use of the CURAPROX IAP Probe. More information can be found at www.curaprox.com.

**Prof. Denis Bourgeois** is working as a professor in the Faculty of Dentistry at the University of Lyon (11 Rue Guillaume Paradin, 69372 Lyon Cedex 08), France, and can be contacted by phone at +33 478778684 or by e-mail at denis.bourgeois@univ-lyon1.fr.

## Introducing Innovative and High-Quality Restorative Solutions



#### For more information

glidewelldirect.com mail@glidewelldirect.com



## Nothing compares to ROOTS

By DTI

ROOTS SUMMITs have been held since the late 1990s. Over the past two decades, Stephen Jones, Drs. David E. Jaramillo and Freddy Belliard have been part of the meeting that regularly attracts endodontists from all over the world. At the 2016 event, which was organized in close collaboration with Dental Tribune International, the publisher sat down with the three endodontic experts to learn more about the mission of the ROOTS community.

## Dental Tribune International: How did each of you become involved in the ROOTS SUMMIT?

Stephen Jones: Late in 1999, I received a promotion in endodontic product management as a sales representative at SybronEndo. However, I had no knowledge of rotary instruments. When I was researching for information on the Internet, I came across the ROOTS group. I became a fan right away, because it brought my




From left: Scientific chairman Dr. David E. Jaramillo, co-chairman Dr. Freddy Belliard and co-chairman Stephen Jones at the 2016 ROOTS SUMMIT in Dubai.

Facebook in 2012—a move that some people resisted at first—the group became much bigger, how-

because people had the opportunity to see each other's faces and literally communicate at eye level.

new treatment options and techniques in its program, which has always combined scientific evidence with clinical tips for dental practices.



Jones: The ROOTS community is a group of individuals who have a sincere and passionate interest in the profession of endodontics and are constantly searching for knowledge and the improvement of the practice for better outcomes. Moreover, the ROOTS SUMMIT is completely independent. Although a number of companies have supported our meetings, there is no commercial or political influence from any manufacturer or society whatsoever. ROOTS is purely about learning endodontics—a practitioners' forum for practitioners. The content we provide is only shaped by members of the group itself and is not guided from any external party.

Belliard: Even though it might sound a little bit like a cliché, for me, ROOTS is a family. The over 23,000 members engage at different levels, with some who are very active in sharing their cases while others are just observing. However, it is a unique platform for education among specialists.

Jaramillo: ROOTS people are very enthusiastic and aim to improve their own, and the skills of others, in endodontics for the benefit of the patient. One of its unique features is its international diversity. Despite this, almost everybody knows each other. That distinguishes it from other endodontic meetings.

## Has the 2016 ROOTS SUMMIT met your expectations?

Jones: We chose Dubai specifically for the fact that daily, there are more than 200 direct flights from various cities around the globe to this location. The number of countries that we achieved to draw this year is overwhelming. Hundreds of participants, including some of the key opinion leaders of the endodontic profession, from over 45 countries registered for the event. Thus, this year's meeting has completely met our expectations.

Belliard: It met our expectations not only in the quantity and quality of people who came, but also from the organizational point of view. Dental Tribune International was a massive help in managing the logistics and promotions related to the meeting. Without its organizational team we would not have drawn such a variety of people.

Jaramillo: With regards to the scientific program of this year's program, we received very positive feedback from the participants, which shows that we picked the right speakers to take the audience through the different topics, step-by-step.

### When will the next ROOTS SUMMIT take place?

**Jones:** Although we haven't agreed on a definite date yet, the next meeting will be held in 2018 in Germany's capital, Berlin.

Thank you very much for the interview.



Almost 20 international companies exhibited their latest endodontic products.

knowledge of the procedures up to speed very quickly. I soon noticed that there is nothing comparable to the ROOTS community, especially with regards to an open discussion among specialists from many different areas.

Dr. Freddy Belliard: In 1999, I had just graduated from my endodontic Masters' program in Mexico City and I was looking for an endodontic forum on the Internet. Although it was only a small group at the time, this unique forum, to which a couple of friends from the Dominican Republic drew my attention, convinced me right away.

**Dr. David E. Jaramillo:** It started several years ago when Freddy invited me to participate in this community. I have been a very active member ever since.

#### What has changed since then?

**Belliard:** In the early phases of ROOTS, not many people had full-time Internet access. After we decided to take the community to

ever, it became easier to communicate thanks to the high quantity of visual information.

Jones: In addition to an exponential increase in memberships from about 1,000 to 23,000 as of today, the move to Facebook improved the tone of the discussions,

Jaramillo: The technology that is available to endodontist has developed rapidly from the time of the first meetings to today. Over the whole period, participants have always been eager to learn more about the latest developments and the ROOTS SUMMIT has always recognized



From left: Carlos Aznar Portoles, Roberto Cristescu, Nicola Grande, Ana Arias, David E. Jaramillo, Freddy Belliard, Ahmed Abdel Rahman Hashem, Stephen Jones, Gary Glassman, Sergio Rosler, Gianluca Plotino, Piotr Wujec, Walter Vargas Obando, Imran Cassim and Bojidar Kafelov.



7 days of intensive live training with the Masters in **Dubai** (UAE)

2 sessions, hands-on in each session, plus online learning and mentoring.

**Learn from the Masters** of Esthetic and Restorative Dentistry:







Dr. Francesco Mangani



Dr. Ed Mclaren



Online access to our library of Lectures & Clinical Videos

**Registration** information:

7 days of live training with the Masters in **Dubai** (UAE) + self study

Curriculum fee: €6.350

### Details on www.TribuneCME.com

contact us at tel.: +49-341-484-74134 email: request@tribunecme.com

Collaborate on your cases and access hours of

premium video training and live webinars



University of the Pacific

this course is created University of the Pacific



**Certificates** will be awarded upon completion



