

Computer-aided customization

Get a step-by-step look at one custom implant restoration case, from the intraoral scan to the finished product.

»page 4



Scenes from the ICOI

Clinicians from Costa Rica and Mexico join companies from around the world for a day full of fun.

»pages 6 & 7



Stop paying for expensive software

Want to perform CT-guided surgery but don't want to keep buying new software? Now you have another option.

»page 14

Look back, move forward



· Attendees crowd the aisles during the first day of the ICOI World Congress on Thursday. (Photo/Anna Kataoka-Wlodarczyk, Dental Tribune)

ICOI celebrates 40 years with insight into implant dentistry's innovations, complications and controversies

For 40 years, the ICOI has been educating clinicians on implant dentistry, along with all the innovations, complications and controversies that go with it. During the next two days, the ICOI World Congress will honor that history and look back at where this one fledgling "study club" came

What once was run from the office of ICOI co-chair Dr. Kenneth Judy now occupies an entire floor of an office building in Upper Montclair, N.J. What

"see LOOK, page 2

When you've considered all the options, isn't it time to consider A



Expanding implantology with more treatment options

ANEW is the only narrow-body implant with a screw-retained prosthetic system and with over 10 years of clinical experience & research to support safe and reliable long-term use.

for bone augmentation or orthodontic interventions.









Courtesy of Dr. Stuart Froum, 2001



For more information visit www.DentatusUSA.com or call us at (800) 323-3136

Available in 1.8, 2.2 & 2.4mm diameters and three thread lengths. With a tapered apical end, ANEW Implants can be placed in interdental spaces as narrow as 3.5mm without the need

©2012 Dentatus USA, Ltd. Patented and Patents Pending

Dentatus

LOOK "from page 1

once started as a small group of clinicians has now grown to encompass more than 13,000 dues-paying members and spans all continents except for Antarctica.

This week's World Congress XXIX was created and prepared by Dr. John Russo and includes a diversified and international faculty. Some of the topics to be covered include cone-beam CT diagnosis and treatment planning; the use of growth factors including stem cells; digital impressions from the perspectives of the clinician and the laboratory; and diagnosing, preventing and treating soft-tissue esthetic complications.

In addition, there are more than 100 implant dentistry-related exhibi-

tors just waiting for you in the exhibit hall to show off the newest and most advanced products and technology.

Here is a look at some of the highlights of the scientific program for today and Saturday.

Today

- 1:30 to 2:30 p.m. Dr. Carl Misch: "Prosthetic-Related Complications"
- 2:30 to 3:30 p.m. Dr. Rick Ferguson: "Bone Grafting Misconceptions and Strategies for Predictable Success"
- \bullet 5 to 6 p.m. Dr. John Russo: "Reduce Complications, Increase Confidence, Achieve Excellence"
 - 7 to 8 p.m. Awards ceremony

Saturday

• 8 to 9 a.m. – Dr. Bach Le: "Management of the Ailing Implant"

- 9 to 10 a.m. Dr. Pablo Galindo Moreno: "Bone Level Stability Around Implants Placed in Pristine and Grafted Areas"
- 10:30 to 11:30 a.m. Dr. Maurice Salama: "Contemporary Reconstructive Hard- and Soft-Tissue Surgery: Myths, Realities and Future Trend in Dentistry"
- 1:30 to 2:30 p.m. Dr. Alan Fetner: "Subcrestal Implant Placement to Optimize Soft-Tissue Esthetics Controversy and Practicality"
- 4 to 4:45 p.m. Dr. Scott Ganz: "A Comparison of Interactive Software Applications in Assessing the Reality of Anatomy: Diagnostics and Implant Planning Accuracy"
- Planning Accuracy"
 6 to 6:30 p.m. Dr. Konstantinos Valavanis: "Perimplant Tissue Design: Parameters and Key Factors for Optimum Esthetics"



Dental Tribune America, LLC 116 W. 23rd St., Suite 500 New York, N.Y. 10011 Phone: (212) 244-7181 Fax: (212) 244-7185 E-mail: info@dental-tribune.com www.dental-tribune.com

Publisher & Chairman Torsten Oemus t.oemus@dental-tribune.com

Chief Operating Officer Eric Seid e.seid@dental-tribune.com

Group Editor

Robin Goodman r.goodman@dental-tribune.com

Managing Editor Show Dailies Kristine Colker k.colker@dental-tribune.com

Managing Editor

Fred Michmershuizen f.michmershuizen@dental-tribune.com

Managing Editor Sierra Rendon s.rendon@dental-tribune.com

Managing Editor Robert Selleck r.selleck@dental-tribune.com

Account Manager

g.davison@dental-tribune.com

Account Manager Humberto Estrada h.estrada@dental-tribune.com

Account Manager
Will Kenyon
w.kenyon@dental-tribune.com

Account Manager Mara Zimmerman

m.zimmerman@dental-tribune.com

Marketing Director Anna Kataoka-Wlodarczyk a.wlodarczyk@dental-tribune.com

C.E. Director

Christiane Ferret c.ferret@dtstudyclub.com



Published by Dental Tribune America © 2012 Dental Tribune America, LLC All rights reserved.

today appears during the ICOI World Congress in Orlando, Florida, September 21, 2012.

Dental Tribune America makes every effort to report clinical information and manufacturers' product news accurately, but cannot assume responsibility for the validity of product claims, or for typographical errors. The publishers also do not assume responsibility for product names or claims, or statements made by advertisers. Opinions expressed by authors are their own and may not reflect those of Dental Tribune America or Dental Tribune International.



MIS Implants offers new conical connection implant

MIS Implants Technologies has recently launched the new C1 implant system. This new C1 system brings a combination of proven and innovative design features to market, including a conical connection and abutments that utilize a platformswitching concept.

The 6-degree conical connection ensures a secure fit between the abutment and implant. By minimizing micro-movement at that junction, bone loss at the crestal level is reduced. There is a six-position cone index within the conical connection to help orient the implant during insertion and place the abutment into the proper position.

Implants, abutments and tools are color-coded according to platform size for easy identification. The standard platform refers to the 3.75 and 4.2 mm diameter implants, while the 5 mm diameter implant is the wide platform. Lengths for all of the diameters come in 8, 10, 11.5, 13 and 16 mm.

The C1 implant (as all of the MIS implants) is made from a titanium alloy that contains titanium, aluminum and vanadium known as Ti-6A1-4V-ELI (Grade 23). This alloy has high fatigue strength and is highly biocompatible. Similar to commercially pure titanium implants (Grades 1-4), the outer surface of these implants consists of a thin layer of pure titanium oxide (TiO2).

The unique geometry of the C1 implant encourages primary stability with mild bone compression at the upper 2/3 of the implant. The final drill, used during preparation of the osteotomy, is designed in such a way to allow less compression by the threads at the apical third of the implant, which will enable rapid bone growth in that area. These two characteristics have been put in place to minimize the period of time between initial mechanical stability and longterm biologic stability.

Platform switching is a restorative concept that has been shown to minimize crestal bone loss. It has been theorized that moving the junction of the implant/abutment connection away from the outer edge of the implant platform reduces the bacterial component that could lead to loss of vertical height. For those clinicians who prefer to utilize platform switching in the restorative phase, the C1 abutments have been designed to allow this.

As with other MIS products, the surface treatment consists of both large particle blasting and acid etching. This not only creates micro- and nano-surface morphology, but also ensures a high-quality, contaminantfree surface that has been shown to achieve superb osseointegration

Here at the ICOI

To receive more information about the C1, call (866) 733-1333, visit www. misimplants.com or stop by the booths, Nos. 303/305 and Nos. 402/404.

results, according to the company. The apex of the C1 implants is domeshaped to help prevent damage to the mandibular nerve as well as to avoid perforation of the sinus membrane. Packaged with each C1 implant is a sterile, single-use final drill, a cover screw and a temporary PEEK abutment. Each implant (including these additional components) is sold for

exhibitors

C1 Implant System. (Photo/Provided by MIS)



You know how important photographs are to your practice, but you don't know who to turn to for advice. PhotoMed understands your **need**s and can help you

choose the right camera. We also include a support and loan equipment program for the life of the camera so you have someone to turn to if you have questions.

PhotoMed dental cameras feature the best digital camera equipment available. The Canon G12, Rebel T3i and T4i are great choices.



upcoming meetings: ICOI, Orlando - #107 AAP, Los Angeles - #1107 AAID, Wash. DC - #531 ADA, S. Francisco - #6455 ACP, Baltimore - #101

booth at these

Choosing a quality denta system for your practice doesn't have to be difficult. Call the experts at PhotoMed and we'll help you with all of your Camera questions.

PhotoMed www.photomed.net • 800.998.7765

From intraoral scan to final custom implant restoration

By Perry E. Jones, DDS, FAGD

■ This case demonstrates the optical scanning of Inclusive® Scanning Abutments (Glidewell Laboratories; Newport Beach, Calif.) utilizing the iTero™ digital scanning system (Align Technology; San Jose, Calif.) with software version 4.0. Digital data was used with laboratory CAD/CAM planning to fabricate custom all-ceramic implant abutments and a four-unit fixed prosthesis. The abutments and fixed prosthesis were fabricated using advanced computer-aided milling technology.

Dental history

The patient was a 52-year-old healthy Hispanic male who sustained a traumatic avulsion and lost his maxillary incisors in an automobile accident. Following healing, a four-tooth transitional removable partial denture was constructed. He was seen by the oral and maxillofacial surgery service of Virginia Commonwealth University for dental implant therapy.

Treatment plan

The patient was informed of the alternatives, benefits and potential complications of various treatment options before deciding to pursue implant restoration of his missing teeth.

The treatment plan included placement of two Replace® Select Straight RP 4.3 x 13 mm implants (Nobel Biocare; Yorba Linda, Calif.) with 5 mm healing abutments, followed by a sixmonth healing period and restoration with all-ceramic custom abutments and a four-unit, all-ceramic fixed prosthesis to restore the anterior incisors to form and function.

Surgical procedure

Using local anesthesia, two Replace Select Straight RP implant fixtures were placed in the area of teeth #7 and #10, using standard Nobel implant placement protocol. Placement angulation and depth were verified and deemed satisfactory. Standard RP 5 mm healing abutments were placed, and the fully reflected tissue flap was closed with interrupted sutures.

Restorative procedure

Following six months of healing postimplant placement, intraoral photos were taken to record and confirm the healthy remaining dentition. Osseous integration was confirmed with a panoramic X-ray, followed by resonance frequency analysis (RFA) using an Osstell® ISO implant stability meter with SmartPegTM attachment (Osstell USA; Linthicum, Md.),



• Fig. 1: Inclusive Scanning Abutments attached to implants. (Photos/Provided by Perry E. Jones, DDS, FAGD)



* Fig. 3: Inclusive All-Zirconia Custom Abutments #7 and #10.

which displayed an implant stability quotient (ISQ) of 78 on a minimum-to-maximum scale of 1–100.

Counter rotation with a torque wrench confirmed no rotation to 35 Ncm. The implant fixtures were considered acceptable for restoration.

The 5 mm healing abutments were removed, Inclusive Scanning Abutments were placed on the implants, and the accompanying titanium screws were tightened (Fig. 1).

Using the iTero scanner with


Using the iTero scanner with updated software (version 4.0), a full maxillary arch scan, full mandibular arch scan and centric bite in maximum intercuspation were completed.

A three-dimensional digital record of the patient's anatomy was created from these scans and electronically submitted to Glidewell Laboratories to be used in the CAD/CAM restoration process.

At Glidewell Laboratories, the virtual scan was registered to the scanning abutments, providing the dental technicians with the implant system, size, axis, position relative to the adjacent anatomy and locking feature orientation. A virtual zirconia abutment was designed using 3Shape's Dental-Designer™ software (3Shape Inc.; New Providence, N.J.) and the Glidewell Digital Abutment Library (Fig. 2).

From this, the corresponding physical Inclusive All-Zirconia Custom Abutments (Glidewell Laboratories) were milled.

Similarly, a BruxZir® Solid Zirconia four-unit fixed bridge (Glidewell Laboratories) was designed and milled



- Fig. 2: Abutment planning (labial view) with 3Shape's DentalDesigner software and Prismatik CZ™ add-on module (Glidewell Laboratories).



• Fig. 4: Four-unit BruxZir Solid Zirconia fixed bridge cemented in place.

using state-of-the-art CAD/CAM technology. The custom zirconia abutments were trial-fitted in the patient's mouth with slight tissue blanching noted (Fig. 3).

In the same visit, the final four-unit all-ceramic milled BruxZir Solid Zirconia bridge was tried-in and examined for proper occlusion. There was "tight" anterior coupling for this case as evidenced by the history of provisional denture fracture. The occlusion was checked and presented as so precise that no adjustment was required.

The anterior view of the final prosthesis demonstrates optimal mesial-distal width proportion, incisal edge proportion, pontic-tissue contact and excellent shade/esthetics (Fig. 4). Further, the occlusal view demonstrates an optimal incisal edge arch form. The soft-tissue lip position and speech phonetics appeared to be optimal.

Following the trial seating, the fixed bridge was removed, the zirconia abutment retention screws torqued to 35 Ncm, the abutment screws covered with cotton/Cavit™ Temporary Filling Material (3M™ ESPE™; St. Paul, Minn.), and the prosthesis cemented with GC Fuji PLUS™(GC America; Alsip, Ill.).

* Note: Cadent (Carlstadt, N.J.) was acquired by Align Technology (San Jose, Calif.) in May 2011.

References

 Baldissara P, Llukacej A, Ciocca L, Valandro FL, Scotti R. Translucency of zirconia copings made with different CAD/

Here at the ICOI

For more information about the Inclusive Scanning Abutments, stop by Glidewell Laboratories, booth No. 214.

CAM systems. J Prosthet Dent. 2010 Jul;104(1):6-12.

- Birnbaum NS, Aaronson HB. Dental impressions using 3D digital scanners: virtual becomes reality. Compend Contin Educ Dent. 2008 Oct;29(8): 494, 496, 498-505.
- Chang YB, Xia JJ, Gateno J, Xiong X, Zhou X, Wong ST. An automatic and robust algorithm of reestablishment of digital dental occlusion. IEEE Trans Med Imaging. 2010 Sep;29(9):1652–1663.
- Christensen GJ. Will digital impressions eliminate the current problem with conventional impressions? J Am Dent Assoc. 2008 Jun;139(6):761-763.
- Drago C, Saldarriaga RL, Domagala D, Almasri R. Volumetric determination of the amount of misfit in CAD/CAM and cast implant frameworks: a multicenter laboratory study. Int J Oral Maxillofac Implants. 2010 Sep-Oct;25(5):920-929.
- Ender A, Mehl A. Full arch scans: conventional versus digital impressions an in-vitro study. Int J Comput Dent. 2011;14(1):11-21.
- Fasbinder DJ. Digital dentistry: innovation for restorative treatment. Compend Contin Educ Dent. 2010;31(4):2-11.
- Garg AK. Cadent iTero's digital system for dental impressions: the end of trays and putty? Dent Implantol Update. 2008 Jan;19(1): 1-4.
- Henderson, S. Align Technology Completes Acquisition of Intra-Oral Scanning Leader Cadent. 2011 May 2 [cited 2011 Oct 17]. http://investor.aligntech.com/releasedetail.cfm?releaseid=573469.
- Jones PE. Cadent iTero digital impression case study: full-arch fixed provisional bridge.DCDentalcompare.2009Jul8[cited 2011 Jul 28]. www.dentalcompare.comFeatured-Articles/2082-Cadent-iTero-Digital-Impression-Case-Study-Full-Arch-Fixed-Provisional-Bridge/.
- Jones PE. Cadent iTero optical scanning digital impressions for restorative and invisalign. Dental Product Shopper. 2011 Jun 28 [cited 2011 Jul 29]. http://dentalproductshopper.reachlocal.net/articles/ cadent-itero-optical-scanning-digitalimpressions-restorative-and-invisalign.
- Kurbad A. Impression-free production techniques. Int J Comput Dent. 2011;14(1):59-66.
- Priest G. Virtual-designed and computermilled implant abutments. J Oral Maxillofac Surg. 2005 Sep;63(9 Suppl 2):22–32.
- Smith R. Creating well-fitting restorations with a digital impression system. Compend Contin Educ Dent. 2010 Oct;31(8):640-644.
- Touchstone A, Nieting T, Ulmer N. Digital transition: the collaboration between dentists and laboratory technicians on CAD/CAM restorations. J Am Dent Assoc. 2010;141 Suppl 2:15S-219S.
- Zweig A. Improving impressions: go digital! Dent Today. 2009 Nov;28(11):100, 102,


A Conical Connection Implant









Platform Switching Promotes vital soft tissue growth and reduces bone resorption



Micro Rings
Improve the bone to implant
contact at the crestal zone
by increasing surface area



Dual Thread Design Increases bone to implant contact, reinforces osseointegration and enhances primary stability



Surface Treatment
Creates an osseoconductive
morphology and achieves
superb osseointegration
results



Visit Booth #303 at the ICOI World Congress Priced at \$249.00, each C1 implant is packaged with a single use final drill, cover screw, and PEEK abutment. To learn more about MIS, visit our website: www.misimplants.com or call:

866-797-1333 (toll-free)




Scenes from the ICOI



* Richelle Braun, Justin Stefanick and Ken Hasty are ready to answer all your questions at the Piezosurgery booth, Nos. 508/510.



Need some new camera equipment? Come talk to Tony Aguilar and Rex Koskela at the PhotoMed International booth, No. 107.



 Denise Manekas, left, and Nita Weissman-Okamoto at the Dentatus USA booth, No. 416.



The staff members of Implantes Dentales made the trip from their practice in Costa Rica to attend the ICOI World Congress.



· If you want to learn about hands-on dental implant education, go see Lissette Frias at the Implant Educators booth, No. 313.


Photos by Anna Kataoka-Wlodarczyk, **Dental Tribune**



- Find friendly faces Noel Wilford, Ben Moyal and Erin Griffin at the MIS Implant Technologies booths, Nos. 303/305 and Nos. 402/404.



Barbara Cox explains the benefits of Hands On Training at the booth, Nos. 204/206.



Charles Banh, left, and Robert Chen at the Anatomage booth, No. 414.



John Stephens of PreXion (booth No. 415).



Diane McCullough, Bryan Loch and Kristian Malooley at the Implant Direct $Sybron\ International\ booth,\ Nos.\ 607/609.$



Alex Miller, president of Meisinger USA, at the booth, No. 213.



The ADIN Implants booth (Nos. 514/416) staff is all smiles.



Yukari Aritake and Emiko Ota at the OSADA booth, No. 604.



[•] Jamy Olson and Samantha Merrick in front of the OCO Biomedical booth,

No. 408.



Dan Allemeier and Daniel Kohm at the Aurum Ceramic Dental Laboratories, booth No. 610.



A family of dentists, Eduardo, Alberto, Eduardo and Enrique, all from Mexico, take in the ICOI World Congress Exhibit Hall.



[^] Paul Murphy and Peter Soto of Imaging Sciences. Come check out the i-CAT at booth Nos. 409/411.



Damon Sementilli and Adam Driggers at the Carestream Dental/Kodak **Dental Systems** booth, Nos. 209/211.



Tired of Price Increases on Over-Priced Implants?

It's Time for a Reality Check. Choose Implant Direct for... Innovative Products. Great Value. Highest Customer Satisfaction¹

SwishPlant™ Implant

All-in-1 Packaging includes Implant, straight abutment/transfer, cover screw & healing collar \$200 vs \$7052 from Straumann*







ReActive™ Implant

All-in-1 Packaging Includes implant, abutment, transfer & cover screw \$200 vs \$6942 from Nobel Biocare™









Legacy™3 Implant

Reality Check Zimmer Customers

transfer, cover screw & healing collar

\$175 vs \$6212 from Zimmer Dental

All-in-1 Packaging includes implant, abutment,





Vegas Training Center with computers at each desk for Image Guided Surgical Training, models/mannequins for hands-on training and a four chair dental office. for live surgical demonstrations.

Next Course: November 30-December 2

For information on courses and dates, both in Las Vegas and throughout the US, visit Implant Direct's website or use your smart phone to link directly to our Educational Section.





EARN 2 CE CREDITS FREE: View Online Lecture with 3D Graphic Videos & Answer 13 Test Questions





The Changing Reality of Implant Dentistry

Presented by Dr. Gerald Niznick

Technological advances and economic factors have shifted the implant industry toward affordable care.

Intro Offer: Make the switch & receive three FREE implants.

tor 585 credit for any 2nd abuttment. For online orders enter ZR85 in coupon code box Community estacation credits may ant apply youand he

All badismarks are property of their respective companies.

Sanufact armony Current and Farmer Users, by Conguny US 0211 Milled

(Brice comparisons brisid upon 125 flat prices of comparable frame as of Pittingary 2012).

Terms and elections apply their une office per practice, the abupment not to expend 180 calls. No cash value. Companion bused upon Straumann's CARES Custon Discons Abulment, Pitch write-dispending upon the laburur.

LOCATOR' is a requirement scatterand of Zero Anchors Company, The GoCheck" and GPS" Terraria are mether authorized, endocred one spanished by Zero Anchors Company.

Buy 1 Zirconia \$120 abutment and receive 1 Free Titanium \$85 abutment?

Simply Smarter Prosthetic Solutions







GPS™ Overdenture Attachment System features Straight & Angled Abutments that provide a retentive platform compatible with LOCATOR* attachments. All-in-1 Packaging includes Anodized Housing with 5lbs Retentive Nylon Liner (nylon liners in 1.5, 3 & 5lbs - 4 for \$22) & Transfer. Straight Abutments accommodate up to 20° divergence while 15° & 30° Angled Abutments are suited for overdentures on angled implants.

Zirconia Abutments on Titanium Bases combine esthetics with strength & precision for restorations in the esthetic zone. The titanium base is gold anodized to maintain the natural tooth color of the zirconia while providing structural support. These stock abutments with contoured margins are provided in 0°, 8° & 15° with 1 & 2mm collar heights to minimize the need for preparation, thereby providing the benefits of custom abutments at less than half the price.

Joining our full line of industry-compatible prosthetics



Legacy[™]
Internal Hex
Compatible with Zimmer, BioHorizons, MIS*



ScrewPlant[®]
Internal Hex
with External Bevel - ID Proprietary



RePlant® Internal Tri-Lobe Compatible with NobelReplace®



Swish™ Internal Octagon Compatible with Straumann Tissue Level

