AEEDC hall 4 booth 802 JENTAL TRIBUNE

------ The World's Dental Newspaper · Middle East & Africa Edition ------

PUBLISHED IN DUBAI

March 2010

Dubai

No. 3 Vol. 8



Media CME Great White Ultra carbide instruments Page 6



Dental Cafe Camel burger on menu in



▶ Page 14

More olympians screened for oral cancer

by Lisa Townshend DTUK

LONDON, UK: Dentists have screened a fifth of all athletes taking part in the 2010 Winter Olympic Games in Vancouver, Canada, for oral cancer. Around 800 athletes sat in the dentist's chair during the competition, with more than 70 dentists and their assistants on hand not only to fix their teeth and mouths, but also to practice preventative dentistry. Dental Associations have welcomed the increased screening campaign that will also educate athletes on the importance of applying sun-cream to help prevent developing mouth cancers.

The decision to examine 20 per cent of all athletes in the Games has been taken by the International Olympic Committee. At the last Winter Olympics in Turin in Italy, only 10 per cent of Olympians were screened for oral cancer. Dental treatment services at sports events like the Olympics usually focuses primarily on treating infections and emergency trauma cases involving possible damage to teeth, lips,



This photo shows Tim Burke (USA) competing in the 4x7.5 km biathlon relay at the 2006 Winter Olympics in Italy. Outdoor athletes like him have a higer risk of developing oral cancers. (DTI/Photo Jonathan Larsen)

cheeks and tongues and broken bones.

Due to their training conditions, athletes tend to neglect their oral health, Dr Jack Taunton, co-chief medical officer of the Games, said. He said that they are often so nomadic they tend to put off having dental treatment at all. Some athletes in Nordic events also chew tobacco, which contains numerous carcinogens that can cause oral cancers. More danger comes from additional reflection of ultraviolet radiation off snow and ice, raising the risk of developing skin and lip cancers.

"You have to consider they are exposed to these intense ultraviolet rays for up to 30 years, through their training and post-competitive coaching years. The skin on the lips is thin and poorly protected. " said Dr Chris Zed, associate dean of dentistry at the University of British Columbia and co-head of dental services for the 2010 Winter Games.

He added that the danger is cumulative and could lead to the development of oral cancer later in life.

Outdoor athletes seem unaware of the elevated cancer risks associated with their training, according to a German study

ANDS-ON IMPLANT OURSE Presented by Professor Stewart Harding



AD

This exciting new concept offers affordable part time training to Dental Surgeons seriously intending to introduce dental implants as a treatment modality to their practices. An important feature of the training is the opportunity it

gives participants to place implants in their own patients under direct one to one mentored supervision. The course consists of two modules comprising of lectures and supervised clinical training involving the hands-on placement of implants on actual patients



1(GIFT Implant Year Course)

Through lectures, group work, discussions and hands on work shops, participants are introduced to the concept of osseointegration and given an overview of surgical and restorative techniques. Each day of this ten day programme is based on a specific topic that underpins the principles fundamental to the safe practice of implant deplicit. dentistry. The course is delivered over ten days, divided into five, two day units at two-monthly ntervals over the year

Module 2 (Clinical Practice of Implant Dentistry)

This part time module provides supervised clinical training and evaluates your competency. The clinical training programme provides the opportunity to put into practice the principles of diagnosis and treatment planning learned in module 1. Placement guidelines are put into actual practice together with surgical anatomy. The Dental Center, DHCC provides easy access for participants and their patients. Participants receive one to one hands-on teaching and learn implant placement techniques on patients. Under close supervision participants treat their own patients from initial consultation and assessment through to surgery and final

On completion participants in the clinical programme will have:

· a thorough understanding of the principles of restorative dentistry before independently placing implants

· practised clinical assessment, treatment planning, and the placement of implants in the presence of an experienced implant clinician

Dr Stewart Harding is the Associate Director Postgraduate Dental Education Unit, Institute of Clinical Education University of Warwick and has extensive teaching experience, helping many dentists towards their ultimate goal of placing implants for the benefit of their patients. He is also the inventor of the Osteo-Ti implant system and practices implant dentistry in the UK (London, Harley Street), Sudan and The Dental Center, Dubai Health Care City.

Enrolment starts January 2010, limited spaces available. The Dental Center





×

DUBAI

AD

MOH 660238410

PROMEDICA **Highest quality made in Germany**

- high quality glass ionomer cements
- first class composites



Light-curing nano-ceram com • universal for all cavity classes

highly esthetic and biocompatible



- innovative compomers
- modern bonding systems
- materials for long-term prophylaxis
- temporary solutions
- bleaching products...

All our products convince by

- excellent physical properties
- perfect aesthetical results



Temporary crown and bridge material

• particular fracture and wear resistance • now available in 6 attractive shades

PROMEDICA Dental Material GmbH

Tel. + 49 43 21 / 5 41 73 · Fax + 49 43 21 / 5 19 08 Internet: http://www.promedica.de · eMail: info@promedica.de

Resin-reinforced glass ionomer luting cement

 strong adhesion, very low film thickness • especially suited for zirconia-based pieces

 exact match of translucency and shade to the packable Composan bio-esthetic



Members from University of Sharjha Win Sheikh Hamdan Bin Rashid Al Maktoum's **Award to Support Medical Sciences**

SHEIKH HAMDAN BIN RASHID AL MAKTOUM AWARD FOR MEDICAL SCIENCES has given two faculty members from the Medical and Health Sciences Colleges a research grants to support their research projects in the University of Sharjah. The recipients of this award are: Dr. Sausan Al Kawas, Associate professor and Head of Oral and Craniofacial Health Sciences Department at the College of Dentistry and Dr. Nisreen Tadmori, Assisstant professor at the Department of Basic and Medical Sciences, College of Medicine.

Dr. Sausan Al Kawas has received this award to support her research about the analysis of mercury concentration in the waste water released from dental

clinics and its adverse effect on environment in UAE. This research project also aims to find corrective mechanisms in the disposal of mercury wastes by the dental clinics in UAE. The results of this project will contribute to the efforts of Ministry of Health to reduce the mercury burden in the waste water by monitoring restrictions involved in the handling and discharge of mercurycontaminated waste.

Dr. Nisreen Tadmori research project about genetic diseases and it will be done by studying Diabetes Mellitus in UAE children.

It is noteworthy that SHEIKH HAMDAN BIN RASHID AL MAK-TOUM AWARD FOR MEDICAL SCIENCES is one of the most prestigious award in Medical Research in UAE and been awarded to more than 50 researching scientists to support their projects since 2000 till date.

Editorial Board

Prof. Abdullah Al-Shammary, Restorative Dentistry, KSA Prof. Hussain F. Al Huwaizi, Endodontics, Iraq Prof. Samar Burgan, Oral Medicine, Jordan Dr. Abdel Salam Al Askary, Implantology, Egypt

Published by Education Zone

AD

in licence of Dental Tribune International GmbH

© 2010, Dental Tribune International GmbH. All rights reserved.

Dental Tribune makes every effort to report clinical information and manufacturer's product news accurately, but cannot assume responsibility for the validity of product claims, or for typographical errors. The publishers also do not assume responsibility for product names or claims, or statements made by advertisers. Opinions expressed by authors are their own and may not reflect those of Dental Tribune International.

600	

Dr. Talal Al-Harbi, Orthodontist, Qatar Dr. Mohammed H. Al Jishi, Bahrain Dr. Lara Bakaeen, Prosthodontist, Jordan Dr. Aisha Sultan, Periodontist, UAE Dr. Kamal Balaghi Mobin Aesthetics, Iran

President/CEO	Yasir Allawi y.allawi@dental-tribune.ae
Director mCME:	Dr. D. Mollova
	info@cappmea.com
Marketing manager	Khawla Najib
	khawla@dental-tribune.ae
Production manager	Hussain Alvi
	dentalme@dental-tribune.au

PO Box 214592, Dubai, UAE, Tel + 971 4 391 0257 Fax + 971 4 366 4512 www.dental-tribune.com

HMC and CNA-Q announce partnership

As part of its educational strategy to help train the next generation of professionals in the field of dentistry, Hamad Medical Corporation (HMC) has entered into a partnership with the College of the North Atlantic in Qatar (CNA-Q) to provide a licensed supervisor under CNA-Q's Dental Assistant Program.

Speaking during the signing ceremony held in the boardroom of Hamad Women's Hospital, HMC Managing Director Dr. Hanan Al Kuwari, said:

"The agreement that is being signed is an important step in our continuous collaboration with CNA-Q to provide the highest level of education in Qatar, and to encourage our youth to pursue careers in healthcare, such as the dental profession."

Dr. Al Kuwari added that HMC is proud of its partnerships with prestigious institutions, which have benefited hundreds of students and graduates over the years. She stated further that the mutual sharing of knowledge and expertise has helped HMC achieve better healthcare outcomes for its patients.




Under the patro H. H. Sheikh Hamdan Bin Rashid Al Maktoum Deputy Ruler of Dubai, Minister of Finan President of the Dubai Health Authority



UAE International Dental Conference & Arab Dental Exhibition

9 - 11 March, 2010





AD

www.cappmea.com/aesthetic2010

www.aeedc.com

Unique Opportunities not to be Missed

- · Great business to business opportunities
- · Excellent exposure for your dental innovations and services
- Get involved in various educational dental activities
- Witness the latest advancement in dentistrv
- · Learn and gain knowledge from more than 80 lectures
- Meet and interact with more than 100 reputed international and regional experts





Maximize Profits ... with beyond

BEYOND[™] Max5[™] and Max10[™] Treatment Kits*

Your most economical solution for treating patients.

beyond



Best results guaranteed when used with one of our chair-side whitening accelerators!

Contact us today to learn more about BEYOND[™] products and distribution opportunities in your area!

*Designed for use with any light-accelerated whitening system. LED systems may require additional cycles.



BEYOND[™] USA HEADQUARTERS

12503 Exchange Dr. Suite 558 Stafford, TX 77477 USA Tel: +1-281-277-4352 Fax: +1-281-277-4350 E-mail: beyondusa@beyonddent.com

Questions? Call +1-866-695-6452 M-F 9:00 a.m. - 5:30 p.m. CST

Algeria: DENT CO LTD, Tel: +213-31-90-00-89 Egypt: Arabian Doctor Trading EST., Tel: +201-01-462-338 / +201-07-043-734 Iraq: NAKHLAT SHATT ALARAB - MEDICAL COMPANY, Tel: +963-93-251-1258 Jordan: Osama Fadel Al-Deen Est, Tel: +962-6-5333115 KSA: Medical Vision Est., Tel: +966-1-405-7275 Kuwait: SAFWAN TRADING & CONTRACTING COMPANY, Tel: +965-484-8952

www.beyonddent.com

10:00

Lebanon: RICHA DENTAL STORE, Tel: +961-5-452-555 / PearlSmile sarl, Tel: +961-1-495-111 Oman: Sala Medical Complex "Sala Medical, Tel: +968-24-485-159 Palestine: High Professional Co., Tel: +972-59-967-0780 Qatar: Ebn Sina Medical, Tel: +974-4417953 Syria: Koucheh Trading Co., Tel: +963-41-450749 UAE: National Medical Supplies, Tel: +971-4-2857578 Yemen: Alasser Group, Tel: +967-73-379-7927

Does Your Patient Suffer from Dry Mouth?

What is dry mouth?

AD

We can all suffer from dry mouth at some point, for example, if we are nervous or stressed. So most of us are familiar with the feeling of not having enough saliva in our mouth to keep it moist and lubricated. For some people, however, dry mouth can be a regular problem. As we get older we are more likely to experience dry mouth, but it's also a problem that can affect people from their 30s onwards. What causes dry mouth?

Dry mouth occurs when the salivary glands stop working effectively. Medicines are known to cause over 60% of dry mouth cases, with more than 400 different medications linked to dry mouth. The number of medicines a patient takes is also directly related to the likelihood of experiencing dry mouth. Health conditions are also linked to dry mouth, such as diabetes or Sjögren's syndrome. People who smoke, who are pregnant, stressed, anxious or dehydrated are also more likely to have dry mouth.

What are the symptoms?

The symptoms of dry mouth can include:

 difficulty in eating, especially with dry foods, such as cereals or crackers • difficulty in swallowing and speaking • a burning sensation in the mouth • taste disturbances • painful tongue • dry, cracked, painful lips • bad breath • persistent difficulty in wearing dentures • feeling thirsty, especially at night • dry, rough tongue. Sometimes the amount of saliva a person produces may be reduced by up to 50% before these symptoms are noticed. These symptoms can sometimes have a profound effect on self confidence.

Does dry mouth cause other problems?

Saliva plays a very important protective role in the body. It not only keeps our mouth moist, it also helps to protect our teeth from decay, helps to prevent infections and helps to heal sores in the mouth.

Are your patients dry mouth sufferers? •

Do they have difficulty swallowing certain foods? • Does their mouth feel dry when eating a meal? • Do they need to sip liquids to help you swallow dry foods? • Are they taking multiple medicines? If a patient answered yes to any of these, he/she may have dry

Products to ease dry mouth

The Biotène system is specifically designed to treat dry mouth. The different products in the Biotène system allow you to choose the ones that best meet your lifestyle and dry mouth needs:

• 1 product specifically designed to help relieve your dry mouth: the gel provides long lasting relief

• 2 products to help maintain healthy teeth and prevent tooth decay in people with dry mouth: a toothpaste, with fluoride, and mouthwash which can be used twice a day in place of the usual products. These are designed to be gentle on your mouth as they are alcohol-free and don't contain harsh detergents. Biotène supplements the make-up of normal saliva to replenish dry mouths. It has a patented enzyme formulation that:


• helps supplement saliva's natural defences

• helps maintain the oral environment to provide protection against dry mouth

• helps supplement saliva's natural antibacterial system weakened in a dry mouth. Biotène's gentle formulation is also free from alcohol and harsh detergents.

What else can a patient do to manage dry mouth? •

Sipwater or sugar-free drinks often • Avoid drinks which dry out the mouth, such as caffeinecontaining drinks (coffee, tea, some fizzy drinks) and alcohol Chew sugar-free gums or sweets to stimulate saliva flow • Avoid tobacco as this has a drving effect • Use a humidifier at night to keep the air full of moisture. To help keep healthy teeth and avoid tooth decay: • Brush teeth with a soft toothbrush after meals and at bedtime • Floss teeth gently every day. If there is bleeding from gums when flossing, this could be a sign of gum disease. • Use an SLS-free, fluoride toothpaste, like Biotène, with its gentle formulation • Avoid alcohol-containing mouthwashes as these can dry out the mouth • Avoid sweet, sugary foods • Visit the dentist at least twice a year for a check-up.



Try the biotène range

A complete dry mouth treatment



LONG LASTING

albalance



Visit www.biotene.com to learn more about dry mouth.



ECOMMENDED

MOUTH BRAN



Everyone has a shade. And it's simple to match it.



She's an A1B. And, with the improved, lifelike esthetics and "single-shade simplicity" of Filtek[™] Z350 XT Universal Restorative, it's the only shade you'll need to restore her beautiful smile.

Simple to use

- Exceptional handling
- More Body shades for single-shade restorations
- Bold, easy-to-read, color-coded labels

Lifelike esthetics

- Excellent polish
- Wide range of shades and opacities
- Improved fluorescence



Unique nanofiller technology

- Better polish retention than a microfill
- Wears better than leading competitors*
- Outstanding strength for anterior and posterior use

Your simple solution for lifelike restorations is Filtek Z350 XT Universal Restorative.



6 Media CME



New paradigm for crown preparation: Great White Ultra carbide instruments

The article has been accredited by Health Authority - Abu Dhabi as having educational content and is acceptable for up to 2 (Category 1) credit hours. Credit may be claimed for one year from the date of subscription.


By George Freedman DDS, FAACD, FACD

The standards of dental care have evolved rapidly during the past 50 years.¹ Today's best practice modalities require both tooth conservation and clinical efficiency.² These concepts are not always mutually compatible. The efficient and preferably rapid removal of existing tooth structures and restorative materials must be accomplished with minimal heat generation during the preparation phase.⁵

As clinical efficiency is increased with faster and more aggressive cutting tools (Fig. 1), it is clinically imperative that tooth preparation avoid the excessive heat generation that could possibly damage the remaining tooth structure and endanger the health of the pulp.^{4,5}

In most clinical situations, water and air coolants are utilized in conjunction with high-speed bur preparation to reduce the risk of thermal damage to the tooth.⁶ The clinical efficiency of tooth preparation is largely dependant on the shape and design of the cutting bur, and the number of steps that comprise the overall treatment.

The more often that the dentist must change burs during tooth cutting, the more time consuming the process and the less efficient the technique.



 Practitioners use both visual and tactile clues to determine tissues to be removed. Darker dentin is assumed to be affected by caries; it should be removed (unless, of course, it is rehardened secondary dentin). Lightly colored dentin and enamel are presumed to be healthy tissues. For the dentist to observe color differences *during* preparation, the bur's rotation should remove debris as quickly and effectively as possible (Fig. 2).

The earliest dental burs were manufactured from a variety of metals that were harder than natural tooth structure. With time, steel became the preferred bur metal. Developments in particle-to-metal adhesion technology resulted in the first diamond burs. These burs were preferable for highspeed tooth preparation to steel.

The subsequent introduction of carbide cutting instruments was a leap forward for dentistry; carbide offered more effective tooth preparation with less surface striation than diamonds. More recently, crosscuts and innovative attack angles were introduced to the carbide cutting shank to make preparation better, faster and easier (Figs. 3a, b).

In the past, dentists have tended to favor diamond burs for extra-coronal tooth preparation while carbide burs have been used largely for intra coronal cutting.⁷ The relative popularity of carbide and diamond burs varies considerably in various parts of the globe, largely due to local availability, cost and education.⁸

One factor that is often not considered by the clinician is that as diamond burs are used, their cutting efficiency tends to decrease dramatically. Their cutting diamonds tend to wear down and debris accumulates in the bur cavities (Fig. 4), reducing efficiency.⁹ In order to compensate, dentists tend to press harder on the tooth with the bur in order to maintain the earlier cutting efficiency. Inadvertently, this actually *decreases* the efficiency of the procedure and increases the potential for heat formation.

Diamond burs tend to grind tooth structures while carbide burs CUT these same materials. This leads to the conclusion that crown and bridge preparation, where rapid and effective gross tooth reduction is required and desirable, is best accomplished with carbide instruments. Recent research has indicated that when a crown or onlay restoration is to be bonded to the tooth surface, carbide bur preparation can improve the bond to the dentin.¹⁰ A more effectively bonded crown increases the longevity of the restoration by decreasing leakage, and thereby the possible adhesive failure of the restoration. Carbide burs typically generate a smoother surface and the partially visible smear layer.¹¹ This smear layer may be more

easily dissolved and incorporated by



self-etching primers, thus providing a stronger hybrid layer. This results in higher bond strengths.¹² Cross-cut carbide burs improve the retention of crowns cemented with zinc phosphate by approximately 50 percent. Thus, the use of finishing burs on axial walls is discouraged.¹⁵


Current concepts of conservative dentistry dictate that a minimum of healthy tooth structure be removed during the preparation prior to the restorative process. Natural enamel and dentin are very likely the best dental materials in existence. Tooth structure conservation is thus inherently a desirable dental objective.

Consequently, minimally invasive procedures that allow a greater part of the healthy tooth structure to be preserved are preferable (Fig. 5).¹⁴ The patient also benefits greatly from minimally invasive dentistry. There is typically less discomfort during treatment, and a greater likelihood that the repaired tooth will last a lifetime. The dental profession tends to take burs for granted. They are frequently used for patient treatment every day, and their effectiveness and efficiency can have dramatic impact on the practice. It is interesting to note that if the practitioner uses burs that are just 10 percent more efficient, the savings in operative time can easily increase practice billing significantly without any corresponding increase in overhead. Thus, the entire revenue increase goes directly to the bottom line.

Generally, burs are one of the least expensive components of the dental armamentarium, at least relatively. A small difference in bur cost can often make a major clinical impact. The most important parameter to consider is to select the best bur for the job, keeping in mind that a small added expense of opting for a premium instrument can pay off handsomely.

Some burs are designed for single use. They can be sterilized and reused, but often exhibit a significantly decreased cutting efficiency. Other burs are designed to be sterilized and re-used.

Recent research at the University of Rochester, Eastman Dental Center, jointly undertaken by the prosthodontic and the mechanical engineering departments, examined the efficiency of various dental burs with respect to cutting rate and load needed to complete standardized preparations in Macor samples. Both air-driven and electric handpieces were tested. The cutting rate represents the speed at which the bur (reflecting its material composition and design) cuts through a standardized material. The faster the speed, the more efficient the preparation. The load measures the operator pressure needed to cut effectively. A higher required load will cause more operator fatigue at the end of a long working day. In the air-driven high-speed handpiece, the SS White Great White Ultra (SS White Burs, Lakewood, N.J.) had







a significantly greater cutting rate than the other burs tested (Fig. 6). In addition, the Great White Ultra bur required the least load, or operator pressure, for effective preparation (Fig. 7).

Similar results were observed for electric high-speed handpieces. The SS White Great White Ultra had a cutting rate significantly greater than the other burs tested (Fig. 8) and required the least load, or operator pressure, for effective preparation (Fig. 9).

In practical terms, the Great White Ultra burs cut between 11-35 percent faster than the other burs tested. This can save the practitioner between one to three minutes on a 10-minute preparation procedure. The decreased load translates into greater operator comfort.

Dental bur design has developed varying flute angle and cutting characteristics that are specific to the intended task. Operative, cavity and crown preparation carbide burs have flutes (dentates) that are designed deep and wide, creating a more aggressive cutting of enamel with increased speed and efficiency (Fig. 10).

Operative burs are either straight bladed or crosscut. Straight-bladed burs cut more smoothly but are slower, particularly with harder substrates. Crosscut burs tend to cut faster, but may create more vibration. Finishing burs have more flutes, closer together and shallower, than operative instruments (Fig. 11). This design allows for fine finishing and polishing of dental materials or tooth surfaces. The Great White Ultra bur is an innovative technological development that represents a new category of crown preparation burs; it is more sharply dentated than earlier crosscut burs. The unique geometry in the blades' design creates a bur that cuts faster with less vibration in both tooth structures and other dental materials (Fig. 12).

because it does not "grab" or "catch" the substrate, and thus does not stall in harder materials. The novel design creates less stress on the remaining tooth structure and less frictional heat that may irritate the pulp and damage the supporting periodontal structures.

The aggressive cutting angle (Fig. 13) of the Great White Ultra allows the operator to use less pressure on the tooth during preparation (resulting in decreased tooth heating and dentist fatigue). The tightly controlled parameters of manufacturing quality control develop a high degree of concentricity in the Ultra burs that offers less vibration and chatter during use, and decreased maintenance costs for handpieces (Fig. 14).

The goals of conservative tooth preparation include:¹⁵

1) Re-contouring the remaining tooth and restored structures to a specified shape and size to accommodate a crown.

2) Providing a depth guide on all surfaces, including the occlusal, to allow the crown to have sufficient bulk and strength to withstand occlusal and other intraoral forces.

3) Completing the preparation process with a single pass by one bur on the buccal, lingual, mesial and distal.

4) Creating the intended marginal finish, whether shoulder or chamfer, at the same time as accomplishing the gross preparation of the other surfaces

takes a practitioner to prepare the tooth for a crown.

The Great White Ultra bur cuts quickly and smoothly through enamel. It negotiates amalgam and other restorative materials with minimal clogging and no drag or stalling in these harder materials. The bulk reduction in the crown preparation phase can be accomplished with a single instrument (Fig. 15).

The highly dentated body of the Great White Ultra cuts efficiently and quickly, and combined with the smooth tip, helps to provide two reduction actions in one single pass with a single bur (Fig. 16). The rounded, non-crosscut tip provides smooth, precise and controlled margins with the same cutting motions as the gross reduction preparation. Thus, the Great White Ultra is more efficient; there is less chair time.

There are two preferred marginal anatomies for crown preparation, the chamfer and the shoulder. Accordingly, two margin-specific clinical series of burs have been crafted. The Great White Ultra 856 Series develops a rounded axial-gingival margin providing a chamfer finish for the preparation (Fig. 17). The Great White Ultra 847 Series creates a 90 degree axialgingival wall and provides a shoulder margin for crown restoration (Fig. 18). The Great White Ultras are available in a variety of diameters and cutting lengths. The Great White Ultra bur kits organize a variety of shapes and sizes that are typically used in routine crown preparation. The bonus is that once the correct bur is selected, the entire preparation can often be completed without changing to another instrument. Bulk reduction AND a smooth margin are created with the same

reduction instrument.

Clinical case No. 1

The preparation of the bicuspid crown is very rapid and straightforward. A single pass of the Great White Ultra bur reduces the bulk of the tooth at the height of curvature and finishes the chamfer margin simultaneously (Fig. 19). The inter-proximal preparation must be accomplished without marring the surface of the adjacent tooth. One of the thinner GWU burs may be used (Fig. 20).

The buccal surface is *not* smoothed out with a disc or diamond; the striations created by the bur increase the surface area available for adhesion (Fig. 21). The occlusal reduction is completed to provide 1.5-2.0 mm clearance for the crown (Fig. 22). The completed preparation, ready for impressions, is viewed from the occlusal (Fig. 23). The entire circumferential preparation was completed with a single Great White Ultra bur in a single pass.

The bur cuts faster and smoother

5) Developing a surface that is suitable for bonding the indirect restoration.

6) Remaining conservative of tooth structure.

7) Preparing the tooth quickly and efficiently for both patient and dentist comfort.

For most dentists, the cutting speed tops the list of features that are important in selecting dental burs. Carbide manufacturers have produced a variety of designs and shapes that are intended to reduce the time that it

Clinical case No. 2

The molar crown preparation is begun on the buccal surface (Fig. 24) and continued circumferentially as in the case above. The bulk and marginal preparations are completed at the same time. The completed preparation, ready for impressions, is viewed from the occlusal (Fig. 25).

The stone model is verified against the intra-oral preparation, and the crown is tried on extra-orally (Fig. 26). If the fit on the model is correct, then the crown is tried intra-orally and cemented on to the prepared abutment (Fig. 27).



8 Media CME

\leftarrow **DT** Page 7

A circumferential preparation that has even depth throughout and adequate space for the restoration, as well as a well-defined margin (whether chamfer or shoulder), results in a wellfitting and long-lasting crown.

Clinical case No. 3

Some practitioners prefer to use depth grooves to guide crown preparation. The Great White Ultra bur is well suited to this task. The depth grooves are placed quickly and evenly to the desired preparation depth (Figs. 28a– d) at the same time that the location of the margin is determined.

The depth grooves are joined, maintaining the selected depth of the preparation and the location of the restorative margin (Fig. 29a, b). The occlusal surface is reduced to an ideal depth and shape (Figs. 29a–c) and the preparation, completed within a matter of minutes, is viewed from the occlusal (Fig. 29d).

It is reasonable to expect that Great White Ultra burs can be used for multiple tooth preparations, and that they can be cleansed effectively between patients. There are two important steps to follow for the proper sterilization of multiple-use tungsten carbide burs.

Step 1: Burs should be cycled through an automated washer such as the Hydrim (SciCan, Toronto, Canada), that provides rapid and effective washing, rinsing and drying with a single push of a button.

(The instruments may be cleaned manually, but they should be presoaked to loosen debris and handled with extreme care to avoid skin punc-



tures. Avoid cold sterilizing solutions that contain oxidizing agents that can weaken carbide burs. Ultrasonic systems can be used as well. The re-use of solutions in these systems is less than ideal, however.

Separate the burs from each other in a bur block during ultrasonic immersion to prevent damage to the cutting surfaces. Brush any remaining debris away with a stainless steel wire brush. Rinse and dry the burs.)

Step 2: It is only at this point that sterilization can be initiated. The importance of this step cannot be overstated. Only the effective sterilization of burs eliminates the threat of cross contamination to patients and staff. Steam autoclaves will effectively sterilize carbide burs, but some units may allow surface corrosion to develop.

Metal bur blocks may promote galvanic corrosion and should be avoided. Both dry-heat sterilizers and chemiclaves can be used without corroding or dulling carbide burs.

Conclusion

Great White Ultra burs are an innovative solution for the crown and bridge tooth preparation process.


The differential reduction provided by the varied cross cutting of the bur's active surface allows intraoral multitasking.

Great White Ultras simplify the clinical procedure by reducing the circumferential bulk of the tooth and preparing the final margin at the same time.

Rapid cutting, less structural stress and a more adhesive surface are additional advantages.

References

- 1. von Fraunhofer JA, Siegel SC. Using chemo-mechanically assisted diamond bur cutting for improved efficiency. JADA 2003; 134:53–58.
- 2. Siegel SC, von Fraunhofer JA. Cutting efficiency of three diamond bur grit sizes. JADA 2000; 131:1706–10.
- Stanley HR, Swerdlow H. Reaction of the human pulp to cavity preparation: results produced by eight different operative grinding techniques. JADA 1959;(5) 58:49–59.
- 4. Stanley HR. Traumatic capacity of high-speed and ultrasonic dental instrumentation. JADA 1961; 63:749–66.
- 5. Zach L, Cohen G. Pulpal response to externally applied heat. Oral



- 6. von Fraunhofer JA, Siegel SC, Feldman S. Handpiece coolant flow rates and dental cutting. Oper Dent 2000; 25:544–8.
- Siegel SC, von Fraunhofer JA. Dental burs: what bur for which application? A survey of dental schools. J Prosthodont 1999; 8:258–63.
- 8. Kimmel K. Optimal selection and use of rotary instruments for cavity and crown preparations. Dent Echo 1993; 63(2):63–9.
- Siegel SC, von Fraunhofer JA. Effect of handpiece load on the cutting efficiency of dental burs. Machining Sci Technol J 1997; 1:1–13.
- 10. Castro AKB, Hara AT, Pimenta LA. Influence of collagen removal on shear bond strength of one-bottle adhesive systems in dentin. J Adhes Dent 2000; 2:271–77.
- 11. Dias WRL, Pereira PNR, Swift Jr. EJ. Effect of bur type on Microtensile Bond Strengths of Self-etching Systems to Human Dentin. The Journal of Adhesive Dentistry 2004; 195–203.
- Nakabayashi N. Bonding mechanism of resins and the tooth (in Japanese) Kokubyo Gakkai Zashi. J Stomat Society, Japan 1982; 49:410.
- 13. Ayad MF et al. J. Prosthet Dent 1997; 116–21.
- UCR. Freedman G, Goldstep F, Seif T. "Watch and wait" is not acceptable treatment. Ultraconservative Resin Restorations 1999; 1–14.
- Freedman G, Goldstep F, Seif T, Pakroo J. Ultraconservative Resin Restorations. J Can Dent Assoc 1999; 65:579–81.



MEDIA CME Self-Instruction Program

Dental Tribune Middle East & Africa in collaboration with CAPP introduce to the market the new project mCME - Self Instruction Program. mCME gives you the opportunity to have a quick and easy way to meet your continuing education needs.

mCME offers you the flexibility to work at your own pace through the material from any location at any time. The content is international, drawn from the upper echelon of dental medicine, but also presents a regional outlook in terms of perspective and subject matter. **How can professionals enroll?**

They can either sign up for a one-year (10 exercises) by subscription for the magazine for











one year (\$65) or pay (\$20) per article. After the payment, participants will receive their membership number and will be able to attend to the program.

How to earn CME credits?

Once the reader attends the distance-learning program, he/she can earn credits in three easy steps:

- 1. Read the articles.
- 2. Take the exercises
- Fill in the Questionnaire and Submit the answers by Fax (+971 4 36868883) or Email:info@cappmea.com

After submission of the answers, (name and membership number must be included for processing) they will receive the Certificate with unique ID Number within 48 to 72hours. Articles and Questionnaires will be available in the website after the publication.

www.cappmea.com





Fig. 26

