DENTAL TRIBUNE



The World's Dental Newspaper · Nordic Edition



PUBLISHED IN STOCKHOLM

www.dental-tribune.com

Vol. 1, No. 2



INTERVIEW

Danish dentist Dr Jens Lætgaard on the challenges of performing live surgery and why he thinks video training is the educational tool of the future.



BIOPHOSPHONATES

Although the risks of bisphosphonates are disputed among professionals, clinical data suggests that they can be locally applied safely and efficaciously in dentistry.

► Page 12



TRENDS & APPLICATIONS

Implant restorations that offer the form and function of natural teeth: A clinical case of full-arch PFM restorations for an edentulous patient with advanced bone resorption.

► Page 13

Biomarkers for dental caries

By DTI

ODENSE, Denmark/VALENCIA, Spain: In order to determine potential biomarkers for dental caries, an international team of researchers from the Department of Biochemistry and Molecular Biology at the University of Southern Denmark in Odense and from the FISABIO Foundation in Valencia has taken a closer look at the human oral metaproteome, the most prevalent proteins found in oral biofilm.

Aiming to determine a minimum set of proteins that allow for discrimination between healthy and cariesaffected dental plaque samples, the scientists identified 7,771 bacterial and 853 human proteins in 17 individuals. The study's metaproteomic analyses of the oral biofilm provide the first protein repertoire of human dental plaque, the researchers stated. Moreover, by using different mass spectrometry approaches, they were subsequently able to quantify individual peptides in healthy and cariesbearing individuals.

Their findings showed that healthy individuals appeared to have



The researchers were able to quantify individual peptides in healthy and caries-bearing individuals.

significantly higher amounts of enzymes associated with a high acid tolerance. Other proteins found to be at significantly higher levels in caries-free individuals were involved in exopolysaccharide synthesis, iron metabolism and immune response. By interpreting the potential biomarkers collectively, the scientists were able to determine the oral health status of the individuals studied with an estimated specificity of over 96 per cent. Although validation of the findings in larger sample size studies is necessary, the findings could be of use for developing future

caries risk screenings, the researchers concluded.

The results were published online on 14 August in the PROTEOMICS journal in the article "The human oral metaproteome reveals potential biomarkers for caries disease".

Milk keeps teeth white

Beverages such as black tea, coffee, cola and red wine can discolor the surface of the teeth. However. researchers from the University of Alberta may have found a solution to the problem—at least for the tea lovers out there.

In testing the effect of milk on the staining properties of tea, they found that it significantly reduced the tea's ability to darken the teeth. A staining procedure that involved either a solution of tea or a solution of tea with milk showed that casein, the main protein in milk, has the ability to bind the tannins, which are water-soluble compounds that are largely responsible for the staining properties of tea.

"The magnitude of the color change observed in our experiments is comparable to the color change seen with vital bleaching products and is more effective than whitening toothpastes," Dr. Ava Chow, an assistant professor at the university's school of dentistry

Night owls' higher risk of caries


People's circadian rhythms might have a greater impact on healthy teeth than one might assume. A study at Dalarna University has found that young Swedes who regularly stayed up late had an almost four times higher risk of dental caries than did early risers.

In the analyses, the scientists distinguished three circadian types: evening types, who are alert in the evening and tired in the morning; morning types, who are the opposite; and neutral types, who are neither particularly alert in the evening nor extremely tired in the morning.

The results indicated an association between caries risk and participants' individual circadian rhythm, breakfast habits and toothbrushing

Morning and neutral types reported more frequently that they had $break fast\, every\, morning\, and\, brushed$ their teeth twice a day. Evening types, in comparison, brushed their teeth less often and ate breakfast less regularly. More evening than morning types were categorized as being at high risk of caries. As a result, the predicted probability of being at high risk of caries was almost four times higher for evening types than for morning types.

Acknowledging the connection between sleeping preferences and dental hygiene habits, the scientists $suggested\,that\,dent ists\,consider\,their$ patients' circadian rhythms when approaching oral health education in daily dental practice, especially for patients with a high risk of caries.





Clear aligners prove to be more

MAINZ, Germany: In recent years, clear aligners have become a favourable $treatment\,alternative\,in\,orthodontics$ to fixed orthodontic appliances (FOA).

condition. A team of German researchers has now compared the oral They found that Invisalign patients have better periodontal health and greater satisfaction during orthodon-

To date, the majority of patients, particularly during childhood and adolescence, are treated with FOA. However, these appliances tend to complicate oral hygiene and thus interfere with patients' periodontal health. Moreover, treatment with FOA is not very popular in adult orthodontics for aesthetic reasons. Therefore, other orthodontic techniques have been developed to improve aesthetics and simplify oral hygiene procedures. An alternative to FOA is clear aligners, which are discreet and have the advantage of being removable during oral hygiene and eating or drinking. The use of clear aligners has increased

minent example being Invisalign, produced by Align Technology since ber of studies have compared the effects of Invisalign and FOA on oral hygiene, the researchers from the Johannes Gutenberg University of Mainz pointed out.

who underwent orthodontic treatment, divided equally between FOA and Invisalign, for more than six months. The researchers performed clinical examinations before and after treatment to evaluate the patients' periodontal condition and any changes. Furthermore, a detailed questionnaire assessed the patients' personal oral hygiene and dietary habits, as well as satisfaction with the treatment. All of the patients received the same or all hygiene instructreatment. This included the use of toothbrush, dental floss and interdental brushes three times daily.

ferences between the two groups regarding periodontal health and oral hygiene prior to the orthodontic treatment. However, the researchers observed notable changes in periodontal condition in both groups during orthodontic treatment. They found that gingival health was significantly better in patients treated with Invisalign, and the amount of dental plaque was also less but not significantly different compared with FOA

The questionnaire results showed greater satisfaction in patients treated with Invisalign. Only 6 per cent of the Invisalign patients reported impairment of their general well-being during orthodontic treatment, compared with 36 per cent of the FOA patients. Other negative effects that also were significantly higher in FOA patients included gingival irritation (FOA: 56 per cent; Invisalign: 14 per cent), being kept from laughing for aesthetic reasons (FOA: 26 per cent; Invisalign: 6 per cent), having to change eating habits during orthodontic treatment (FOA: 70 per cent; Invisalign: 50 per cent), and having to brush one's teeth for longer and more often (FOA: 84 per cent; Invisalign: 52 per cent).

The researchers concluded that orthodontic treatment with Invisalign has significantly lower negative impacts on a patient's condition than treatment with FOA, both with regard to gingival health and overall well-being.

The study, titled "Braces versus Invisalign: Gingival parameters and patients' satisfaction during treatment: A cross-sectional study", was published online in the BMC Oral

greatly in the last decade, one pro-1999. However, only a limited num-

Their study included 100 patients

tions before and during orthodontic

The data analysis showed no dif-

Health journal on 24 June.

IMPRINT

PUBLISHER:

Torsten OEMUS

MANAGING EDITOR DT NORDIC EDITION: Kristin HÜBNER k.huebner@dental-tribune.com

CLINICAL EDITOR:

Magda WOJTKIEWICZ

ONLINE EDITOR:

Claudia DUSCHEK

ASSISTANT EDITORS: Anne FAULMANN

Sabrina RAAFF, Hans MOTSCHMANN

PRESIDENT/CEO: Torsten OEMUS

CFO/COO:

Dan WUNDERLICH MEDIA SALES MANAGERS:

Matthias DIESSNER Peter WITTECZEK

Maria KAISER Melissa BROWN Weridiana MAGESWKI

Hélène CARPENTIER Antje KAHNT

MARKETING & SALES SERVICES:

Nicole ANDRAE

ACCOUNTING:

Karen HAMATSCHEK RUSINESS DEVELOPMENT.

Claudia SALWICZEK

EXECUTIVE PRODUCER:

AD PRODUCTION:

Marius MEZGER

Franziska DACHSEL, Matthias ABICHT

INTERNATIONAL EDITORIAL BOARD:

Dr Nasser Barghi, Ceramics, USA Dr Karl Behr, Endodontics, Germany Dr George Freedman, Esthetics, Canada Dr Howard Glazer, Cariology, USA Prof. Dr I. Krejci, Conservative Dentistry, Switzerland $Dr\,Edward\,Lynch, Restorative, Ireland$ $Dr\,Ziv\,Mazor, Implantology, Israel$ Prof. Dr Georg Meyer, Restorative, Germany Prof. Dr Rudolph Slavicek, Function, Austria Dr Marius Steigmann, Implantology, Germany

Published by DTI

DENTAL TRIBUNE INTERNATIONAL

Holbeinstr. 29, 04229, Leipzig, Germany Tel.: +49 341 48474-302 Fax: +49 341 48474-173 info@dental-tribune.com www.dental-tribune.com

Regional Offices:

UNITED KINGDOM

Baird House, 4th Floor, 15-17 St. Cross Street London EC1N 8UW www.dental-tribune.co.uk info@dental-tribune.com

DT ASIA PACIFIC ITD.

c/o Yonto Risio Communications Ltd, 20A, Harvard Commercial Building, 105–111 Thomson Road, Wanchai Hong Kong Tel.: +852 3113 6177 Fax: +852 3113 6199

DENTAL TRIBUNE AMERICA, LLC

116 West 23rd Street, Suite 500, New York NY 10001. USA Tel.: +1 212 244 7181 Fax: +1 212 224 7185

© 2015, Dental Tribune International GmbH

DENTAL TRIBUNE

effort to report clinical information and manufac turer's product news accurately, but cannot assume responsibility for the validity of product claims or for typographical errors. The publishers also do not assume responsibility for product names or claims, or statements made by advertisers. Opinions

expressed by authors are their of Dental Tribune International.

Scan this code to subscribe our weekly *Dental Tribune Nordic* e-newsletter.







34th CIOSP

São Paulo International Dental Meeting

January, 27-30, 2016 At the Expo Center Norte - São Paulo/SP - Brazil

Exhibit Inquiry: SUVISON, a sole world agent, sp2016@suvison.com Information and Registration: secretaria.decofe@apcdcentral.com.br | ciosp.com.br



Organizer:



São Paulo Dental Association









International Media:

Right Tools Job

Implant, Surgery & Endo Motors



+1.425.487.3157 • www.aseptico.com • int@aseptico.com



See us at
EAO 2015
Stand B1
Distributor and OEM
Inquiries Welcome!

"If you are looking to purchase a high quality American-made motor, then you should consider Aseptico."

— Paresh Patel DDS



"Aseptico fulfilled my needs beyond my expectations. I am so pleased with my Aseptico AEU-7000 units that I recommend them to all my students at the Reconstructive Dentistry Institute as well as at my lectures at various dental societies and conferences."

— Ara Nazarian DDS

3-D holographic scanning device shortens denture-fitting process significantly

JERUSALEM, Israel: Students from the Hebrew University of Jerusalem and the Hadassah Medical Center have developed HoloDent, a holographic scanning device that promises to improve the process of fitting dentures significantly. According to the creators, the system not only shortens the fitting process from up to a month to 30 minutes, but also allows for more accurate prostheses than do conventional methods.

Generally, denture fitting involves a long and often painful adjustment process for the patient, including multiple clinic visits and $several\,modifications\,until\,the\,soft$ and hard materials match the exact measurements of the mouth.

"The process of fitting dentures hasn't significantly changed in the last 100 years," said Dr Anat Sharon, Director of the Maxillofacial Prosthetics Clinic at Hadassah Medical Center. "It is such a long process that most dental clinics simply refuse to carry out the procedure."



The 3-D scanner produces a precise digital impression of the mouth and outputs it to a computer, reducing the time it takes to get a computer of the produce of the produdentures from 30 days to 30 minutes. (@ Hebrew University of Jerusalem/Hadassah Medical Center, Screenshot/DTI)

Aiming to replace these outdated dental procedures, including the fabrication of dentures, Sharon and a group of engineering and business graduate students developed HoloDent as part of the Biodesign Israel programme.

The programme, which aims to bring medical innovation to the market through multidisciplinary, team-based research, is a joint effort of the Hebrew University of Jerusalem and Hadassah Medical

"HoloDent is the first holography scanning device for intraoral 3-D modeling, reducing the time it takes to get dentures from 30 days to 30 minutes, while making the treatment far more comfortable and precise for all patients," Amit Zilberstein, a Biodesign fellow and CEO of the HoloDent company,

The new 3-D device, which recently won an award at the Startup Open Israel competition, could also improve accessibility to accurate denture fitting for ageing populations in developing countries by providing access to a cost-effective digital solution, the creators hope.

HoloDent could benefit millions of dental patients worldwide by avoiding the pain and discomfort associated with conventional fitting methods, as well as greatly reducing the time required. According to the university's press release, the new device has a market of US\$500 million (€455 million) in the US alone.

Study finds varying disinfection protocols

MADRID, Spain: A team of researchers from the department of endodontics at Universidad Rey Juan

Join the largest

in dentistry!

educational network

Carlos in Madrid has conducted a

study to determine whether there are differences in the disinfection

protocols of endodontists and general dentists. The scientists found that endodontists are more likely to keep up to date with protocols published in the literature, whereas general dentists rely on protocols learnt during their dental training.

The study authors sent out an invitation to participate in an online survey to 950 dentists affiliated with the Spanish board of dentistry. The survey consisted of nine questions regarding irrigation protocols and other factors related to disinfection during root canal therapy. It was completed and submitted by 238 (25.05 per cent) of those invited, divided equally between general dentists and endodontists.

The researchers found no statistically significant differences in the respondents' first choice of an irrigant solution: sodium hypochlorite. However, they noted statistically significant differences in the protocols used by general dentists and by endodontists in relation to various factors. These factors included the concentration of sodium hypochlorite, the use and type of irrigant applied to remove the smear layer, the use of adjuncts to irrigation, the enlargement of the apical preparation when shaping a necrotic tooth, and the maintenance of apical patency throughout the debridement and shaping procedure.


 $The \, study \'s \, findings \, showed \, that \,$ general dentists and endodontists

follow different and sometimes inadequate disinfection protocols. "The results of the survey demonstrated that endodontists keep up to date with protocols published in the literature, whereas general dentists use protocols learnt during their dental training. Both groups of clinicians should be aware of the importance of disinfection techniques and their relationship to treatment outcomes," the researchers stated.

"Clinicians should update their protocols and also consider referring patients to a specialist when their protocols are based on traditional techniques, especially in those cases with necrotic pulp," they concluded.

The study, titled "Differences in disinfection protocols for root canal treatments between general dentists and endodontists", was pub $lished in the July issue of the {\it Journal}$ of the American Dental Association.





Whitening without abrasion or chemical bleaching and effective products ture or al health market that of Sweden a method of Swe

Curaden introduces new Black is White toothpaste

Swiss company Curaden's new whitening toothpaste Black is White aims to whiten the teeth gently but effectively. Containing activated carbon, the toothpaste, which is a striking black colour, removes discoloration without abrasion or chemical bleaching. Whitening effects are further enhanced by blue-filter particles. Owing to this optical solution, the teeth appear whiter without having to use chemical bleaching agents. The toothpaste further contains 1,450 ppm fluoride and hydroxylapatite for remineralisation. Without sodium lauryl sulphate, triclosan or additional bleaching agents, Black is White can be used as a regular toothpaste on a daily

CURAPROX
BLACK
IS WHITE

Swiss-owned company Curaden is a pioneering expert in oral health and individual dental prophylaxis, based in Kriens near Lucerne. Its unique range of oral health products have been created and developed in Switzerland under the brand name CURAPROX since 1972. Together with dental professionals in teaching, research and practice, the company introduces products that serve one purpose only: to keep teeth healthy for a lifetime. The company's collaboration with Swiss dentists, dental hygienists and university specialists has produced a wealth of knowledge about cleaning techniques and dental care—and about products that combine true benefits with real comfort: atraumatic, effective and accepted.

CURAPROX's wide range of products for dental prophylaxis include its flagship product, the ultra-soft CS 5460 toothbrush with 5460 CUREN bristles, which are very effective against plaque and gentle on the gingiva. Other unique products are the long-life Prime interdental brush line with a non-breakable CURAL wire, and the non-staining chlorhexidine rinse CURASEPT ADS.

Today, CURAPROX is represented in more than 60 counties worldwide. In 2013, the company ven-

tured into the Swedish market and began building up distribution channels. Its range of atraumatic and effective products suit a mature oral health market such as that of Sweden, a market looking for

nonabrasive toothbrushes, durable interdental brushes and non-staining chlorhexidine. Now they are all here!

The products are available for consumers via dental clinics and the CURAPROX online shop. In the near future, the company's key products will be obtainable from well-stocked and updated pharmacies.

AD



THE FIRST CERAMIC FOR DIRECT FILLINGS

- The worldwide first purely ceramic-based restorative material
- Lowest polymerisation shrinkage (1.25 % by volume) and particularly low level of shrinkage stress**
- \bullet Inert, so highly biocompatible and extremely resistant to discolouration
- Meeting highest demands in anterior and posterior regions
- Excellent handling, simple high-lustre polishing procedure coupled with high surface hardness guarantee first-class long-term results
- Compatible with all conventional bonding agents
- * Find all current offers on www.voco.com or contact your local VOCO dental consultant ** in comparison to all conventional restorative composites

Admira Fusion





Please visit us! Norges Varemesse, Lillestrøm 29th-31st October 2015 Stand: B04-39



"I want to reach out to the everyday dentist"

An interview with Dr Jens Lætgaard, founder of digital training platform Klinikproduktion.dk

Having performed live surgeries at seminars and trade shows for more than ten years, Danish dentist Jens Lætgaard is an expert when it comes to explaining dental procedures comprehensibly. With his new website, Klinikproduktion, the surgeon, who also runs a private practice in Roskilde in Denmark, aims to enhance daily procedures at dental clinics. *Dental Tribune*

with Klinikproduktion. We record everything with six high-definition cameras to provide more than just one angle. In addition, our videos are targeted at the whole team, so the assistants and everyone involved will benefit from watching.

Your surgery cage at SCANDEFA in April attracted quite a lot of attention.

can get very close and is able to see all the details through the glass and, of course, on the big screens. A larger cage would just move the audience further away.

What do you do when something unexpected happens on stage?

Continue! One has to stay calm and importantly one has to be honest and demonstrate how to resolve issues that arise. During a surgical treatment at my last show, I broke two burs in the bone and they were stuck. This had never happened to me before, and I had to get them

opportunity for teaching. I would rather demonstrate treatment of a case that is going wrong or unexpectedly and how to save it.

How common are live surgeries in general?

I think they are not very common. Live surgery requires substantial set-up, many sponsors or collaborators who are sold on the idea and patients from the local area. However, as already mentioned, it gains a great deal of attention, which is attractive for most companies.

the procedure itself makes one nervous, one should not perform live on a stage. Personally, I have always enjoyed teaching, but I have not had any education on how to perform live. Even if I had, there would always be situations for which I could not control or plan.

What are the limitations in live surgery in terms of time and procedures performed?

When we first started, we had an elderly female patient who needed four implants, which were to be immediately loaded, and we planned that the procedure would last for 2.5 hours. We thought it was extremely exiting, but there were only about 150 people in the room. When we performed third molar extractions 2 hours later, we had 300 people in the room. The point is that when one performs fairly short procedures, one can keep the minds of the audience busy. A long procedure, however, can be problematic. Maybe 45 minutes, including preparation and cleaning, is a good time frame.

That is the reason I chose third molar extractions, root resections and simple implant treatments for my live shows. And that is also what I intend to demonstrate with Klinikproduktion: everyday life in a dental clinic.


Could you explain that further?

My goal is to keep to the simple treatments that make up daily practice. There are some good-quality videos available, but they are mostly targeted at specialists wishing to advance their skills even further. I want to reach out to the everyday dentist and teach him or her and his or her team how to improve their work. Third molar extractions, for example, are what clinics perform on a daily basis. In quite a simple manner, I can teach practitioners how to carry out the whole procedure in a better and safer way.

But if it is such a common procedure, what is there for practitioners still to learn?

We have patients in the clinic every week who have been referred because their dentist had struggled to remove a third molar for hours, but had not succeeded. A specialist would probably have needed 10–15 minutes to remove it. This expertise does not necessarily apply to a general practitioner who does not perform surgical interventions every day. Still, many patients expect their own dentist to be able to perform this procedure.

Do you think videos could be a valuable educational tool for dentists?





 $\textit{Klinik produktion's founder Dr Jens L} \textbf{\textit{xtgaard}}.$

Nordic Edition spoke with the Dane about his elaborately produced treatment videos and why he thinks video training is the educational tool of the future.

Dental Tribune Nordic Edition: Your company Klinikproduktion produces video courses and carries out surgeries at trade shows. What is most important when it comes to live treatment?

Dr Jens Lætgaard: Many websites that offer live surgery videos in dentistry focus on the mouth only and the videos are often recorded with a single camera. As a viewer, one thus misses out on all the other details around the chair, for example what instruments are lying behind the surgeon or how the assistant holds the suction. This is what we are trying to change

What are the professional benefits of such demonstrations?

An advantage of live surgeries is that often the whole team attends exhibitions. Dentists, hygienists and assistants can come and go as they like. They can watch and discuss what they have seen—directly on-site or afterwards—with no obligations. For the audience, it is always exciting to watch live performances because they can see exactly what happens.

Is not it challenging to operate in such a small space with a whole team?

I have been performing live surgeries for many years now, so no, not really. Normally, when one sees live surgeries they are at a relative distance. With our set-up—only 3×3 square metres—the audience

out. Such scenarios are beneficial to the audience. If the bone, instruments or patient do not act in the manner expected, one has to continue and show the audience how to handle the situation. My aim is not to demonstrate the perfect scenario anyway.

Have you ever had to suspend a live treatment because of unexpected complications?

Ihave never had a moment in live surgery in which we did not manage to resolve any problems. I demonstrate procedures I do every day, which means I am fairly confident about them. But that is no guarantee, of course. I once did a sinus lift during which the Schneiderian membrane was accidently perforated. Well, that is a rare occurrence, but it offers a far better

Where do you find your patients?

I recruit them from my usual patients. I offer them a discount for the inconvenience of having to show up in a different place and to compensate for there being an audience. One has to be careful of whom one chooses to participate. A very nervous patient would not be a good choice. One has to inform the patient thoroughly about the agenda, which means discussing potential complications, such as nerve injuries and extensive bleeding.

Steady nerves appear to be a requirement for both the patient and the operator performing live.

One has to have a certain natural ability to handle a live situation. If the thought of a surgery in front of an audience leaves one shaking or

Dental Tribune Nordic Edition | 2/2015

TRENDS & APPLICATIONS





Yes, indeed! Being able to replay a video is a great advantage, and the whole team can watch it together or individually. That is also the feedback I have received from our users. They appreciate the opportunity to watch 5 minutes of a 20-minute video, as well as being able to rewatch it however many times they wish.

The ability to replay in video training is an outstanding feature compared with live surgeries. One can always go home and repeat the part one wishes to watch again, such as reviewing the incision and the filling. As a dentist, one can also ask one's assistants to watch a video in preparation for a surgery. For example, if one is performing an implant treatment for the first time, one could ask one's staff to watch three videos of 5 minutes each at home to prepare for the procedure.

Is this the way people actually use the videos?

When we started Klinikproduktion a year ago, it was natural for me to think that this is the way people should use them, but then I spoke to a dentist and asked him whether he had seen the videos. He told me that he had not. I explained to him how he could use them in many ways, for example as an internal education tool in team meetings. Surprisingly, the dentist I spoke to had not thought of this option at all. So, my job will probably also include teaching our users how to use the videos in daily practice.

Are there other projects you hope to venture into?

Interactive live streaming is something we have wanted to do for some time now. The audience would be able to ask questions during the procedures. It hink it is quite important to enter into dialogue and discuss scenarios. As a surgeon,

one will always be in a position in which somebody disagrees with one and wants to ask a critical question. Personally, I think critical questions are more fun to answer, because then a discussion emerges in which I have to explain why I am doing something a certain way.

Criticism is good. I once had a live surgery during which an audience member asked me why I did not do something differently and his suggestion was a fantastic idea I had never even thought about. I said, "Thank you, I will definitely do that in the future". It is exactly this sort of interaction that I like best. That is where we all learn.

Are Klinikproduktion's videos approved for professional dental training?

Right now, there is a test after every video. This means that the users can earn continuing education credits after watching the videos and taking the tests. The requirements for further training in Denmark are fairly poor. There are no stipulations, but the dental association recommends that their members participate in 25 hours of continuing education every year. However, so far, the association is not prepared to assume responsibility and there are no requirements for dentists.

In fact, I recently suggested at the Danish Dental Association's annual meeting making 25 hours of yearly continuing education a requirement. Well, they did not vote for my suggestion. It is a little absurd. Why be afraid of losing association members? If the members are not willing to do further education, they should not be in the association in the first place.

Thank you very much for the interview.



ΔD

dti Tribune International

The Dental Tribune International C.E. Magazines

www.dental-tribune.com



I would like to subscribe to

- CAD/CAM
- cone beam
- cosmetic dentistry*DT Study Club (France)***
- gums*
- implants
- laser ortho
- prevention*

Credit Card Number

roots

4 issues per year | * 2 issues per year
*** €56/magazine (4 issues/year; incl. shipping and VAT)

€44/magazine (4 issues/year; incl. shipping and VAT for customers in Germany) and €46/magazine (4 issues/year; incl. shipping for customers outside Germany).** Your subscription will be renewed automatically every year until a written cancellation is sent to Dental Tribune International GmbH, Holbeinstr. 29, 04229 Leipzig, Germany, six weeks prior to the renewal date.

** Prices for 2 issues/year are €22 and €23 respectively per year.

Shipping address		
City	Country	
Phone	Fax	
Signature	Date	
☐ PayPal subscriptions@dental-tribune.com ☐ Credit Co	ard	

↑ SUBSCRIBE NOW!

fax: +49 341 48474 173 | e-mail: subscriptions@dental-tribune.com

Achieving lifelike aesthetics

Replacing existing Class IV restorations using only two composite shades

By Dr Frank J. Milnar, USA

Recognising the unique biological architecture of the natural tooth, dentists today practise conservative procedures and minimally invasive techniques in order to preserve the maximum amount of healthy structure when restoring dentition to proper form and function.1 This can prove challenging when combined with patient expectations for an aesthetically pleasing smile and the predilection towards bio-modification and biomimetics in modern dentistry.2-4 Additionally, visual ergonomics is of optimal importance when restoring the anterior segment of patients presenting with Class IV fractures that have been previously restored.5

In the past, recreating the unique characteristics of natural dentition could be difficult and confusing. Manufacturers released multiple composite shades, opacities and translucencies, all of which were required to reconstruct individualised teeth. Therefore, the direct composite placement technique became overwhelming and time-consuming.

Fortunately, dental material manufacturers have helped to improve and

enhance dental treatments by developing direct composites that simplify the layering process. Today's biomimetic direct composite materials reduce the number of composite shades required to recreate aesthetic restorations and simplify and enhance predictability. These new composites address demands for minimally invasive treatment while providing increased strength and optical characteristics, universal application, improved adhesion, and optimal handling and sculptability when reconstructing the biological, aesthetic and physical architecture of natural teeth 6

Among the new alternatives available is a nano-hybrid indicated for Class I–V restorations. GrandioSO (VOCO) is a newly developed universal nano-hybrid restorative that displays greater wear resistance, enhanced shade stability, long-lasting polish retention, flexural strength similar to that of natural dentition, and low shrinkage. GrandioSO is unique owing to its construction, which includes 30–50 % less resin compared with other micro-hybrid resin-based restoratives.⁷ GrandioSO contains

very small designer nano-particles made from silica dioxide filler particles grownto 20–40 nm, then covered with a special coating. Glass-ceramic fillers with an average particle size of 1 µm combined with the designer nano-particles create a nano-hybrid composite that outperforms conventional composites, which have limited use. 8

The rate of polymerisation shrinkage in the newest modern-generation composites reaches 2-2.5 % when curing.9 However, the low resin content of GrandioSO decreases shrinkage to 1.6 %, reducing stress and, as a result, eliminating the undesirable white line that often appears with resin-based composites during the finishing process.8 The unusually high surface hardness found with GrandioSO results from the increase in filler load. Conventional composite filler weights range from 70 to 77 %, compared with GrandioSO's 89 %.7 Owing to its unusually high surface hardness (210.9 MHV), GrandioSO is the closest composite to natural enamel (350-450 MHV).8 It maintains its strength, is highly polishable, and demonstrates long-term abrasion and wear resistance.¹⁰ In addition, the com-

posite retains surface smoothness and a permanently polished sheen.

Grand SO

Although emulating natural tooth structure, shape and shade while blending with surrounding dentition still requires careful composite selection and artful procedures during the placement protocol, the availability of new nano-hybrid composites such as GrandioSO enables simplified techniques.

Clinical case

This following clinical case describes how GrandioSO was used to re-restore the maxillary anterior teeth of a 48-year-old female patient. Old and discoloured Class IV composite restorations on teeth #11 and 21 were removed, and the patient's smile rejuvenated using the GrandioSO composite and a predictable two-shade composite layering technique.

The patient presented with 15-yearold composite restorations on her

anterior maxillary teeth
(Figs. 1 & 2). She was not interested in porcelain veneers or unnecessary removal of tooth structure. She

requested only reversible and re-

pairable restorations.

Before the pre-existing composite restorations were removed, the patient's occlusion was analysed. A comprehensive intra-oral examination was performed that included an oral history, radiographs and photographs. The patient was in good health, and nothing contra-indicated direct composite re-restoration of teeth #11 and 21.

Morphological, histological and optical characteristics of the teeth were examined. In order to select the appropriate composite shade for replacing the old restorations, GrandioSO in Shades A1 and A2 were previewed side by side on teeth #11 and 21. This enabled the dentist to select the appropriate shades for



Fig. 1: Pre-op view of the patient's natural smile.—Fig. 2: Close-up pre-op view of teeth #11 and 21.—Fig. 3: Two shades of composite were previewed.—Fig. 4: Shades A1 and A2 would be used.—Fig. 5: An enhanced wax-up model demonstrated the anticipated treatment outcomes.—Fig. 6: The stent would be used to help maintain the facial-lingual line angles.—Fig. 7: View of the final bevel preparation.—Fig. 8: The teeth were etched using 35 % orthophosphoric acid etch.—Fig. 9: A dual-curing, self-etching dentine—enamel bonding agent (Futurabond DC) was applied to the preparations using a brush.—Fig. 10: GrandioSO Shade A2 was placed to create the lingual enamel layer of tooth #21.—Fig. 11: In order to re-restore tooth #11, GrandioSO composite in Shade A2 was placed, sculpted and cured for 10 s.—Fig. 12: View of teeth #11 and 21 immediately after final placement of the composite material.—Fig. 13: The putty stent was again placed intra-orally to verify the length and width of the restorations.—Fig. 14: A 3M disc was used to impart the mesial transitional line angle.—Fig. 15: A Dimanto polishing cup was used.—Fig. 16: Post-op view of the nano-hybrid restorations on teeth #11 and 21; note the lifelike aesthetics, translucency and shade characteristics created with only two composite shades.

the case (Figs. 3 & 4), with Shade A2 being the lingual enamel layer $and\,Shade\,A1\,the\,final\,composite$

Before the original composite restorations were removed, a diagnostically enhanced model was created from preoperative impressions (Fig. 5). This model also would be used for fabricating a high-viscosity putty stent (Registrado X-tra, VOCO) that, when placed intra-orally, would provide a spatial reference and volumetric guide for composite placement (Fig. 6). This stent also would help maintain the facial-lingual line angles.11

The old restorations were removed, and teeth #11 and 21 were prepared using diamond burs. In addition, a 2.5 mm infinite facial bevel was created (Fig.7). Combined, this preparation design supported the fracture resistance and durability needed for the restorations and facilitated imperceptible restorative margins.12

The Class IV preparations were then verified incisally, after which the teeth were pumiced, rinsed and dried. Although manufacturers have developed newer generations of selfetching adhesives that demonstrate predictable long-term bonding and marginal integrity, selective enamel etching is still advocated in the literature in order to ensure excellent clinical results. 13-16 Thus, the preparations were etched with 35% orthophosphoric acid (Vococid, VOCO) for 15 seconds, rinsed and dried (Fig. 8). A single-dose bonding agent (Futurabond DC, VOCO) was then applied to the preparations using a brush for 20 seconds (Fig. 9). The selected bonding agent eliminated evaporation, would not spill, and required fewer steps, thereby helping to reduce technique sensitivity. The bonding agent was air thinned with high pressure and light cured for 10 seconds per tooth.

The putty stent was placed intraorally and GrandioSO composite in Shade A2 was applied in a 1.5 mm thick increment to form the lingual enamellayer and block any show-through on tooth #21 (Fig. 10). This layer was cured for 10 seconds (note that darker shades require 20 seconds). In order $to \, assess \, this \, lingual \, enamel \, layer, the \,$ putty stent was removed. In order to simulate higher value and lower chroma in the middle and incisal thirds of the maxillary central incisor, the putty stent was again placed intra-orally, and Shade A1 was placed, sculpted and cured for 10 seconds. The re-restoration of tooth #11 was performed analogously (Fig. 11-13).

The restorations were then finished using a series of discs (Fig. 14) and contour, shape and shine cups and points.¹⁷ These helped to ensure that the restorations demonstrated a similar harmony and balance with the adjacent teeth, as well as with each other. These finishing steps also imparted realism by better defining line angles (e.g. mesial transitional line angle). In order to create a natural-looking final lustre, a one-step polishing system (Dimanto, VOCO) particularly well suited to the high surface hardness of new composite materials was used (Fig. 15).



Fig. 17: Post-op close-up view of the completed two-shade composite restorations on teeth #11 and 21.

Conclusion

The case presented here has demonstrated the man $ner in \, which \, only \, two \, shades$ of a direct composite resin were used to produce imper $ceptible Class IV \, restorations$

(Fig. 16 & 17). With the development of new-generation composites, the ability to recreate restorations with two composite shades, as opposed to three or more, while reproducing durable and aesthetically pleasing characteristics contributes to our goal to provideless technique-sensitive treatment in biomimetic, conservative and effective ways.

 ${\it Editorial note:} A {\it list of references is available}$ from the publisher.



Dr Frank J. Milnar is co-founder of the Minnesota Academy of Cosmetic Dentistry and maintains a private practice in St Paul in Minnesota in the

US. He can be contacted at Frank@ milnardds.com.



Three sessions with live patient treatment, hands-on practice, plus online training under the Masters' supervision.

Learn from the Masters of Aesthetic and Restorative Dentistry:













Registration information:

12 days of live training with the Masters in Athens (GR), Geneva (CH) + self study

Curriculum fee: €9,900

(Based on your schedule, you can register for this program one session at a time.)

Details on www.TribuneCME.com

contact us at tel.: +49-341-484-74134 email: request@tribunecme.com

Collaborate on your cases

and access hours of and live webinars



University of the Pacific











