IMPLANT TRIBUNE

– The World's Dental Implant Newspaper · U.S. Edition *—*

AUGUST 2014 — Vol. 9, No. 8 www.dental-tribune.com

AAOMS goes to Honolulu



The Hawaiian Convention Center will host the AAOMS 96th Annual Meeting from Sept. 8–13. Photo/Sierra Rendon, Implant Tribune file photo

Group hosts its 96th annual meeting this September in conjunction with Japanese, Korean organizations

By Sierra Rendon, Managing Editor

he American Association of Oral and Maxillofacial Surgeons will return to sunny Honolulu at the Hawaiian Convention Center this Sept. 8–13.

In conjunction with the Japanese Society and Korean Association of Oral and Maxillofacial Surgeons, the AAOMS 96th Annual Meeting will feature a variety of educational and corporate offerings sure to meet every clinician's needs.

Among the events planned for the annual meeting are:

- Two full-day clinical module programs
- $\bullet \ Symposia$

- Keynote lecture
- Oral abstract and poster sessions
- Open forums
- CIG programs
- Exhibition

One highlight this year will be a featured session focusing on "Minimally Invasive Cosmetic Facial Surgery."

Brought to you by the CIG on Cosmetics, this course will focus on popular, minimally invasive, office-based facial rejuvenation procedures that can be incorporated into OMS practice. Each treatment addressed will include discussion of clinical indicators, procedural techniques, postoperative considerations, and adverse outcomes and sequelae. Experts in facial and dermatologic cosmetic surgery will present a variety of options

for addressing problems with aging skin, facial volume and contour abnormalities. The session will also address the clinical debate on controversial treatment options.

Additionally, this year's keynote address will feature Beck Weathers, MD, a survivor of the 1996 Mount Everest tragedy. The incredible story of Weathers' survival has all the elements of a great adventure: heroism; bravery; a successful human struggle against the forces of nature; the surmounting of great physical and psychological challenges; and a triumph of the human spirit. He has come back from his ordeal to speak about his experience and to enlighten attendees with the invaluable lessons he learned, according to AAOMS.

JOI study: Comparison of graft techniques

A variety of methods exist for treating the alveolar ridge prior to oral implant

uccess of a dental implant can be affected by the width of the alveolar ridge — an indication of the amount of bone available to hold the implant. A variety of methods exist, each with their own advantages, to determine bone loss and subsequent augmentation techniques. The ridge-split graft is highlighted as a strategy for treating horizontally collapsed alveolar ridges.

In its most recent edition, the Journal of Oral Implantology offers a comparison of two commonly used techniques: the ridge-split and the block bone grafts. The oral surgeon must choose the best technique for bone augmentation based on an assessment of the patient's condition and the oral surgeon's own skills and experience.

Diagnosis of alveolar bone should first be assessed visually for width and height and the relationships of teeth to one another and to the dental arch. Radiographic images can distinguish two-dimensional versus three-dimensional bone deficiency. A three-dimensional or volumetric bone evaluation with cone-beam computed tomography allows for precise measurement of the ridge and evaluation of both the cortical and medullary portion of the bone, which are imperative for the stability of the implant.

A 10-point comparison of the two graft techniques, ridge-split and block bone, is offered within the JOI article. Issues discussed include graft resorption, donor and recipient site morbidity, wound closure, buccal soft-tissue flap, immediate or delayed implant insertion and long-term stability of the graft.

Both methods are used primarily for horizontal alveolar ridge augmentation, or bone widening. Block bone grafting is effective for severe anterior atrophy in the upper and lower jaw. However, morbidity at the donor site and later-term graft re-

► See GRAFT, page B₃



IMPLANT TRIBUNE

PUBLISHER & CHAIRMAN

Torsten Oemus t.oemus@dental-tribune.con

PRESIDENT/CHIEF EXECUTIVE OFFICER

Eric Seid e.seid@dental-tribune.com

GROUP EDITOR

Kristine Colker k.colker@dental-tribune.com

MANAGING EDITOR IMPLANT TRIBUNE

Sierra Rendon s.rendon@dental-tribune.com

Fred Michmershuizen f.michmershuizen@dental-tribune.com

MANAGING EDITOR

PRODUCT/ACCOUNT MANAGER

Humberto Estrada h.estrada@dental-tribune.com

PRODUCT/ACCOUNT MANAGER

w.kenyon@dental-tribune.com

MARKETING DIRECTOR

Anna Kataoka a.kataoka@dental-tribune.com

EDUCATION DIRECTOR

Christiane Ferret c.ferret@dtstudyclub.com

Tribune America, LLC 116 West 23rd Street, Suite 500 Phone (212) 244-7181 Fax (212) 244-7185

Published by Tribune America © 2014 Tribune America, LLC All rights reserved.

Tribune America strives to maintain the utmost accuracy in its news and clinical reports. If you find a factual error or content that requires clarification, please contact Managing Editor Sierra Rendon at s.rendon@dental-tribune.com.

Tribune America cannot assume responsibility for the validity of product claims or for typographical errors. The publisher also does not assume responsibility for product names or statements made by advertisers. Opinions expressed by authors are their own and may not reflect those of Tribune

EDITORIAL BOARD

Dr. Pankaj Singh

Dr. Bernard Touati

Dr. Jack T. Krauser Dr. Andre Saadoun

Dr. Gary Henkel

Dr. Doug Deporter

Dr. Michael Norton

Dr. Ken Serota Dr. Axel Zoellner

Dr. Glen Liddelow Dr. Marius Steigmann

Corrections

Implant Tribune strives to maintain the

Tell us what you think!

to make any change to your subscription an e-mail to c.maragh@dental-tribune.com subscription changes can take up to six

¬GRAFT, Page B1

sorption can occur with this method.

Some advantages of the split-ridge procedure include the lack of a donor site and that the buccal flap is not compromised but left attached. A postoperative injury while chewing is less likely with the ridge-split method because the graft is positioned more internally, protecting

While the choice of graft technique must ultimately be decided by the experience and comfort level of the operator, the author asserts that the ridge-split treatment has many advantages and produces a stable graft over time.

Full text of "Classification of the Alveolar Ridge Width: Implant Driven Treatment Considerations for the Horizontally-Deficient Alveolar Ridges," Journal of Oral Implantology, Vol. 40, Special Issue 1, 2014, is available: www.joionline. org/doi/full/10.1563/AAID-JOI-D-14-00023

How to publish with Implant Tribune

The Implant Tribune is pleased to accept doctor-written case studies, product reviews and clinical articles.


For the implant specialist, periodontist, prosthodontist or general dentist interested in placing implants, the Implant Tribune is an excellent monthly resource providing the latest in implant research, news and products. Here is your opportunity to author an article for the Implant Tribune both in print and online.

Send your prospective articles up to 850 words (longer submissions may be considered) via Word document to s.rendon@dental-tribune.com.

Accompanying photos should be high resolution (300 dpi JPGs, preferred) and should include photo captions and credits.

Please include with your submission a short (150-word) bio and a highresolution author image, if available.

Additional publishing opportunities are available for authors wanting to provide more in-depth, didactic articles. For more information, or for any questions or concerns regarding editorial submissions, contact Managing Editor Sierra Rendon at s.rendon@dental-tribune.com.



DENTSPLY Implants' new SYMBIOS offers solutions for regenerative needs

By DENTSPLY Implants Staff

ENTSPLY Implants offers comprehensive solutions for all phases of implant dentistry. SYMBIOS® is a full range of regenerative solutions including bone-harvesting instrumentation, allograft, xenograft and synthetic bone-graft materials and membrane products. This complete product offering helps to deliver predictable clinical efficacy, biocompatibility, ease of use and safety you can rely on.

for the 63rd Year

www.aaid.com

Partnering with Musculoskeletal Transplant Foundation (MTF) allows us to provide dental allograft solutions of the highest quality. MTF's industryleading donor selection criteria

standards exceed those set by American Association of Tissue Bank (AATB), FDA and most tissue banks when it comes to screening for cancer, illegal drug use, maximum donor age and a host of other conditions.

Their sterility control measures provide for a higher level of safety. All tissue is aseptically processed in ISO 4 (certified) clean

AAOMS BOOTH NO. 618 erican OA and

Thick PerioDerm is sutured over the exposed root surface followed by complete coverage. PerioDerm can be placed with either side facing the roots. Photo/Provided by David Wong, DDS

rooms, and processes are validated to prevent cross contamination.

As a readily available bone-grafting material, allograft solutions provide a stable framework for regeneration of bone without the morbidity associated with second surgical site.

Specific to dental implant treatment, the sufficient quality and quantity of bone play critical roles in the long-term success of treatment outcomes. In many cases, buildup of missing bone before or at implant placement is essential for establishing a sufficiently dimensioned osseous base for predictable osseointegration and ensured long-term function and esthetics.

SYMBIOS allograft solutions are available in different tissue forms, including demineralized and mineralized particulate and easy-to-apply putty for full flexibility in meeting the needs of each individual case.

SYMBIOS allograft solutions include:


• SYMBIOS Allograft Particulate: Easy to handle and hydrate, SYMBIOS Allograft particulate integrates with natural bone to assist the body in regenerating its own bone by stabilizing the blood clot, maintaining space and providing osteoconduction and osteoinduction.

Available in a variety of options from mineralized cortical and cancellous powder to demineralized cortical powder, SYMBIOS allograft particulates can be used for a wide number of indications including extraction sockets, bone augmentation, periodontal defects and sinus lifts.


- Safe; 100 percent bone particulate
- Easy to handle
- Three-year shelf life
- Convenient, ambient temperature storage
- SYMBIOS DBX® Putty Demineralized Bone Matrix: With 93 percent by volume for the highest demineralized bone content available, SYMBIOS DBX Putty offers exceptional handling characteristics when compared to other DBM products. The high molecular weight of the sodium hyalurate carrier means the material maintains its physical integrity and resists movement under irrigation
- SYMBIOS PerioDerm Acellular Dermis: For predictability in replacing, repairing and reinforcement of damaged and/or inadequate soft tissue, PerioDerm® Acellular Dermis has been shown to support the migration of host cells from wound margins and surrounding tissues. Benefits include:
- Quick rehydration (three–five minutes)
- Freeze-dried (no refrigeration required)
- More than 90 percent thickness consistency for uniform revascularization
- No cross-linking or compromise of the integrity of the dermal matrix

Whatever the clinical need, DENTSPLY recommends you choose SYMBIOS.

For more information, please visit www. dentsplyimplants.com.



Restoring quality of life



To succeed, you need technology that is well founded and documented in science. That is why we only deliver premium solutions for all phases of implant therapy, which have been extensively tested and clinically proven to provide lifelong function and esthetics.

Moreover, with an open-minded approach, we partner with our customers and offer services that go beyond products, such as educational opportunities and practice development programs.

Reliable solutions and partnership for restoring quality of life—because it matters.

Comprehensive solutions for all phases of implant dentistry



Professional and practice development



Digital planning



Regenerative solutions



Implants



cleared/released/licensed in all markets 32670004-US1402 © 2014 DENTSRY. All rights reserved

Restorations

STEPPS

SIMPLANT'

SYMBIOS

ANKYLOS

ATLANTIS"

ASTRA TECHIMPLANT SYSTEM

XIVE

DENSPLY

Anatomage celebrates 10 years of providing innovative technology

By Anatomage Staff

natomage is currently celebrating 10 years of bringing innovative technology to the healthcare industry. The company's products have been featured globally in TED, BBC, CBC, Japanese Fuji TV and PBS because of its originality and positive impact

We at Anatomage believes its avantgarde approach has made it a technical



leader, shaping and defining the industry standard. The company is commit-

ted to offering high-quality products and services that satisfy its customers.

Anatomage is pleased to present the next level in 3-D cephalometric analysis. Anatomage's 3D Analysis is fast, simple and accurate. The Anatomage 3D Analysis Module is true 3-D cephalometric tracing and analysis for CBCT. It enables full 3-D landmarks and tracing directly on the 3-D volume. There are many standard 2-D and 3-D cephalometric analyses options included in the library.

Clinicians can create their own custom

analysis and build their own norm data. Save time with automatic landmark identification and a volume that automatically rotates to the next tracing task.

AAOMS BOOTH NO. 839

For a truly impressive presentation, you can quickly photo-wrap your patient with a traditional 2-D or advanced 3-D camera. More advanced new features will be presented in booth No. 839 at AAOMS 2014 in Honolulu

Invivo 5.3 is the latest edition to the InVivoDental software lineage. High-quality visualizations combined with a variety of diagnostic tools have raised Invivo 5 to the top of the global market. This innovative software is used by implantologists, oral surgeons, general dentists, orthodontists and periodontists.

The software opens medical CT, MRI, dental CBCT and many other medical images in the standard DICOM format without the need for file conversions. These medical images are quickly displayed as interactive 3-D volumes for clinical diagnosis and demonstration

Anatomage will be located in booth No. 839 at AAOMS 2014. Stop by to learn more about the latest editions of Invivo 5 and 3D Analysis.

Implant Direct offers new InterActive

system

With the introduction of the InterActive Implant System, Implant Direct's portfolio of implant so-

lutions featuring simply smarter design and industry compatibility has expanded to include a 12-degree conical connection that is compatible with NobelActive.¹

AAOMS

BOOTH

NO. 938

This new system with four implant diameters (3.2, 3.7, 4.3, 5.0 mm), six lengths² (6, 8, 10, 11.5, 13 and 16 mm) and a range of prosthetic options offers several design advantages to simplify both surgical and restorative procedures.

The InterActive implant design incorporates several features including flat-based buttress threads. A combination of microgrooves and micro-threads improves tissue attachment and increases stability, which aids in reducing crestal stress. Three long cutting grooves facilitate self-tapping insertion while the rounded apex reduces risk of sinus perforation.

Included in InterActive's all-in-one packaging is a cover screw, 2 mm extender/healing collar, final abutment fixation screw and a fixture-mount.

References available upon request from the publisher.

Simple Cost. Simply Effective.





\$295

\$295°



Low Flat Fee
No Conversion
Fast Turnaround
High Accuracy
Proven Success
Made in California

Email info@anatomage.com for more information or visit www.anatomage.com

Anatomage







111 N Market St Suite 500 San Jose, CA 95113 | Tel 408.885.1474 | Fax 408.295.9786

*with Anatomage drill & handle system, shipping and tax not included





Unique open design surgical template allows

for optimal irrigation and excellent line of sight



No software investment

Live one-on-one web conferencing with a MCENTER specialist puts you in control of your case through shared screen technology



Surgical Kits

Innovative keyless instrumentation allows for simple access and versatility for a fully guided procedure.



FOR THE ULTIMATE **GUIDED PROCEDURE** MAKE IT SIMPLE

MCENTER USA is proud to announce MGUIDE, our virtual implant planning and guided implantology system designed to enhance simplicity, accuracy and safety This efficient system combines modern 3D implant planning with an innovative surgical template and unique keyless surgery kit. The result is a simple guided implantology procedure that benefits the clinician and the patient. To learn more, visit our website: www.mcenterusa.com or call us:866-797-1333 (toll-free)







PARADIGM SHIFT IN US IMPLANT DENTISTRY

NEOBIOTECH USA SYMPOSIUM

September 7(SUN) Bellagio Hotel, LV NV

Registration OPEN!

www.neobiotechus.com

3200 Wilshire Blvd, #1120, Los Angeles, CA 90010

T. 213-387-7704 F. 213-387-7701

C---1---

WANTED IMPLANT SALES PARTNERS IN USA

(INDEPENDENT SALES, AGENCY)

To discuss in more detail contact us. neobiotechus@gmail.com

1 Symposium Schedule

Time	Lecture	Speaker
08:30 -10:00	Current Advances in Bone Augmentation - Horizontal Bone Augmentation - Vertical Bone Augmentation	Dr. Craig Misch
10:00 -10:30	Break	
10:30 -12:00	Clinical Key Points for Successful Immediate Placement & Loading in the Mandible & Maxilla - How to Place Implants & Get Ideal Initial Stability in Different Types of Bone Density - Immediate Placement and Immediate Loading - Flapless Surgery with the Neo Precision Guide - Live Interaction - Video Study of Various Cases	Dr. Young - Ku Heo
12:00 -13:00	Lunch	
13:00 - 14:30	Minimally Invasive Crestal & Lateral Sinus Approaches - No Malleting Sinus Lift Technique(SCA Technique) - How to Prevent Membrane Tearing During Sinus Lifting - Step by Step Procedure of SCA Technique - Safe, Fast & Predictable Lateral Window Opening Technique - Minimal Incision & Small Window Opening Technique	Dr. Kent Hwang
14:30 -15:00	Break	
15:00 -16:30	Implant Complications & Their Solutions - Etiology of Periimplantitis - Prevention of Periimplantitis - Treatment Options of Periimplantitis - Introduction of Neobiotech Products for solution of Periimplantitis	Prof. Hom-Lay Wang
16:30 -17:30	Contemporary Implant Prosthodontics - Precision Impression Making - All About SCRP - CAD/CAM Digital Dentistry	Dr. Young - Ku Heo

2 Symposium Speaker



Dr. Craig Misch /USA

- Current Advances in Bone Augmentation



Dr. Young-Ku Heo / Korea

 Clinical Key Points for Successful Immediate Placement & Loading in the Mandible & Maxilla

Contemporary Implant
 Prosthodontics



Dr. Kent Hwang /USA

- Minimally Invasive Crestal & Lateral Sinus Approaches



Prof. Hom-Lay Wang / USA

- Implant Complications & Their Solutions Implant Tribune U.S. Edition | August 2014

For tight situations when extracting wisdom teeth, here's how to extend your surgical viewing angle

By W&H Staff

urgical drive instruments face anatomical limits when extracting wisdom teeth: The cheek obstructs straight handpieces in the case of small mouths, or the distal molar makes burr access difficult for contra-angle handpieces.

In either case, the new surgical contraangle handpieces from W&H offer an intelligent solution — even for wide apical tooth sectioning.

The dental handpieces WS-91 and WS-91LG combine the advantages of surgical straight and contra-angle handpieces for the first time ever. The extended angle between the shank and burr axis allows good access to the tooth row both buccally and occlusally. Displaced teeth can be comfortably sectioned.

The dentist also has a significantly better view of the surgical site than with the instruments previously available.

Dr. Mario Kirste from Frankfurt/Oder had this to say: "If I turn the contra-angle handpiece head slightly, I can work particularly quickly and safely in the retromolar region. The instrument has the potential to reconcile the contrasting positions taken up by the users of straight and contraangle handpieces."

Power plus hygienic safety

The new contra-angle handpieces WS-91/WS-91LG are real powerhouses at the same time. Their transmission ratio of 1:2.7 results in a speed of up to 135,000 revolutions per minute. The key factor, however, is their high power combined with a surgical motor.

The contra-angle handpieces achieve an effective power of more than 2 Ncm on the working part of the burrs, making them almost three times as powerful as standard dental contra-angle handpieces combined with an electric dental motor.

Biologically necessary and hygienically safe cooling is also taken care of: An exter-

nal triple spray cools the rotating instrument with a sterile saline solution. As with all dental handpieces from W&H, the surface of the new contra-angle handpieces is scratch-resistant and therefore easy to clean. They can also be easily disassembled without tools, according to W&H.

Successful balance

Apical resection is another indication for the contra-angle handpieces WS-91/WS-91LG. The sophisticated geometry ensures excellent vision in cases involving maxillary molars and small mouths. In the WS-91LG, a mini LED+ also illuminates the operating area with daylight quality.

"The new contra-angle handpieces are a really successful balance. This achievement by W&H extends my viewing angle and my options in routine surgery," Kirste said.

The new surgical contra-angle handpiece WS-91LG. (Photo/Provided by W&H)



